

CA Chorus 3.0
CA RS 1312 Service List

Release	Service	Description	Hiper
3.0	RO59624	DUPLICATE PACKAGE DEPENDENCIES FOR DB,TS,IX,RT	
	RO59752	WRONG USER ID USED IN SECURITY QUICK LINKS PRODUCTS	
	RO59868	STORAGE DISCIPLINE USES INCORRECT DCB PARAMETERS FOR LOGGING	
	RO59905	COST ANALYSIS OBJECTS ARE VERY SLOW AT DISPLAYING DATA	
	RO59926	TRIM FIELDS AND ADD ACTIVE DATE HOVERTEXT IN METADATA	
	RO60057	USER DEFINED FIELD NAMES NOT APPEARING IN TOPOLOGY VIEWER	
	RO60072	IEF642I EXCESSIVE PARAMETER LENGTH IN ETJI0101 HLQ.	
	RO60087	DON'T DISPLAY ACTIONS WITHOUT DESCRIPTIONS WHEN MODIFYING	
	RO60281	ETJICUST CC=719 "ILLEGAL GROUP NAME" OCCURRED	
	RO60284	QUERY LOGS ARE NOT GENERATING IN "CHORUS-QUERY.LOG" FILE	
	RO60327	BLANK METRICS ON STORAGE STATISTICS DETAIL PANE	
	RO60334	CHORJBOS OUT OF MEMORY WITH RECOMMENDED SIZE	
	RO60374	RMVDBSH SCRIPT POINTS TO A NON EXISTENT DIRECTORY	
	RO60375	ETJLOGC COMMENTS NEEDS UPDATE TO POINT TO CORRECT VALUES	
	RO60424	CHANGE VIEW FOR ACF2 VM IDLE PROCESSING	
	RO60500	AUTO-CONFIGURATION COMMENT UPDATES FOR SECURITY SYMBOLS	
	RO60540	GETTING PROXY VALIDATION IS FAILED DURING URL INDEXING.	
	RO60632	ACTION FOLLOWING <> FILTER IS INCLUDED IN RESULT	
	RO60776	FILTERING NOT WORKING FOR APPLICATION INDICATOR	
	RO60777	REMOVE HARDCODED DB2TOOLS APPLID REFERENCE	
	RO60778	HORIZONTAL SCROLL BAR IS REPOSITIONING AFTER AUTO REFRESH	
	RO60989	TEMP OUTPUT DATASETS USE FBA INSTEAD OF FB	
	RO61000	DBA COMMAND MANAGER MODULE IS 'UNMOVABLE' WHEN IT IS LOADING	
	RO61070	POLICY ADMIN, PROBLEMS WITH POLICY STATEMENTS	
	RO61096	MISLEADING ERROR MESSAGE MODULE DB2TOO64	
	RO61111	FIX SPECIAL CHARS IN INVESTIGATOR	
	RO61215	UPDATED PRODUCT DOCUMENTATION	
	RO61248	INCORRECT OBJECT COUNTS FOR SG, DB ACTIONS	
	RO61406	CHORUS DBA TRANSLATOR MEMORY FIXES	
	RO61413	UPDATE ENVETJ TO USE JVM LARGE PAGE SUPPORT	
	RO61425	INCORRECT COMMAND IN ETJI095T	
	RO61444	INSIGHT METADATA DATA TYPE REFRESH	
	RO61487	INCORRECT ERROR CHECKING IN ETJI0100	
	RO61504	UNABLE TO DELETE POLICY	
	RO61755	HOST CONNECTION NOT BEING DONE FOR ALTERNATE VANTAGE ENGINES	
	RO61967	SAMPJ CHANGES FOR \$ESINFO, \$ULEOBJ AND ELIMIT021	
	RO61985	REPORT ORDER MISMATCH IN UI AND EZTRIEVE REPORT	
	RO62045	JBOSS ABEND AT START WITH DBA ENABLED	
	RO62086	UPDATED SECURITY SYMBOL COMMENTS FOR AUTO-CONFIGURATION	
	RO62106	ERROR WHILE ADDING ORGANIZATION COUNTS FROM TOOLBAR	
	RO62121	SORTING NOT WORKING FOR RESOURCE CLASS COLUMN	
	RO62149	SCS UPDATES - FIX RUNTIME JCL	
	RO62379	INCORRECT COMMENT FOR CSM_APPL VARIABLE	
	RO62389	COST ANALYSIS FROM SUMMARY OBJECT INSTEAD OF DTOC4SYS	
	RO62465	ANALYSIS SERVICE SHOWS SEVERITY 99 IN DETAILS	
	RO62510	METRICPANELSERVICE EXCEPTIONS IN LOGS	
	RO63060	UPDATE COMMENTS FOR 95 JOBS FOR GENERAL CLARIFICATION	
	RO63070	NEWLY CREATED SHARED DASHBOARD MISSING IN OBJECT PICKER	
	RO63072	ACTIONS-DS RUNNING OUT OF CONNECTIONS	
	RO63220	DISABLE SHOPPING CART ICON WHEN EMPTY	

The CA RS 1312 service count for this release is 50

CA Chorus 2.5
CA RS 1312 Service List

Release	Service	Description	Hiper
2.5	RO59934	REMOVE HARDCODED DB2TOOLS APPLID REFERENCE	
	RO60689	INVALID FILES CREATED DURING DOCUMENTATION INDEXING	
The CA RS 1312 service count for this release is 2			

CA Chorus 2.0
CA RS 1312 Service List

Release	Service	Description	Hiper
2.0	NO-SRVC	CA RS 1312 Contains No Service For This Release of This Product.	
The CA RS 1312 service count for this release is 0			

CA Chorus
CA RS 1312 Service List for CETJ250

FMID	Service	Description	Hiper
CETJ250	RO59934	REMOVE HARDCODED DB2TOOLS APPLID REFERENCE	
	RO60689	INVALID FILES CREATED DURING DOCUMENTATION INDEXING	
The CA RS 1312 service count for this FMID is 2			

CA Chorus
CA RS 1312 Service List for CETJ300

FMID	Service	Description	Hiper
CETJ300	RO60072	IEF642I EXCESSIVE PARAMETER LENGTH IN ETJI0101 HLQ.	
	RO60281	ETJICUST CC=719 "ILLEGAL GROUP NAME" OCCURRED	
	RO60284	QUERY LOGS ARE NOT GENERATING IN "CHORUS-QUERY.LOG" FILE	
	RO60327	BLANK METRICS ON STORAGE STATISTICS DETAIL PANE	
	RO60334	CHORJBOS OUT OF MEMORY WITH RECOMMENDED SIZE	
	RO60374	RMVDBSH SCRIPT POINTS TO A NON EXISTENT DIRECTORY	
	RO60375	ETJLOGC COMMENTS NEEDS UPDATE TO POINT TO CORRECT VALUES	
	RO60500	AUTO-CONFIGURATION COMMENT UPDATES FOR SECURITY SYMBOLS	
	RO60540	GETTING PROXY VALIDATION IS FAILED DURING URL INDEXING.	
	RO60776	FILTERING NOT WORKING FOR APPLICATION INDICATOR	
	RO60777	REMOVE HARDCODED DB2TOOLS APPLID REFERENCE	
	RO60778	HORIZONTAL SCROLL BAR IS REPOSITIONING AFTER AUTO REFRESH	
	RO60989	TEMP OUTPUT DATASETS USE FBA INSTEAD OF FB	
	RO61000	DBA COMMAND MANAGER MODULE IS 'UNMOVABLE' WHEN IT IS LOADING	
	RO61096	MISLEADING ERROR MESSAGE MODULE DB2TOO64	
	RO61215	UPDATED PRODUCT DOCUMENTATION	
	RO61406	CHORUS DBA TRANSLATOR MEMORY FIXES	
	RO61413	UPDATE ENVETJ TO USE JVM LARGE PAGE SUPPORT	
	RO61425	INCORRECT COMMAND IN ETJI095T	
	RO61487	INCORRECT ERROR CHECKING IN ETJI0100	
	RO61504	UNABLE TO DELETE POLICY	
	RO61985	REPORT ORDER MISMATCH IN UI AND EZTRIEVE REPORT	
	RO62045	JBOSS ABEND AT START WITH DBA ENABLED	
	RO62086	UPDATED SECURITY SYMBOL COMMENTS FOR AUTO-CONFIGURATION	
	RO62379	INCORRECT COMMENT FOR CSM_APPL VARIABLE	
	RO62510	METRICPANELSERVICE EXCEPTIONS IN LOGS	
	RO63060	UPDATE COMMENTS FOR 95 JOBS FOR GENERAL CLARIFICATION	
	RO63070	NEWLY CREATED SHARED DASHBOARD MISSING IN OBJECT PICKER	
	RO63072	ACTIONS-DS RUNNING OUT OF CONNECTIONS	
	RO63220	DISABLE SHOPPING CART ICON WHEN EMPTY	

The CA RS 1312 service count for this FMID is 30

CA Chorus
CA RS 1312 Service List for CETJ302

FMID	Service	Description	Hiper
CETJ302	RO60632	ACTION FOLLOWING <> FILTER IS INCLUDED IN RESULT	
	RO62121	SORTING NOT WORKING FOR RESOURCE CLASS COLUMN	
The CA RS 1312 service count for this FMID is 2			

CA Chorus
CA RS 1312 Service List for CE1M300

FMID	Service	Description	Hiper
CE1M300	RO59752	WRONG USER ID USED IN SECURITY QUICK LINKS PRODUCTS	
	RO59926	TRIM FIELDS AND ADD ACTIVE DATE HOVERTEXT IN METADATA	
	RO60057	USER DEFINED FIELD NAMES NOT APPEARING IN TOPOLOGY VIEWER	
	RO60087	DON'T DISPLAY ACTIONS WITHOUT DESCRIPTIONS WHEN MODIFYING	
	RO60424	CHANGE VIEW FOR ACF2 VM IDLE PROCESSING	
	RO61070	POLICY ADMIN, PROBLEMS WITH POLICY STATEMENTS	
	RO61111	FIX SPECIAL CHARS IN INVESTIGATOR	
	RO61967	SAMPJ CHANGES FOR \$ESINFO, \$ULEOBJ AND E1MIT021	
	RO62106	ERROR WHILE ADDING ORGANIZATION COUNTS FROM TOOLBAR	
	RO62149	SCS UPDATES - FIX RUNTIME JCL	
The CA RS 1312 service count for this FMID is 10			

CA Chorus
CA RS 1312 Service List for CE3K300

FMID	Service	Description	Hiper
CE3K300	RO59624	DUPLICATE PACKAGE DEPENDENCIES FOR DB,TS,IX,RT	
	RO61248	INCORRECT OBJECT COUNTS FOR SG, DB ACTIONS	
	RO61444	INSIGHT METADATA DATA TYPE REFRESH	
The CA RS 1312 service count for this FMID is 3			

CA Chorus
CA RS 1312 Service List for CE4H300

FMID	Service	Description	Hiper
CE4H300	R059868	STORAGE DISCIPLINE USES INCORRECT DCB PARAMETERS FOR LOGGING	
	R059905	COST ANALYSIS OBJECTS ARE VERY SLOW AT DISPLAYING DATA	
	R061755	HOST CONNECTION NOT BEING DONE FOR ALTERNATE VANTAGE ENGINES	
	R062389	COST ANALYSIS FROM SUMMARY OBJECT INSTEAD OF DTOC4SYS	
	R062465	ANALYSIS SERVICE SHOWS SEVERITY 99 IN DETAILS	
The CA RS 1312 service count for this FMID is 5			

CA Chorus 3.0
CA RS 1312 - PTF RO59624 Details

Release	Service	Details
3.0	RO59624	<p>RO59624 M.C.S. ENTRIES = ++PTF (RO59624)</p> <p>DUPLICATE PACKAGE DEPENDENCIES FOR DB,TS,IX,RT</p> <p>PROBLEM DESCRIPTION: The database, table space, index, and routine Catalog objects display an incorrect number of package dependencies in CA Chorus for DB2 Database Management. When you select package dependencies for these objects, the JBoss server can stop responding.</p> <p>SYMPTOMS: In the CA Chorus Investigator, select one of the following Catalog objects: database, table space, index and routine. Select a row of data and click the Packages action. The number of packages displayed is incorrect as it contains many duplicates. The JBoss server can run into an Out of Memory condition processing the duplicate dependencies.</p> <p>Note: In CA Chorus for DB2 Database Management Version 3.0, this problem also exists when selecting Package dependencies in the Topology Viewer. The incorrect number for routine object dependencies exists only when selecting data on DB2 V8 subsystems.</p> <p>IMPACT: Incorrect number of package dependencies exists for database, table space, index and routine objects. If many dependencies exist for these objects, the incorrect number of dependencies can cause the JBoss server to run into an Out of Memory condition and become unoperational.</p> <p>CIRCUMVENTION: N/A</p> <p>PRODUCT(S) AFFECTED: CA Mainframe Chorus for DB2 Database Mgmt Release 2.5 CA Chorus for DB2 Database Management Release 3.0</p> <p>Star Problem(s): CHRDMD 23</p> <p>Copyright (C) 2013 CA. All rights reserved. R00012-DM030-SP0</p> <p>DESC(DUPLICATE PACKAGE DEPENDENCIES FOR DB,TS,IX,RT) . ++VER (Z038) FMID (CE3K300) PRE (RO56052 RO56589 RO57924 RO58554) SUP (TR59624) BINARY LINK('..../DBMzDB2-cat-locale.txt') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../DBMzDB2-cat-property.txt') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../DBMzDB2-locale.txt') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../DBMzDB2-property.txt') PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO59752 Details

Release	Service	Details
3.0	RO59752	<p>RO59752 M.C.S. ENTRIES = ++PTF (RO59752)</p> <p>WRONG USER ID USED IN SECURITY QUICK LINKS PRODUCTS</p> <p>PROBLEM DESCRIPTION: If a user logs into Chorus with user ID A, uses Quick Links to a security application, logs out of both the Quick Links application and Chorus, logs in with user ID B, and uses Quick Links to launch that security application again, he will be logged in as user A.</p> <p>SYMPTOMS: Incorrect user is logged in to either Security Admin or Policy Admin Quick Links application.</p> <p>IMPACT: Second user to log in may be able to perform some tasks under the original user that was logged in.</p> <p>CIRCUMVENTION: Allow for 30 minute timeout, logging out of Security Admin or Policy Admin when attempting to log in as second user, or close all browser tabs and windows after logging out of Chorus.</p> <p>PRODUCT(S) AFFECTED: CA Chorus for Sec and Compliance Mgmt Release 3.0 Star Problem(s): CHRSEC 89 Copyright (C) 2013 CA. All rights reserved. R00032-SCR030-SP0</p> <p>DESC(WRONG USER ID USED IN SECURITY QUICK LINKS PRODUCTS) . ++VER (Z038) FMID (CE1M300) PRE (RO57422) SUP (RO57756 RO58259 RO58687 TR57756 TR58259 TR58687 TR59701 TR59752) ++HOLD (RO59752) SYSTEM FMID(CE1M300) REASON (ACTION) DATE (13157) COMMENT (Product: Chorus for Security and Compliance Release 3.0 Sequence: Apply APAR. Purpose: Performing the steps in the holddata will allow you to complete the Chorus Security discipline deployment and configuration and use the user modify/delete functionality in investigator. Relevance: Steps outlined in holddata must always be followed. Knowledge required: SMP/e Product Installation z/OS Systems Programming CSM Access Required: 1. Access to ZFS directory where Chorus is installed. Steps to Perform: 1. Restart Chorus to pick up the new jars.) LINK('..PolicyAdmin.war') PARM(PATHMODE(0,7,7,5)) SHSCRIPT(POLPDSCR,POST) . LINK('..SecAdmin.war') PARM(PATHMODE(0,7,7,5)) SHSCRIPT(SECPDSCR,POST) .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO59868 Details

Release	Service	Details
3.0	RO59868	<p>RO59868 M.C.S. ENTRIES = ++PTF (RO59868)</p> <p>STORAGE DISCIPLINE USES INCORRECT DCB PARAMETERS FOR LOGGING</p> <p>PROBLEM DESCRIPTION: The Storage discipline outputs logging information for CA CSM Software Configuration System installation process into a FBA dataset. This causes problems with internal scripts. The output data set should be a FB dataset.</p> <p>SYMPTOMS: When we run the Storage discipline SCS is used and has problems with the JBOSS reconfiguration there is no debug logging provided due to the incorrect DCB.</p> <p>IMPACT: Unable to debug certain SCS problems during JBoss reconfiguration.</p> <p>CIRCUMVENTION: None</p> <p>PRODUCT(S) AFFECTED: CA Chorus for Storage Management Release 3.0 Star Problem(s): CHRSTO 81 Copyright (C) 2013 CA. All rights reserved. R00037-E4H030-SP1</p> <p>DESC(STORAGE DISCIPLINE USES INCORRECT DCB PARAMETERS FOR LOGGING) . ++VER (Z038) FMID (CE4H300) PRE (RO59148) SUP (TR59868)</p>

CA Chorus 3.0
CA RS 1312 - PTF RO59905 Details

Release	Service	Details
3.0	RO59905	<p>RO59905 M.C.S. ENTRIES = ++PTF (RO59905)</p> <p>COST ANALYSIS OBJECTS ARE VERY SLOW AT DISPLAYING DATA PROBLEM DESCRIPTION: Accessing the Storage discipline Cost Analysis objects from the CA Chorus Investigator is extremely slow. SYMPTOMS: Working with Cost Analysis is extremely slow when the database contains a large number of records. IMPACT: Cost Analysis becomes increasingly slow after several days of execution. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Chorus for Storage Management Release 3.0 Star Problem(s): CHRSTO 80 Copyright (C) 2013 CA. All rights reserved. R00038-E4H030-SP1</p> <p>DESC(COST ANALYSIS OBJECTS ARE VERY SLOW AT DISPLAYING DATA) . ++VER (Z038) FMID (CE4H300) PRE (RO55876 RO56211 RO56418 RO56903 RO57306 RO58662) SUP (RO57811 RO59025 TR57811 TR58857 TR59025 TR59905) BINARY LINK('../analysis-service-property.txt') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../storage-analysis-service-model.xml') PARM(PATHMODE(0,7,7,5)) SYMLINK('../././././jboss/standalone/chorus/vdbs/Chorus/storage-analysis-service-model.xml') SYMPATH('.././././././roles/storage/storage-analysis-service-model.xml') . LINK('../analysis-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) SYMLINK('../././././jboss/modules/com/ca/chorus/commom/main/analysis-service-3.0.1-SNAPSHOT.jar') SYMPATH('.././././././././././roles/storage/analysis-service-3.0.1-SNAPSHOT.jar') .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO59926 Details

Release	Service	Details
3.0	RO59926	<p>RO59926 M.C.S. ENTRIES = ++PTF (RO59926)</p> <p>TRIM FIELDS AND ADD ACTIVE DATE HOVERTEXT IN METADATA</p> <p>PROBLEM DESCRIPTION: This apar addresses two changes.</p> <p>1) Several fields now have their leading and trailing spaces trimmed so now when selecting the editable fields, the cursor will be in the first position.</p> <p>2) The hovertext on the ACTIVATED field displayed that it was ACF2 only when it is also used for TSS. The ACF2 only text has been removed.</p> <p>SYMPTOMS: 1) When editing several fields, the cursor would not appear in the first position.</p> <p>2) The hovertext for the ACTIVATED field displayed ACF2 only.</p> <p>IMPACT: no major impact</p> <p>CIRCUMVENTION: n/a</p> <p>PRODUCT(S) AFFECTED: CHR Release 3.0</p> <p>Star Problem(s): CHRSEC 90</p> <p>Copyright (C) 2013 CA. All rights reserved. R00033-SCR030-SP1</p> <p>DESC(TRIM FIELDS AND ADD ACTIVE DATE HOVERTEXT IN METADATA) . ++VER (Z038) FMID (CE1M300) PRE (RO58005 RO58041 RO58455 RO59207) SUP (TR59926) ++HOLD (RO59926) SYSTEM FMID(CE1M300) REASON (ACTION) DATE (13169) COMMENT (</p> <p>Product: Chorus for Security and Compliance Release 3.0</p> <p>Sequence: The fix must be applied after stopping Chorus.</p> <p>Purpose: Performing the steps in the holddata will allow you to test the changes for User Modify Functionality.</p> <p>Relevance: Steps outlined in holddata must always be followed.</p> <p>Knowledge required: SMP/e</p> <p>Product Installation</p> <p>Access Required: 1. Access will be required to <CHORUS_HOME>/roles/security.</p> <p>Steps to Perform: 1. Apply APAR. 2. Run CE1MJCL(E1MI0010). 3. Run CETJJCL(ETJI0150). 4. Restart Chorus and test the APAR.</p> <p>Product: Chorus for Security and Compliance Release 3.0</p> <p>Sequence: The fix must be applied before performing Chorus Security discipline deployment and configuration.</p> <p>Purpose: Performing the steps in the holddata will allow you to complete the Chorus Security discipline deployment and configuration.</p> <p>Relevance: Steps outlined in holddata must always be followed.</p> <p>Knowledge required: SMP/e</p> <p>Product Installation Product Deployment Product Configuration</p> <p>Access Required:</p>

CA Chorus 3.0
CA RS 1312 - PTF RO59926 Details

Release	Service	Details
		<p>1. Access will be required to the CE1MJCL dataset. 2. Access will be required to <CHORUS_HOME>/roles/security. 3. Access will be required to <CHORUS_HOME>/config. Steps to Perform: 1. Apply APAR. 2. Redeploy Chorus Security Discipline if needed with either CA CSM or using jobs in CE1MJCL. 3. Reconfigure Chorus for Security and Compliance Management manually or using AUTO-CONFIG.). BINARY LINK('./cia-locale.txt') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('./security-cia-objects-model.xml') PARM(PATHMODE(0,7,7,5)) SYMLINK('./../../../../jboss/standalone/chorus/vdbs/Chorus/security-cia-objects-model.xml') SYMPATH('./../../../../../../config/security-cia-objects-model.xml') .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO60057 Details

Release	Service	Details
3.0	RO60057	<p>RO60057 M.C.S. ENTRIES = ++PTF (RO60057)</p> <p>USER DEFINED FIELD NAMES NOT APPEARING IN TOPOLOGY VIEWER</p> <p>PROBLEM DESCRIPTION: When viewing user-defined fields in Investigator's Topology Viewer, the field is named "InstanceTemplate" instead of the field's correct name.</p> <p>SYMPTOMS: Incorrect display of user-defined fields in Topology Viewer.</p> <p>IMPACT: None</p> <p>CIRCUMVENTION: None</p> <p>PRODUCT(S) AFFECTED: CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0 Star Problem(s): CHRSEC 91 Copyright (C) 2013 CA. All rights reserved. R00034-SCR030-SP1</p> <p>DESC(USER DEFINED FIELD NAMES NOT APPEARING IN TOPOLOGY VIEWER) . ++VER (Z038) FMID (CE1M300) PRE (R058005 R058041 R058094 R058455 R059207) SUP (TR60057) ++HOLD (RO60057) SYSTEM FMID(CE1M300) REASON (ACTION) DATE (13169) COMMENT (Product: Chorus for Security and Compliance Release 3.0 Sequence: The fix must be applied before performing Chorus Security discipline deployment and configuration. Purpose: Performing the steps in the holddata will allow you to complete the Chorus Security discipline deployment and configuration. Relevance: Steps outlined in holddata must always be followed. Knowledge required: SMP/e Product Installation Product Deployment Product Configuration Access Required: 1. Access will be required to the CE1MJCL dataset. 2. Access will be required to <CHORUS_HOME>/roles/security. 3. Access will be required to <CHORUS_HOME>/config. Steps to Perform: 1. Apply APAR. 2. Redeploy Chorus Security Discipline if needed with either CA CSM or using jobs in CE1MJCL. 3. Reconfigure Chorus for Security and Compliance Management manually or using AUTO-CONFIG.) BINARY LINK('../cia-property.txt') PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO60072 Details

Release	Service	Details
3.0	RO60072	<p>RO60072 M.C.S. ENTRIES = ++PTF (RO60072)</p> <p>IEF642I EXCESSIVE PARAMETER LENGTH IN ETJI0101 HLQ. PROBLEM DESCRIPTION: In CA Chorus, the ETJI0101 job is failing with a JCL error because the number of characters in the HLQ specified in the job causes the EXEC PARM to exceed its limit of 100 characters. SYMPTOMS: ETJI0101 will fail with the following error message in the JESYSMSG: "IEF642I EXCESSIVE PARAMETER LENGTH IN THE PARM FIELD" IMPACT: You will not be able to create and mount the following zFS filesystems: HLQ.CETJCONF HLQ.CETJLOGS HLQ.CETJDB HLQ.CETJTMP CIRCUMVENTION: Provide an HLQ that does not exceed 24 characters. PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s): CHRPLT 480 Copyright (C) 2013 CA. All rights reserved. R00135-ETJ030-SP1</p> <p>DESC(IEF642I EXCESSIVE PARAMETER LENGTH IN ETJI0101 HLQ.) . ++VER (Z038) FMID (CETJ300) PRE (R058810) SUP (TR60072) ++HOLD (RO60072) SYSTEM FMID(CETJ300) REASON (ACTION) DATE (13190) COMMENT (</p> <p>Product: CA Chorus Release: 3.0 Sequence: Before and after applying update. Purpose: Preservation of configured files. Relevance: If you have modified ETJI0101 member in CETJJCL library using manual configuration method or have used ETJICUST job in CETJJCL library for Auto-Config SCS to create the output configuration datasets. Knowledge required: z/OS or ISPF copy commands. Access required: Read access to CETJJCL library. Steps to Perform: Before Applying Update: If you have made changes to ETJI0101 member in CETJJCL library, copy the modified member to another location. After Applying Update: Review the modifications you made to the earlier version of ETJI0101 member and modify the updated member as needed.).</p>

CA Chorus 3.0
CA RS 1312 - PTF RO60087 Details

Release	Service	Details
3.0	RO60087	<p>RO60087 M.C.S. ENTRIES = ++PTF (RO60087)</p> <p>DON'T DISPLAY ACTIONS WITHOUT DESCRIPTIONS WHEN MODIFYING PROBLEM DESCRIPTION: When selecting actions for deleting or modifying and specifying * as a filter, the actions associated for include/exclude for logger, warehouse, and data mart are made available. These should not appear. This also fixed some display problem with the Description. When attaching an existing WTO, the Description field was wrong. When creating a new EMAIL action within a statement, the description field was blank.</p> <p>SYMPTOMS: The customer goes to the delete actions menu and sees these actions that were not here before. These should not be modifiable from these menus.</p> <p>IMPACT: One customer deleted them because he did not know what they were, and the associated include or exclude action stopped working.</p> <p>CIRCUMVENTION: Ignore any actions that say INCLUDE on them. (Even the exclude say include on them in this display). If you need to delete or modify an action without a description it MUST be an EMAIL, WTO, Service Desk, or Chorus Alert action so select the appropriate action type instead of * and you can modify it. All these actions should have a description, except there was a bug that allowed some to be created without a description.</p> <p>PRODUCT(S) AFFECTED: CA MAINFRAME CHORUS 2.5 FOR SEC/COMP Release 2.5 CA MAINFRAME CHORUS 3.0 FOR SEC/COMP Release 3.0</p> <p>Star Problem(s): CHRSEC 92</p> <p>Copyright (C) 2013 CA. All rights reserved. R00035-SCR030-SPI</p> <p>DESC(DON'T DISPLAY ACTIONS WITHOUT DESCRIPTIONS WHEN MODIFYING) . ++VER (Z038) FMID (CE1M300) PRE (RO57422 RO59752) SUP (RO57756 RO58259 RO58687 TR57756 TR58259 TR58687 TR60087) ++HOLD (RO60087) SYSTEM FMID(CE1M300) REASON (ACTION) DATE (13179) COMMENT (</p> <p>Product: Chorus for Security and Compliance Release 3.0</p> <p>Sequence: Apply APAR. Purpose: Performing the steps in the holddata will allow you to complete the Chorus Security discipline deployment and configuration and use the user modify/delete functionality in investigator.</p> <p>Relevance: Steps outlined in holddata must always be followed.</p> <p>Knowledge required: SMP/e Product Installation z/OS Systems Programming CSM</p> <p>Access Required: 1. Access to ZFS directory where Chorus is installed.</p> <p>Steps to Perform: 1. Restart Chorus to pick up the new jars.) LINK('../PolicyAdmin.war')</p>

CA Chorus 3.0
CA RS 1312 - PTF RO60087 Details

Release	Service	Details
		PARM(PATHMODE(0,7,7,5)) SHSCRIPT(POLPDSCR,POST) .

CA Chorus 3.0
CA RS 1312 - PTF RO60281 Details

Release	Service	Details
3.0	RO60281	<p>RO60281 M.C.S. ENTRIES = ++PTF (RO60281)</p> <p>ETJICUST CC=719 "ILLEGAL GROUP NAME" OCCURRED</p> <p>PROBLEM DESCRIPTION: For CA Chorus using Auto-Configuration, ETJICUST jobs results in CC=719 with an error "Illegal group name occurred" when Output_ds_HLQ specifies a "\$" symbol.</p> <p>SYMPTOMS: ETJICUST job fails with CC=719 and indicates an error - "Illegal Group Name occurred".</p> <p>IMPACT: Symbol substitution in output libraries remain incomplete and some members are not copied into the output library.</p> <p>CIRCUMVENTION: Do not use '\$' in Output_ds_HLQ.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s):</p> <p>CHRPLT 505</p> <p>Copyright (C) 2013 CA. All rights reserved. R00139-ETJ030-SP1</p> <p>DESC(ETJICUST CC=719 "ILLEGAL GROUP NAME" OCCURRED) . ++VER (Z038) FMID (CETJ300) PRE (R055792 R056007 R056096 R056215 R056254 R056305 R056355 R056586 R056645 R056758 R056817 R056895 R056941 R056949 R057040 R057107 R057168 R057247 R057354 R058019 R058088 R058199 R058244 R058384 R058548 R058626 R058753 R058854 R058968 R059150 R059208 R059285 R059296 R059741) SUP (TR60281) BINARY LINK('..chorus-customizer-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO60284 Details

Release	Service	Details
3.0	RO60284	<p>RO60284 M.C.S. ENTRIES = ++PTF (RO60284)</p> <p>QUERY LOGS ARE NOT GENERATING IN "CHORUS-QUERY.LOG" FILE</p> <p>PROBLEM DESCRIPTION</p> <p>In CA Chorus, the update actions query logs are not generated with relevant SQL query and arguments when the log level is set to DEBUG.</p> <p>SYMPTOMS</p> <p>Query logs are not generating in the chorus-query.log file in DEBUG mode.</p> <p>IMPACT</p> <p>You will not be able to see relevant logs in DEBUG mode.</p> <p>CIRCUMVENTION</p> <p>NONE</p> <p>PRODUCTS AFFECTED: CHORUS Release: 03.0</p> <p>Star Problem(s):</p> <p>CHRPLT 487</p> <p>Copyright (C) 2013 CA. All rights reserved. R00140-ETJ030-SP1</p> <p>DESC(QUERY LOGS ARE NOT GENERATING IN "CHORUS-QUERY.LOG" FILE) .</p> <p>++VER (Z038)</p> <p>FMID (CETJ300)</p> <p>PRE (RO55792 RO56007 RO56096 RO56215 RO56254 RO56305 RO56355 RO56586 RO56645 RO56758 RO56817 RO56895 RO56941 RO56949 RO57040 RO57107 RO57168 RO57247 RO57354 RO58019 RO58088 RO58199 RO58244 RO58384 RO58548 RO58626 RO58753 RO58854 RO58968 RO59150 RO59208 RO59285 RO59296 RO59741)</p> <p>SUP (TR60284)</p> <p>BINARY</p> <p>LINK('../common-db-3.0.1-SNAPSHOT.jar')</p> <p>PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO60327 Details

Release	Service	Details
3.0	RO60327	<pre> RO60327 M.C.S. ENTRIES = ++PTF (RO60327) BLANK METRICS ON STORAGE STATISTICS DETAIL PANE PROBLEM DESCRIPTION: In CA Chorus, clicking on a row in the Investigator grid for a Storage Tree Statistics node can result in blank values appearing in the details pane of the Investigator window. SYMPTOMS: Metric values are blank in the details pane of the Investigator window. IMPACT: You cannot see metric values in the Investigator window. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s): CHRPLT 515 Copyright (C) 2013 CA. All rights reserved. R00141-ETJ030-SP1 DESC(BLANK METRICS ON STORAGE STATISTICS DETAIL PANE) . ++VER (Z038) FMID (CETJ300) PRE (RO55792 RO56007 RO56096 RO56215 RO56254 RO56305 RO56355 RO56586 RO56645 RO56758 RO56817 RO56895 RO56941 RO56949 RO57040 RO57107 RO57168 RO57247 RO57354 RO58019 RO58088 RO58199 RO58244 RO58384 RO58548 RO58626 RO58753 RO58854 RO58968 RO59150 RO59208 RO59285 RO59296 RO59741) SUP (TR60327) BINARY LINK('../teiid-translator-tsf-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . </pre>

CA Chorus 3.0
CA RS 1312 - PTF RO60334 Details

Release	Service	Details
3.0	RO60334	<p>RO60334 M.C.S. ENTRIES = ++PTF (RO60334)</p> <p>CHORJBOS OUT OF MEMORY WITH RECOMMENDED SIZE</p> <p>PROBLEM DESCRIPTION:</p> <p>When the JBoss Server for CA Chorus, CHORJBOS, is started with the recommended heap size setting, 1.6 GB of memory may be allocated to Teiid Cache. The remaining memory space available to CHORJBOS may not be enough. CHORJBOS will fail due to an Out of Memory condition.</p> <p>SYMPTOMS:</p> <p>The error message appears in server.log and in chorus-status.log:</p> <p>"An unknown error has occurred: org.teiid.core.TeiidRuntimeException: Java heap space".</p> <p>IMPACT:</p> <p>CA Chorus terminates. You must restart CHORJBOS.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s):</p> <p>CHRPLT 483</p> <p>Copyright (C) 2013 CA. All rights reserved. R00142-ETJ030-SP1</p> <p>DESC(CHORJBOS OUT OF MEMORY WITH RECOMMENDED SIZE) . ++VER (Z038) FMID (CETJ300) PRE (RO55792 RO56007 RO56096 RO56215 RO56254 RO56305 RO56355 RO56586 RO56645 RO56758 RO56817 RO56895 RO56941 RO56949 RO57040 RO57107 RO57168 RO57247 RO57354 RO58019 RO58088 RO58199 RO58244 RO58384 RO58548 RO58626 RO58753 RO58854 RO58968 RO59150 RO59208 RO59285 RO59296 RO59741) SUP (TR60334) ++HOLD (RO60334) SYSTEM FMID(CETJ300) REASON (ACTION) DATE (13183) COMMENT (Product: CA Chorus Release: 3.0 Sequence: Before and after applying update Purpose: Preservation of configured files Relevance: All users. Knowledge required: z/OS or ISPF copy commands Access required: Read access to CETJJCL library. Steps to Perform: Configure and submit ETJI0150 from the CETJJCL library. If you have previously configured and submitted ETJI0150, you may simply resubmit it.). BINARY LINK('../standalone-chorus.xml.sample') PARM(PATHMODE(0,7,7,5)) SYMLINK('../standalone-chorus.xml') SYMPATH('.././././config/standalone-chorus.xml') .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO60374 Details

Release	Service	Details
3.0	RO60374	<p>RO60374 M.C.S. ENTRIES = ++PTF (RO60374)</p> <p>RMVDBSH SCRIPT POINTS TO A NON EXISTENT DIRECTORY</p> <p>PROBLEM DESCRIPTION: The RMVDBSH script has references to a non existent configdir directory, consequently during script execution temporary file rmvdb.out is created in /tmp.</p> <p>SYMPTOMS: The temporary file rmvdb.out related to the script is created in /tmp.</p> <p>IMPACT: Informational message may not be displayed if /tmp is filled up.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release: 03.0</p> <p>Star Problem(s): CHRPLT 518</p> <p>Copyright (C) 2013 CA. All rights reserved. R00144-ETJ030-SP1</p> <p>DESC(RMVDBSH SCRIPT POINTS TO A NON EXISTENT DIRECTORY) . ++VER (Z038) FMID (CETJ300) SUP (RO56013 TR56013 TR60374) TEXT PARM(PATHMODE(0,7,7,5)) SYMLINK('../utilities/rmvdb.sh') SYMPATH('../bin/RMVDBSH') .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO60375 Details

Release	Service	Details
3.0	RO60375	<p>RO60375 M.C.S. ENTRIES = ++PTF (RO60375)</p> <p>ETJLOGC COMMENTS NEEDS UPDATE TO POINT TO CORRECT VALUES</p> <p>PROBLEM DESCRIPTION: If a site is using deployed environments, CHORUS_INSTALL_HOME should point to the runtime chorus_home. ETJLOGC has directions to update the variable with the CA Chorus installation home directory.</p> <p>SYMPTOMS: If your site is using deployed environments, the variable CHORUS_INSTALL_HOME and SWORKDIR points to installation home instead of runtime chorus_home.</p> <p>IMPACT: ETJLOGC executes with wrong values of CHORUS_INSTALL_HOME and SWORKDIR. Logs are collected from this location.</p> <p>CIRCUMVENTION: Change the CHORUS_INSTALL_HOME and SWORKDIR to point to runtime chorus_home.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 519</p> <p>Copyright (C) 2013 CA. All rights reserved. R00145-ETJ030-SP1</p> <p>DESC(ETJLOGC COMMENTS NEEDS UPDATE TO POINT TO CORRECT VALUES) . ++VER (Z038) FMID (CETJ300) SUP (TR60375) ++HOLD (RO60375) SYSTEM FMID(CETJ300) REASON (ACTION) DATE (13190) COMMENT (Product: CA Chorus Release: 3.0 Sequence:Before and after applying update Purpose: Change comments so as to point variable CHORUS_INSTALL_HOME to correct values Relevance:If you have changed the default values in ETJLOGC job during manual configuration run or while submitting the ETJLOGC job after the creation of output datasets when using Auto-Config SCS Knowledge required: z/OS or ISPF copy commands Access required: z/OS or ISPF copy commands Steps to Perform: Before Applying Update: Verify if the default values supplied in the ETJLOGC job present in CETJJCL library are changed.If not, this update can be ignored.).</p>

CA Chorus 3.0
CA RS 1312 - PTF RO60424 Details

Release	Service	Details
3.0	RO60424	<p>RO60424 M.C.S. ENTRIES = ++PTF (RO60424)</p> <p>CHANGE VIEW FOR ACF2 VM IDLE PROCESSING</p> <p>PROBLEM DESCRIPTION: When viewing the ACF2 field Idle processing, Only the first letter of the selected option is displayed. Wants the field to display the same as the Drop down options</p> <p>SYMPTOMS: Only first letter of field displays now.</p> <p>IMPACT: Better display of field after View change</p> <p>CIRCUMVENTION: PRODUCT(S) AFFECTED: CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0 N/A PRODUCT(S) AFFECTED: CHR Release 3.0</p> <p>Star Problem(s): CHRSEC 94</p> <p>Copyright (C) 2013 CA. All rights reserved. R00038-SCR030-SP1</p> <p>DESC(CHANGE VIEW FOR ACF2 VM IDLE PROCESSING) . ++VER (Z038) FMID (CE1M300) PRE (RO56740 RO57704 RO59207) SUP (TR60424) ++HOLD (RO60424) SYSTEM FMID(CE1M300) REASON (ACTION) DATE (13204) COMMENT (</p> <p>Product: Chorus for Security and Compliance Release 3.0</p> <p>Sequence: Follow steps after applying the APAR.</p> <p>Purpose: Performing the steps in the holddata will allow you to complete the Chorus Security discipline deployment and configuration.</p> <p>Relevance: Steps outlined in holddata must always be followed.</p> <p>Knowledge required: SMP/e Product Installation Product Deployment Product Configuration</p> <p>Access Required: 1. Access will be required to the CE1MJCL dataset. 2. Access will be required to <CHORUS_HOME>/roles/security. 3. Access will be required to <CHORUS_HOME>/config. 4. Access to make changes to the database views.</p> <p>Steps to Perform: 1. Apply APAR. 2. If the Chorus Security Discipline was already configured, re run the ElMI0011 (DB2) or ElMI0016 (Datacom) job to re create the views.)</p>

CA Chorus 3.0
CA RS 1312 - PTF RO60500 Details

Release	Service	Details
3.0	RO60500	<p>RO60500 M.C.S. ENTRIES = ++PTF (RO60500)</p> <p>AUTO-CONFIGURATION COMMENT UPDATES FOR SECURITY SYMBOLS</p> <p>PROBLEM DESCRIPTION: For CA Chorus, there are incorrect comments for a few Security symbols in the Configuration_ds file during Auto-Configuration.</p> <p>SYMPTOMS: The comments on the Configuration_ds file for some Security symbols might be misleading.</p> <p>IMPACT: Due to incorrect comments, you might provide incorrect values to these symbols and proceed with the execution of the ETJICUST job for Auto-Configuration.</p> <p>CIRCUMVENTION: None</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 492</p> <p>LONG PROGRAMMER NAME ON EZTMPL01 CAUSES JCL ERROR</p> <p>PROBLEM DESCRIPTION: In CA Chorus, the template EZTMPL01 used to create batch JCL for generating reports from data in the CA Chorus interface fails with a JCL error. The job card "Programmer Name" exceeds the limit of 20 characters.</p> <p>SYMPTOMS: Batch JCL created from template EZTMPL01 will fail with a JCL error and with the following message in JESJCLIN: "ILLEGAL JOB CARD - VALUE OF PROGRAMMER NAME IS TOO LONG"</p> <p>IMPACT: You will not be able to generate reports from CA Chorus.</p> <p>CIRCUMVENTION: Provide a value for "Programmer Name" that does not exceed 20 characters.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 531</p> <p>Copyright (C) 2013 CA. All rights reserved. R00147-ETJ030-SP1</p> <p>DESC(AUTO-CONFIGURATION COMMENT UPDATES FOR SECURITY SYMBOLS) . ++VER (Z038) FMID (CETJ300) PRE (R056228 R056915 R058809 R059056 R059807) SUP (TR60222 TR60500) ++HOLD (RO60500) SYSTEM FMID(CETJ300) REASON (ACTION) DATE (13184) COMMENT (</p> <p>Product: CA Chorus Release: 3.0</p> <p>Sequence: Before and after applying update</p> <p>Purpose: Preservation of configured files</p> <p>Relevance: If you have modified EZTMPL01 member in CETJEZTR library using manual configuration method or have used ETJICUST job in CETJJCL library for Auto-Config SCS to create the output configuration datasets</p> <p>Knowledge required: z/OS or ISPF copy commands</p> <p>Access required: Read access to CETJJCL or CETJEZTR library.</p> <p>Steps to Perform:</p> <p>Before Applying Update: If you are using manual configuration technique and have made changes to EZTMPL01 member in CETJEZTR library, copy the modified member to another location.</p> <p>or</p> <p>If you have used Auto-Config SCS (ETJICUST job in CETJJCL) to create output configuration datasets, copy the sequential dataset (Configuration_ds as indicated in the job) to another location.</p> <p>After Applying Update: Review the modifications you made to the earlier version of EZTMPL01 member and modify the updated member as needed.</p>

CA Chorus 3.0
CA RS 1312 - PTF RO60500 Details

Release	Service	Details
		<p>or</p> <p>If you have used Auto-Config SCS, rerun the ETJICUST job. This creates the new configuration dataset.</p> <p>Review with the backed-up dataset from the previous run & modify the newly created Configuration_ds dataset and rerun ETJICUST job to bring the changes into effect. This re-creates the output configuration libraries.</p> <p>).</p>

CA Chorus 3.0
CA RS 1312 - PTF RO60540 Details

Release	Service	Details
3.0	RO60540	<p>RO60540 M.C.S. ENTRIES = ++PTF (RO60540)</p> <p>GETTING PROXY VALIDATION IS FAILED DURING URL INDEXING. PROBLEM DESCRIPTION: CA Chorus includes a Knowledge Center where you can index a third party website. While indexing website, you must provide proxy details to connect a website if proxy authentication is enabled. At that time, you get a class not found exception in this process. SYMPTOMS: You cannot index websites if proxy authentication is enabled. You will get a class not found exception. IMPACT: You cannot index any website through Knowledge Center when the proxy authentication is enabled. CIRCUMVENTION: NONE PRODUCT(S) AFFECTED: CA Chorus Release 3.0 Star Problem(s): CHRPLT 526 Copyright (C) 2013 CA. All rights reserved. R00149-ETJ030-SP1</p> <p>DESC(GETTING PROXY VALIDATION IS FAILED DURING URL INDEXING.) . ++VER (Z038) FMID (CETJ300) PRE (R055792 R056007 R056096 R056215 R056254 R056305 R056355 R056586 R056645 R056758 R056817 R056895 R056941 R056949 R057040 R057107 R057168 R057247 R057354 R058019 R058088 R058199 R058244 R058384 R058548 R058626 R058753 R058854 R058968 R059150 R059208 R059285 R059296 R059741) SUP (TR60540) BINARY LINK('../module.xml') PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO60632 Details

Release	Service	Details
3.0	RO60632	<p>RO60632 M.C.S. ENTRIES = ++PTF (RO60632)</p> <p>ACTION FOLLOWING <> FILTER IS INCLUDED IN RESULT</p> <p>PROBLEM DESCRIPTION: In CA Chorus, after navigating through action "<>" as the filter criteria, the action is ignored. For example; Select Security->Definitions->Roles, select any row and navigate through action "Show Users". Filter the results giving Filter criteria as "System ID <> ABCD", the results will include the excluded criteria.</p> <p>SYMPTOMS: The filter criteria of <> is ignored.</p> <p>IMPACT: Investigator Filter Panel does not use the specified action.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 481</p> <p>MISSING STORAGE TREE OBJECTS, NO ALTERNATE ENGINE CONNECTION</p> <p>PROBLEM DESCRIPTION: When the CA Chorus for Storage Management is configured for a multi-host environment and the primary Vantage engine is not available, CA Chorus is not connecting to the alternate Vantage engine.</p> <p>SYMPTOMS: You only see Cost Analysis and Time Series objects for the Storage Tree in the Investigator, the other Storage Tree entries are missing.</p> <p>IMPACT: Storage Objects in Investigator are not accessible.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 482</p> <p>Copyright (C) 2013 CA. All rights reserved. R00014-JBT030-SP1</p> <p>DESC(ACTION FOLLOWING <> FILTER IS INCLUDED IN RESULT) . ++VER (Z038) FMID (CETJ302) PRE (RO59394) SUP (RO55819 RO58970 TR55819 TR58629 TR58970 TR60136 TR60450 TR60632) BINARY LINK('../teiid-runtime-8.1.0.FinalCAFix-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../teiid-engine-8.1.0.FinalCAFix-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../teiid-jboss-integration-8.1.0.FinalCAFix-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO60776 Details

Release	Service	Details
3.0	RO60776	<p>RO60776 M.C.S. ENTRIES = ++PTF (RO60776)</p> <p>FILTERING NOT WORKING FOR APPLICATION INDICATOR</p> <p>PROBLEM DESCRIPTION: In CA Chorus, after opening investigator and navigating to the Systems object in the Security discipline with Datacom backend and filtering on the Application Indicator column with filter criteria contains and startswith, we are getting an IllegalStateException.</p> <p>SYMPTOMS: We get an exception when we filter with the Application Indicator column. We get this exception if the filter value exceeds the column length.</p> <p>IMPACT: The user cannot filter the data with the Application Indicator column.</p> <p>CIRCUMVENTION: Enter the filter criteria that doesn't exceed the column length.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release: 03.0 PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 543 Copyright (C) 2013 CA. All rights reserved. R00155-ETJ030-SP1</p> <p>DESC(FILTERING NOT WORKING FOR APPLICATION INDICATOR) . ++VER (Z038) FMID (CETJ300) PRE (RO55792 RO56007 RO56096 RO56215 RO56254 RO56305 RO56355 RO56586 RO56645 RO56758 RO56817 RO56895 RO56941 RO56949 RO57040 RO57107 RO57168 RO57247 RO57354 RO58019 RO58088 RO58199 RO58244 RO58384 RO58548 RO58626 RO58753 RO58854 RO58968 RO59150 RO59208 RO59285 RO59296 RO59741) SUP (TR60776) BINARY LINK('..../teiid-translator-datacom-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO60777 Details

Release	Service	Details
3.0	RO60777	<p>RO60777 M.C.S. ENTRIES = ++PTF (RO60777)</p> <p>REMOVE HARDCODED DB2TOOLS APPLID REFERENCE</p> <p>Problem:</p> <p>A PassTicket failure is encountered on startup of CA Mainframe Chorus for DB2 Database Management when the CA Mainframe Chorus for DB2 APPLID, DB2TOOLS has not been defined.</p> <p>PROBLEM DESCRIPTION:</p> <p>Symptoms:</p> <p>The CA Mainframe Chorus for DB2 Database Management role will fail to initialize correctly during server startup.</p> <p>Impact:</p> <p>The CA Mainframe Chorus for DB2 Database Management role cannot be used.</p> <p>Workaround:</p> <ol style="list-style-type: none"> 1.) Define the DB2TOOLS APPLID as specified in the CA Mainframe Chorus for DB2 Database Management Installation Guide. 2.) Modify the your_chorusdba_hlq.CE3KPARAM (E3KCFG10) member by setting the GlobalApplid/Aplid value(s) to DB2TOOLS. 3.) Submit the your_chorusdba_hlq.CE3KJCL(E3KI0010) member to update the db2tools.cfg file. 4.) Update the CA Database Management Solutions for DB2 for z/OS target library CDBAPARM(PXNPARM) member to specify: PASSNAME(DB2TOOLS) <p>CIRCUMVENTION:</p> <p>PRODUCT(S) AFFECTED: CA Mainframe Chorus Release 2.0 CA Mainframe Chorus Release 2.5</p> <p>Star Problem(s): CHRPLT 475</p> <p>Copyright (C) 2013 CA. All rights reserved. R00156-ETJ030-SP1</p> <p>DESC(REMOVE HARDCODED DB2TOOLS APPLID REFERENCE) . ++VER (Z038) FMID (CETJ300) PRE (R055792 R056007 R056096 R056215 R056254 R056305 R056355 R056586 R056645 R056758 R056817 R056895 R056941 R056949 R057040 R057107 R057168 R057247 R057354 R058019 R058088 R058199 R058244 R058384 R058548 R058626 R058753 R058854 R058968 R059150 R059208 R059285 R059296 R059741) SUP (TR60777) BINARY LINK('..//teiid-connector-coptds-3.0.1-SNAPSHOT.rar) PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO60778 Details

Release	Service	Details
3.0	RO60778	<p>RO60778 M.C.S. ENTRIES = ++PTF (RO60778)</p> <p>HORIZONTAL SCROLL BAR IS REPOSITIONING AFTER AUTO REFRESH</p> <p>PROBLEM DESCRIPTION: In CA Chorus, Investigator is used to load a grid that requires a horizontal scroll bar. You then turn on 'Auto Refresh' from the 'Refresh' menu button in the toolbar above the grid. If you scroll horizontally to see more columns in the grid, when auto refresh executes, the horizontal scroll bar is repositioned to the first column in the grid.</p> <p>SYMPTOMS: When new data is pushed from the server with 'Auto Refresh' enabled, the horizontal scroll bar is repositioned to the first column in the grid.</p> <p>IMPACT: You have to scroll horizontally to the right again to position the grid to display the column you were viewing before the refresh.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 488</p> <p>WRONG LEGEND AND COLORS WHILE TSF CHARTING</p> <p>PROBLEM DESCRIPTION: In CA Chorus, when using TSF Charting, in the Investigator module, if selecting the entity and metrics in a mixed order, there is an issue with legend and chart colors. For example, select Entity2 followed by "Entity1", and then do the "Perform Charting" action. The legend and chart color will be wrong.</p> <p>SYMPTOMS: If you select the entities and metrics in a mixed order and then do "Perform Charting", the legend and chart color will be wrong.</p> <p>IMPACT: The customer will be confused due to wrong legend and chart color shown on charts.</p> <p>CIRCUMVENTION: Try to select entities in order, rather than selecting random entities and do "Perform Charting" action.</p> <p>PRODUCTS(S) AFFECTED: CA Chorus Release: 03.0</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 489</p> <p>NO ERROR FOR BAD PASSWORD</p> <p>PROBLEM DESCRIPTION: When logging into CA Chorus, if the password provided is too long, the user is not properly notified of the problem. If user clicks on the login button, rather than pressing enter, the password field is highlighted, but there is no message shown to user.</p> <p>SYMPTOMS: If you login to CA Chorus and provide a password longer than 8 characters, there is no error message to indicate that the password is incorrect.</p> <p>IMPACT: You are unable to login to CA Chorus.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCTS(S) AFFECTED: CA Chorus Release: 03.0</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 490</p> <p>ENABLE NEXT & SELECT BUTTONS ONLY FOR VALID POLICY CREATION</p> <p>PROBLEM DESCRIPTION: In CA Chorus, while creating policies in the Object Picker and Investigator modules, the NEXT and SELECT buttons should be in a disabled state when no objects are selected or when no objects are added.</p> <p>SYMPTOMS: 1. When creating a policy in the objects tab, the NEXT button is enabled</p>

CA Chorus 3.0
CA RS 1312 - PTF RO60778 Details

Release	Service	Details
		<p>by default.</p> <p>2. When adding the objects after launching the objects picker, SELECT button remains in an enabled state even though no objects have been selected.</p> <p>IMPACT: You will see the NEXT and SELECT buttons enabled.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0</p> <p>Star Problem(s): CHRPLT 491</p> <p>BREADCRUMB IS NOT CREATED WHEN INVESTIGATING THE METRIC</p> <p>PROBLEM DESCRIPTION: In CA Chorus, in the workspace module, when a metric is being investigated from the metric panel drop down option, the Investigator module will open in a separate pop-up window and the corresponding metric details will be loaded in the grid. When the data is being loaded in the grid, the corresponding breadcrumb is not being created.</p> <p>SYMPTOMS: The new investigator window does not contain a breadcrumb.</p> <p>IMPACT: When you wish to see the state when the metric is being investigated, the data is not available as there is no corresponding breadcrumb available.</p> <p>CIRCUMVENTION: Click on any row in the grid, so that a corresponding breadcrumb is created and you can use that breadcrumb to get the state.</p> <p>PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 494</p> <p>TOPOLOGY VIEWER 1000 ROW LIMIT MESSAGE</p> <p>PROBLEM DESCRIPTION: In CA Chorus, when Performing Add to Topology Viewer or expanding a relation in the Topology Viewer, which would cause more than 1000 nodes to be displayed, a 1000 row limit message will be shown.</p> <p>SYMPTOMS: You see a "Cannot add more nodes" info dialog and a "You cannot add more than 1000 nodes to the Topology Viewer. Remove few nodes from the Topology Viewer and try again." message.</p> <p>IMPACT: You may be unclear on what actions to take to correct the problem.</p> <p>CIRCUMVENTION: None</p> <p>PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0</p> <p>Star Problem(s): CHRPLT 495</p> <p>AFTER PERSPECTIVE IS APPLIED, COLLAPSE OPTION IS NOT PRESENT</p> <p>PROBLEM DESCRIPTION: In CA Chorus, after applying a Perspective to any node on the Topology Viewer, in cases where a relation node is already in an expanded state, right clicking on the node shows the Expand menu instead of the Collapse menu.</p> <p>SYMPTOMS: After applying a Perspective to any node on the Topology Viewer, right clicking on a relation node that is in expanded state, the Collapse menu item will not be shown.</p> <p>IMPACT: You may be confused because the node is already in an expanded state.</p> <p>CIRCUMVENTION: You have to click on the Expand menu item on the relation node once.</p> <p>PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0</p> <p>Star Problem(s): CHRPLT 496</p> <p>TOPOLOGYVIEWER PANE DISPLAYS WHEN TAB KEY PRESSED REPEATEDLY</p> <p>PROBLEM DESCRIPTION: In CA Chorus, when using the Investigator, when you press the Tab key on the</p>

CA Chorus 3.0
CA RS 1312 - PTF RO60778 Details

Release	Service	Details
		<p>keyboard repeatedly, the Topology Viewer pane displays at the bottom of the page.</p> <p>SYMPTOMS: When you press the Tab key on the keyboard continuously, the Topology Viewer pane is visible at the bottom of the page.</p> <p>IMPACT: The customer will be confused as the Topology Viewer Toolbar and other buttons are not part of the Investigator pane.</p> <p>CIRCUMVENTION: You must navigate to the Topology Viewer before hitting Tab key continuously.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release: 03.0</p> <p>Star Problem(s): CHRPLT 497</p> <p>SAVE BUTTON IS DISABLED WHILE CHANGING PATH PRIVILEGES</p> <p>PROBLEM DESCRIPTION: In CA Chorus while changing path privileges from private to public or vice versa when editing paths, you will not be able to save the privilege because the Save button is not enabled.</p> <p>SYMPTOMS: In the Edit Saved Path functionality, you can change the path privilege from private to public and vice versa, but you cannot see the Save button enabled.</p> <p>IMPACT: You will not be able to save change path privileges.</p> <p>CIRCUMVENTION: Try to edit the path description field value, which in turn enables the Save button.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 498</p> <p>WRONG GRID HEADER WHILE NAVIGATING BREADCRUMB</p> <p>PROBLEM DESCRIPTION: In CA Chorus, using Investigator under DB2, you create a grid breadcrumb for a Routines object, then you create another grid breadcrumb for a Sequences object. If you navigate to the last created breadcrumb for the Routines object and select a row, the title displayed is for the Sequences object, but the data displayed is from the grid for the Routines object.</p> <p>SYMPTOMS: Last selected object name is being displayed as the grid header for the selected breadcrumb grid followed by any row selection.</p> <p>IMPACT: While navigating through the last selected grid breadcrumb, you will not be able to identify whether the data belongs to the object selected.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 499</p> <p>ERROR OCCURRED WHILE EXPANDING GROUPS</p> <p>PROBLEM DESCRIPTION: In CA Chorus, in workspace alerts module, when expanding the groups that are grouped by the severity column for the DBA workspace alerts module, the following error will be displayed: Message: An error occurred Column 'MessagePriority.ICON' does not exist in object metadata java.lang.IllegalArgumentException: Column 'MessagePriority.ICON' does not exist</p> <p>SYMPTOMS: An error dialog gets displayed in alerts module, when expanding groups which are grouped by Severity column in DBA. Error message: An error occurred Column 'MessagePriority.ICON' does not exist in object metadata java.lang.IllegalArgumentException: Column 'MessagePriority.ICON' does not exist</p>

CA Chorus 3.0
CA RS 1312 - PTF RO60778 Details

Release	Service	Details
		<p>IMPACT: Customer will see an error dialog.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release: 03.0</p> <p>Star Problem(s): CHRPLT 500</p> <p>COUNT TEXT IS NOT DISPLAYED ON CHART BREADCRUMB SELECTION</p> <p>PROBLEM DESCRIPTION: In CA Chorus, after the grid has been loaded with rows in the Investigator, you will find a display count and time stamp text at the bottom of the grid. If you perform charting after ' View Charts' button selection from the toolbar above the grid, a new Chart breadcrumb is created in the breadcrumbs view. If you select the created Chart Breadcrumb, the display count will not appear at the bottom of the grid.</p> <p>SYMPTOMS: The row count and the timestamp for countable objects will not be displayed.</p> <p>IMPACT: You will not know the count for Chart Breadcrumbs and time stamp when the data fetching query is executed after Chart Breadcrumb click.</p> <p>CIRCUMVENTION: Time Stamp can be found from tooltip of the breadcrumb. No circumvention for finding count of records.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 501</p> <p>WRONG INTIMATION ON GRID DATA</p> <p>PROBLEM DESCRIPTION: In CA Chorus, a non-countable object is an object which has countable value false in the metadata. So no count query will be fired. Hence the count rows information is not known to display on grid bottom toolbar.</p> <p>SYMPTOMS: Grid displays of a non-countable object display the message "Displaying many rows " regardless of the number of rows returned.</p> <p>IMPACT: You may be confused by the message.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 503</p> <p>EXPORT FAILS WITH LOAD DATE COLUMN ADDED</p> <p>PROBLEM DESCRIPTION: In CA Chorus, export functionality fails when a LOAD DATE column is added and a search is performed on LOAD DATE with the "IS NULL" operator.</p> <p>SYMPTOMS: The CHORJBOS STDOUT and server.log contain the following message: org.apache.cxf.interceptor.Fault: Column 'SYSOFROLE.LOADDATE' does not exist in object metadata SECURITY.BASEROLE An exception page is shown with HTTP 500 error code which shows the same exception message as above.</p> <p>IMPACT: Export functionality does not create the expected file.</p> <p>CIRCUMVENTION: Remove the filter: LOAD DATE 'IS NULL'. Click on "Search" button. Then export functionality will work as expected.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 506</p> <p>DOUBLE CLICK ON NEWLY ADDED NOTES ICON GIVING ERROR</p> <p>PROBLEM DESCRIPTION: In CA Chorus, in the Investigator or Alerts module, when you double-click on newly created notes icon in the grid, you get an error.</p>

CA Chorus 3.0
CA RS 1312 - PTF RO60778 Details

Release	Service	Details
		<p>SYMPTOMS: The following error message appears: "An error occurred-JavaScriptException: (TypeError): a.i is null" IMPACT: You will see an error dialog. CIRCUMVENTION: NONE PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0 Star Problem(s): CHRPLT 507 EDIT PERSPECTIVE ISSUE AFTER CLICKING NO IN CONFIRMATION MSG PROBLEM DESCRIPTION: In the CA Chorus Topology Viewer Apply Perspective dialog, after clicking Edit, saving the perspective with a different name is overriding the original perspective. SYMPTOMS: After saving with a new name, the original perspective will be replaced with the new perspective in the dialog. IMPACT: Instead of having two different perspectives, only one perspective exists. CIRCUMVENTION: None PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s): CHRPLT 508 DISPLAY TEXT SHOULD SHOW TOTAL COUNT ON BREADCRUMB CLICK PROBLEM DESCRIPTION: In CA Chorus, in Investigator, breadcrumbs related to grid loading or grid row selection are showing the count of rows which are loaded in the grid at the point of breadcrumb creation. Instead it should show the total count of the grid in the display text at the bottom of the grid. It is a new enhancement in breadcrumbs. SYMPTOMS: If breadcrumbs related to grid loading or grid row selection like 'Tree selection breadcrumbs', 'Grid row selection Breadcrumb', 'Search Breadcrumb' and 'Action breadcrumb' which are related to grid are selected, You see only the count of records loaded in the grid but not the total count. IMPACT: You cannot know the total number of records for the query at the point of breadcrumb creation. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s): CHRPLT 509 QUERY WITH '&' CHARACTER IS MODIFYING TO &AMP; PROBLEM DESCRIPTION: In CA Chorus, a title of a saved query may exceed the space allocated for it because & characters are expanded to &amp; SYMPTOMS: When you save a query with a title that is 80 characters in length and includes & character, the following validation error message is shown: The text should not be more than 80 characters long. IMPACT: You cannot save the query. CIRCUMVENTION: You can use a title that doesn't contain & PRODUCT(S) AFFECTED: CA Chorus Release 3.0 Star Problem(s): CHRPLT 510 GRID IS NOT LOADING IF COUNT OF EVENT SYSTEMS IS CONFIGURED PROBLEM DESCRIPTION: In CA Chorus, in Investigator, Security discipline, select Security > Definitions > Systems click on "customize your table view" icon select the object Event systems and select column "Count of Event systems" under</p>

CA Chorus 3.0
CA RS 1312 - PTF RO60778 Details

Release	Service	Details
		<p>available columns, add it to selected columns and click save button observe grid keeps on loading. SYMPTOMS: Grid is not loading the data with selected column "Count of Event Systems" IMPACT: You will not be able to see data for all columns. CIRCUMVENTION: Reconfigure the grid and remove the column "Count of Event Systems". PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s): CHRPLT 511 FILTER PANEL IS NOT COLLAPSING AFTER REPLACE VISUALIZER PROBLEM DESCRIPTION: In CA Chorus Topology Viewer, filter panel is not getting collapsed after performing 'Replace topology Viewer'. SYMPTOMS: Filter panel remains in expanded state. IMPACT: It might lead to confusion as the filter panel is expanded without any node being selected. CIRCUMVENTION: Clicking on any node will restore the normal mode of filter panel. PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s): CHRPLT 512 POPULATING MULTIPLE MONITOR PANEL WINDOWS PROBLEM DESCRIPTION: In CA Chorus, multiple undocked monitor panels are allowed. Only a single instance should be shown. SYMPTOMS: Multiple monitor panels are created when you click multiple times on the undock button. IMPACT: You are left with one or more monitor panels even after docking one of the monitor panel. CIRCUMVENTION: Dock one of the monitor panels and close the rest of the monitor panels. PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s): CHRPLT 513 CHART DISAPPEARS ON SAVING ROLE PARAMETERS Problem Description: In CA Chorus, after you create and add a chart, if you click on the settings button and save it or click on the Customize button and save it, the new chart disappears. Symptoms: A saved chart is not added or visible. Impact: You cannot use the chart you tried to add. Circumvention: None. PRODUCTS(S) AFFECTED: CA Chorus Release: 03.0 Star Problem(s): CHRPLT 514 MULTIPLE CONFIRMATION POPUPS ON CLOSING MODULE SEVERAL TIMES PROBLEM DESCRIPTION: This defect is observed when CA Chorus is a little slow to respond. Add a module to a dashboard(e.g. Investigator module). Click on the close icon multiple times and you will observe that multiple confirmation dialogs pop up. SYMPTOMS: Closing a module multiple times brings up multiple confirmation dialogs. This happens when the confirmation dialog takes time to show up and you click on the close icon again before the dialog shows up. IMPACT:</p>

CA Chorus 3.0
CA RS 1312 - PTF RO60778 Details

Release	Service	Details
		<p>The confirmation dialogs remain even after the module is closed. You have to close them one by one until all the dialogs are closed.</p> <p>CIRCUMVENTION:</p> <p>If you find another confirmation dialog after you have closed one, press escape key until all the dialogs are gone.</p> <p>PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0</p> <p>Star Problem(s):</p> <p>CHRPLT 516</p> <p>WS-DISPLAYING COUNT NOT UPDATING IF SHARED DASHBOARD DELETED</p> <p>Problem Description:</p> <p>In CA Chorus, if you delete any shared dashboard by opening the shared dashboard object picker, the displaying count is not getting updated when the shared dashboard is deleted.</p> <p>Symptoms:</p> <p>The "Displaying Count" does not show the correct number of records after you delete a shared dashboard.</p> <p>Impact:</p> <p>The "Displaying Count" is not correct. It shows more records than the actual records.</p> <p>Circumvention:</p> <p>None.</p> <p>PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0</p> <p>Star Problem(s):</p> <p>CHRPLT 520</p> <p>PERSONAL POLICY FOR IM OBJECT CAUSES FREQUENT QUERIES</p> <p>PROBLEM DESCRIPTION:</p> <p>In CA Chorus, a personal policy which contains an object from Infrastructure Management causes frequent queries to the CA Net Master back end.</p> <p>SYMPTOMS:</p> <p>Repeated queries to the CA Net Master back end can be found in the server.log.</p> <p>IMPACT:</p> <p>The repeated queries to the CA Net Master back end might increase load on it</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0</p> <p>Star Problem(s):</p> <p>CHRPLT 523</p> <p>NOTES MISSING FROM DIALOG IF MORE THAN 30.</p> <p>PROBLEM DESCRIPTION:</p> <p>In CA Chorus, clicking on the "View Notes" icon after selecting an object in the investigator grid displays all the associated notes for that object in a dialog. If the object has more than 30 notes associated with it, not all the notes are visible if the scrolling is done quickly.</p> <p>SYMPTOMS:</p> <p>Not all the notes associated with an object will be visible.</p> <p>IMPACT:</p> <p>While viewing notes in investigator only a subset of notes associated with the object would be visible.</p> <p>CIRCUMVENTION:</p> <p>Scrolling should be done slowly, for viewing all the notes.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s):</p> <p>CHRPLT 524</p> <p>NON GROUPABLE COLUMNS APPEAR IN GROUP BY DROPDOWN</p> <p>PROBLEM DESCRIPTION:</p> <p>In CA Chorus, when you try to add or remove columns using the customize option in the toolbar, non groupable columns appear in the group by dropdown.</p> <p>SYMPTOMS:</p> <p>You can see non groupable columns in the group by dropdown.</p> <p>IMPACT:</p> <p>You can perform the group by operation on non groupable columns.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0</p>

CA Chorus 3.0
CA RS 1312 - PTF RO60778 Details

Release	Service	Details
		<p>Star Problem(s): CHRPLT 527 POLICY CREATION IN SHOPPING CART THROWS EXCEPTION PROBLEM DESCRIPTION: When you create a policy in the shopping cart, it is not added to the shopping cart and an error is thrown. SYMPTOMS: When you try to create a policy in the shopping cart, the policy is not created, and the message 'An error occurred' is displayed. IMPACT: You cannot create a policy in the shopping cart view. CIRCUMVENTION: To add a new policy, go to the Chorus Personal Policies node in the object picker. You will be able to create a policy and add it to the traffic light module. PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0 PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 528 UI FILTER IS NOT WORKING FOR SECURITY STATISTICS. PROBLEM DESCRIPTION: In CA Chorus the Investigator search panel displays a validation error when you try to select a filterable column where a particular security statistics object does not have any filterable columns. SYMPTOMS: The filterable drop down does not have any columns to select, and it displays a validation message. IMPACT: None. CIRCUMVENTION: None. PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0</p> <p>Star Problem(s): CHRPLT 530 REMOVE JUNIT CONTENTS FROM CHORUS.WAR AND HELP.WAR PROBLEM DESCRIPTION: CA Chorus includes Chorus.war and Help.war which contain the GWT code to run the Chorus application. SYMPTOMS: The war files contain some unused files which increase the size of these wars. Chorus has to accommodate some extra storage space to keep unused files. IMPACT: NONE CIRCUMVENTION: NONE PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 532 ERROR WHEN INVESTIGATING CICS POLICIES OVERALL SYSTEM PROBLEM DESCRIPTION: In CA Chorus, performing the investigate on "Over All" option for CICS state policies throwing error. SYMPTOMS: When investigating Group by Over All option on the CICS state policies system is throwing "org.teiid.api.exception.query.QueryParserException: TEIID31100 Parsing error: Encountered 'LIMIT' at line 1, column 2974" error. IMPACT: You cannot investigate CICS state policies on Over All option. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 533 EMPTY FILE DOWNLOADED ON EXPORT WHEN SESSION TIMED OUT PROBLEM DESCRIPTION:</p>

CA Chorus 3.0
CA RS 1312 - PTF RO60778 Details

Release	Service	Details
		<p>In CA Chorus, an export request can be made after the CA Chorus session has timed out due to inactivity. Although the session has already timed out, the timeout message is not displayed.</p> <p>SYMPTOMS: The file created by an export request only contains header and no data.</p> <p>IMPACT: The exported file does not contain data.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 535 SAME ERROR MESSAGE TEXT FOR TWO ERRORS</p> <p>PROBLEM DESCRIPTION: In CA Chorus, The error message text for ETJGU010E and ETJGU011E are same.</p> <p>SYMPTOMS: The error message text for ETJGU010E "Error occurred in getting dashboard" and ETJGU011E "Exception occurred in getting dashboard " are same.</p> <p>IMPACT: Having same error message text for two different error codes is confusing.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 537 EXECUTING GIRD ROW BREADCRUMB POPULATES GRID WITH LIVE DATA</p> <p>PROBLEM DESCRIPTION: In CA Chorus, executing a grid row breadcrumb populates the Investigator grid with live data.</p> <p>SYMPTOMS: When you execute a grid row breadcrumb, the Investigator grid is populated with live data, instead of expected historical data.</p> <p>IMPACT: You cannot retrieve historical data.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 538 WRONG LABEL INFORMATION WHILE ADDING METRICS BY TYPE</p> <p>PROBLEM DESCRIPTION: In CA Chorus, Add New Metrics wizard displays an incorrect title for resource selection when you select group by metric type.</p> <p>SYMPTOMS: While adding a new metric from "Add New Metrics" wizard after grouping them based on metric type, in the second page you select the resource to be monitored but the label is shown as "Select System".</p> <p>IMPACT: None.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 544 INDEX URL GRID NEVER GETS LOADED WHILE CLOSING THE PROXY</p> <p>PROBLEM DESCRIPTION: CA Chorus includes a Knowledge Center where you can index a third party website. While indexing a website, you must provide proxy details to connect to the website if proxy authentication is enabled. At that time, you get a popup to enter proxy details.</p> <p>If you close the proxy details popup window by using the close button, you will see a continuous loading image on Index URL grid.</p> <p>SYMPTOMS: You cannot access the Index URL tab if the proxy window is closed using the Close button during the process of indexing the URL.</p>

CA Chorus 3.0
CA RS 1312 - PTF RO60778 Details

Release	Service	Details
		<p>IMPACT: You cannot access the Index URL tab in Knowledge Center if the proxy authentication window closed by using the Close button.</p> <p>CIRCUMVENTION: NONE</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 546</p> <p>BAD PAYLOAD EXCEPTION IN SERVER.LOG</p> <p>PROBLEM DESCRIPTION : In CA Chorus, Bad Payload exception encountered on the server while using Auto Refresh functionality with Internet Explorer browser.</p> <p>SYMPTOMS : The following message instance can be found in server.log file: "Exception occurred within transaction java.lang.RuntimeException: bad payload java.lang.RuntimeException: bad payload"</p> <p>IMPACT : No Impact</p> <p>CIRCUMVENTION : Use Firefox instead of Internet Explorer to avoid this exception in server logs.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 547</p> <p>NOTES & PATHS MODULES ARE NOT LOADING</p> <p>PROBLEM DESCRIPTION : In CA Chorus, sometimes data is not loading in workspace notes and paths modules with auto refresh functionality enabled.</p> <p>SYMPTOMS : Workspace notes and paths modules continuously show loading message with icon in the grid.</p> <p>IMPACT : Data is not populated in the grid of the modules.</p> <p>CIRCUMVENTION : Reload the data in the grid by clicking on the refresh icon in the toolbar of the modules.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 548</p> <p>BREADCRUMB NOT PRESERVING HISTORICAL DATA</p> <p>PROBLEM DESCRIPTION: In CA Chorus, after the grid has been loaded with rows in the Investigator, a grid selection breadcrumb will be created after you select a row. If you perform 'Delete User' action from the list of actions applicable to the selected row, it will be deleted. If you then select grid the selection breadcrumb which was created earlier, the deleted row is missing in the grid. It should be present as the breadcrumb is created before you deleted the record.</p> <p>SYMPTOMS: You will not see the details of the deleted row from the breadcrumbs.</p> <p>IMPACT: Loss of details of the record which you deleted.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 549</p> <p>VALIDATION FAILS WHILE SAVING THE PATH</p> <p>PROBLEM DESCRIPTION: In CA Chorus, a path saved with the same name as an an existing saved path will overlay the existing path.</p> <p>SYMPTOMS: If you reuse a name while saving a path, the second path will be used when starting the Investigator using the saved path.</p> <p>IMPACT: You will not be able to access the first path saved with that name.</p>

CA Chorus 3.0
CA RS 1312 - PTF RO60778 Details

Release	Service	Details
		<pre> CIRCUMVENTION: NONE PRODUCT(S) AFFECTED: CA Chorus Release 3.0 Star Problem(s): CHRPLT 550 Copyright (C) 2013 CA. All rights reserved. R00157-ETJ030-SP1 DESC(HORIZONTAL SCROLL BAR IS REPOSITIONING AFTER AUTO REFRESH) . ++VER (Z038) FMID (CETJ300) PRE (R055792 R056007 R056096 R056215 R056254 R056305 R056355 R056586 R056645 R056758 R056817 R056895 R056941 R056949 R057040 R057107 R057168 R057247 R057354 R058019 R058088 R058199 R058244 R058384 R058548 R058626 R058753 R058854 R058968 R059150 R059208 R059285 R059296 R059741) SUP (TR60379 TR60502 TR60542 TR60596 TR60639 TR60708 TR60741 TR60778) BINARY LINK('../chorus-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../Help.war') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../Chorus.war') PARM(PATHMODE(0,7,7,5)) . </pre>

CA Chorus 3.0
CA RS 1312 - PTF RO60989 Details

Release	Service	Details
3.0	RO60989	<p>RO60989 M.C.S. ENTRIES = ++PTF (RO60989)</p> <p>TEMP OUTPUT DATASETS USE FBA INSTEAD OF FB</p> <p>PROBLEM DESCRIPTION: When configuring CA Chorus using CA Chorus Software Manager, the temporary output datasets are being created in FBA format. These files must have FB format to be displayed.</p> <p>SYMPTOMS: Output data fails to appear in the platform listing.</p> <p>IMPACT: You will not be able to see the output logs for some actions.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 517</p> <p>DSN AND DISP OCCUPY THE SAME LINE</p> <p>PROBLEM DESCRIPTION: When configuring CA Chorus using CA Chorus Software Manager, the JCL generated for DSDBUT14 PROC may contain invalid line continuations.</p> <p>SYMPTOMS: DSDBUT14 will be generated with an invalid STDIN, SYSIN and ENVVARS.</p> <p>IMPACT: DSDBUT14 will fail with the following error: INVALID CONTINUATION NOT RECEIVED</p> <p>CIRCUMVENTION: Edit the CETJPROC(\$SDBUT14) member and place DSN and DISP parameters on separate lines.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 555</p> <p>Copyright (C) 2013 CA. All rights reserved. R00160-ETJ030-SP1</p> <p>DESC(TEMP OUTPUT DATASETS USE FBA INSTEAD OF FB) . ++VER (Z038) FMID (CETJ300) PRE (R059243 R059811) SUP (TR56490 TR58147 TR58879 TR58931 TR59023 TR59170 TR60363 TR60987 TR60989)</p>

CA Chorus 3.0
CA RS 1312 - PTF RO61000 Details

Release	Service	Details
3.0	RO61000	<p>RO61000 M.C.S. ENTRIES = ++PTF (RO61000)</p> <p>DBA COMMAND MANAGER MODULE IS 'UNMOVABLE' WHEN IT IS LOADING</p> <p>Problem Description: In CA Chorus, when you run a query in the DBA Command Manager, while the results are loading you cannot move the DBA Command Manager module.</p> <p>Symptoms: The DBA Command Manager is masked and becomes immovable until the results are displayed.</p> <p>Impact: Because of this, you will not be able to navigate to any other module that is behind this module.</p> <p>Circumvention: None.</p> <p>PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0</p> <p>Star Problem(s): CHRPLT 521</p> <p>MAXIMIZING INVESTIGATOR GRID HIDES THE SCROLL BAR.</p> <p>PROBLEM DESCRIPTION: In CA Chorus when you maximize the Investigator grid in the workspace, the vertical scroll bar does not show even though the grid has more records to display.</p> <p>SYMPTOMS: After maximizing a grid, you cannot see the vertical scroll bar.</p> <p>IMPACT: You will not know that the grid has more records to show until you use the mouse wheel to scroll.</p> <p>CIRCUMVENTION: Use the mouse wheel option to fetch more records.</p> <p>PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0</p> <p>Star Problem(s): CHRPLT 529</p> <p>INCORRECT OBJECT DESCRIPTION IN POLICY EMAIL TEXT</p> <p>PROBLEM DESCRIPTION: In CA Chorus, when you create an email policy the generated email body displays the incorrect object description. Platform is misinterpreting column values of the Instance Template.</p> <p>SYMPTOMS: There may be an incorrect object description in the emails generated from the email policy if one column name is used as subset of another column name. e.g. The Instance Template references a column in the object which is named, "VOLUME" but there is another column in this same object which is simply "VOL".</p> <p>IMPACT: The object description in the message body will be incorrect.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 540</p> <p>TOPOLOGY VIEWER RELATION COUNT NOT IN SYNC WITH CHILD COUNT</p> <p>PROBLEM DESCRIPTION: In CA Chorus, after performing 'Add to Topology Viewer' and expanding a relation node, you may sometimes find the count of children on the relation node is not in sync with the number of children if new children are inserted or deleted in the database while expansion is occurring.</p> <p>SYMPTOMS: After expanding the relation node the count of children may not be in sync. This only happens when there is an insertion or deletion of children during node expansion.</p> <p>IMPACT: The count on the relation node and the number of children after expansion are different.</p> <p>CIRCUMVENTION: None.</p>

CA Chorus 3.0
CA RS 1312 - PTF RO61000 Details

Release	Service	Details
		<p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s): CHRPLT 545 DE-SELECTION OF FIELD WITH CTRL KEY IS NOT WORKING. PROBLEM DESCRIPTION: In CA Chorus, when you try to select or deselect a field using the CTRL key in detail view, selection of the field is working fine, but de-selection of the field is not working with the CTRL key. SYMPTOMS: You cannot de-select the field with the CTRL key. IMPACT: You need to reselect all the fields which you want to select. CIRCUMVENTION: None.</p>
		<p>PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0 Star Problem(s): CHRPLT 551 DISABLE AUTO REFRESH ON TAB SWITCH PROBLEM DESCRIPTION: In CA Chorus, auto refresh functionality should be disabled for the modules which are present in the inactive dashboard. SYMPTOMS: Auto refresh occurs on inactive dashboard modules. IMPACT: None. CIRCUMVENTION: None.</p>
		<p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s): CHRPLT 552 INCORRECT DATA EXPORTED AFTER SPECIFYING FILTER CRITERIA PROBLEM DESCRIPTION: In CA Chorus, incorrect Investigator grid data gets exported after being prompted for, then specifying, filter criteria. SYMPTOMS: After you specify filter criteria to export data from a CA Chorus Investigator grid, the data is exported using default criteria. IMPACT: Exported data is not based on specified filter criteria. CIRCUMVENTION: None.</p>
		<p>PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0 Star Problem(s): CHRPLT 553 GRID CUSTOMIZATION POSSIBLE WITH NO COLUMNS PROBLEM DESCRIPTION: In CA Chorus, the "Select and Reorder Columns" dialog allows saving of a configuration even when there are no columns selected to be displayed for the view. SYMPTOMS: While customizing the grid by clicking on the wrench icon in the Alerts module or Investigator, "Select and Reorder Columns" is populated with the column information. Clicking on the "remove all" button removes all the columns from the selected column box. If you then click on the "save" button, a grid displays with no columns. IMPACT: Allows saving an empty grid. CIRCUMVENTION: None.</p>
		<p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s): CHRPLT 554 RULES FOLDER ALLOWS TO ADD A NOTES IN GRID. PROBLEM DESCRIPTION: In CA Chorus, after a group by when you expand the parent node and select a child node in the Investigator, you can add notes to the selected node.</p>

CA Chorus 3.0
CA RS 1312 - PTF RO61000 Details

Release	Service	Details
		<p>If you then select a parent node, you can still add notes to a previously selected child node.</p> <p>SYMPTOMS: After selection of parent node, the notes icon is enabled on the Investigator toolbar.</p> <p>IMPACT: You can still add notes to a previously selected object.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0</p> <p>Star Problem(s): CHRPLT 557</p> <p>DISPLAYING COUNT NOT UPDATING IF SHARED DASHBOARD DELETED</p> <p>PROBLEM DESCRIPTION: In CA Chorus, if you delete any shared dashboard by opening the shared dashboard object picker, the displaying count is not updated when the shared dashboard is deleted.</p> <p>SYMPTOMS: The "Displaying Count" does not show the correct number of records after you delete a shared dashboard.</p> <p>IMPACT: The "Displaying Count" is not correct. It shows more records than the actual records.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0</p> <p>Star Problem(s): CHRPLT 560</p> <p>Copyright (C) 2013 CA. All rights reserved. R00162-ETJ030-SP1</p> <p>DESC(DBA COMMAND MANAGER MODULE IS 'UNMOVABLE' WHEN IT IS LOADING) . ++VER (Z038) FMID (CETJ300) PRE (R055792 R056007 R056096 R056215 R056254 R056305 R056355 R056586 R056645 R056758 R056817 R056895 R056941 R056949 R057040 R057107 R057168 R057247 R057354 R058019 R058088 R058199 R058244 R058384 R058548 R058626 R058753 R058854 R058968 R059150 R059208 R059285 R059296 R059741 R060778) SUP (TR60379 TR60502 TR60913 TR61000) BINARY LINK(' ../chorus-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../chorus-actions-service-3.0.1-SNAPSHOT.jar ') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../Chorus.war') PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO61070 Details

Release	Service	Details
3.0	RO61070	<p>RO61070 M.C.S. ENTRIES = ++PTF (RO61070)</p> <p>POLICY ADMIN, PROBLEMS WITH POLICY STATEMENTS</p> <p>PROBLEM DESCRIPTION:</p> <p>1) In Policy Admin, when editing emails, WTOs, or service desk calls in a policy statement, the user is able to detach the action that is being edited, which may cause an inability to attach more actions.</p> <p>2) When attaching or editing emails, WTOs, or service desk calls in a policy statement, the "Create a Policy Statement" or "Modify a Policy Statement" button disappears instead of deactivates.</p> <p>SYMPTOMS:</p> <p>1) After detaching an email, WTO, or service desk call from a policy statement, the row used to insert new or existing actions disappears.</p> <p>2) "Create a Policy Statement" or "Modify a Policy Statement" button does not appear on the screen.</p> <p>IMPACT:</p> <p>1) May cause unexpected behavior with the action that is detached.</p> <p>2) None</p> <p>CIRCUMVENTION:</p> <p>1) None</p> <p>2) None</p> <p>PRODUCT(S) AFFECTED: CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 2.5 CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0</p> <p>Star Problem(s): CHRSEC 96</p> <p>Copyright (C) 2013 CA. All rights reserved. R00041-SCR030-SP1</p> <p>DESC(POLICY ADMIN, PROBLEMS WITH POLICY STATEMENTS) . ++VER (Z038) FMID (CE1M300) PRE (RO57422 RO59752) SUP (RO57756 RO58259 RO58687 RO60087 TR57756 TR58259 TR58687 TR60087 TR60728 TR61070) ++HOLD (RO61070) SYSTEM FMID(CE1M300) REASON (ACTION) DATE (13204) COMMENT (Product: Chorus for Security and Compliance Release 3.0 Sequence: Apply APAR. Purpose: Performing the steps in the holddata will allow you to complete the Chorus Security discipline deployment and configuration and use the user modify/delete functionality in investigator. Relevance: Steps outlined in holddata must always be followed. Knowledge required: SMP/e Product Installation z/OS Systems Programming CSM Access Required: 1. Access to ZFS directory where Chorus is installed. Steps to Perform: 1. Restart Chorus to pick up the new jars.). LINK('..PolicyAdmin.war') PARM(PATHMODE(0,7,7,5)) SHSCRIPT(POLPDSCR,POST) .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO61096 Details

Release	Service	Details
3.0	RO61096	<p>RO61096 M.C.S. ENTRIES = ++PTF (RO61096)</p> <p>MISLEADING ERROR MESSAGE MODULE DB2TO064</p> <p>PROBLEM DESCRIPTION:</p> <p>If the CDBALOAD dataset from CA Database Management Solutions for DB2 for z/OS is not in the STEPLIB for the JBoss Server and you attempt to use any of the CA Chorus for DB2 Database Management functions, you will see an error message stating that module DB2TO064 is not found. This is misleading, because there is no module named DB2TO064.</p> <p>SYMPTOMS:</p> <p>If CDBALOAD is missing from STEPLIB, the following message will appear in the UI if any CA Chorus for DB2 Database Management functions are attempted:</p> <p>ETJDS024E C Init failure - dlopen(DB2TO064) failed - CEE3501S The module DB2TO064 was not found.</p> <p>If you look in the CDBALOAD library, you will not find a load module named DB2TO064, nor will you find it in any other library.</p> <p>IMPACT:</p> <p>Incorrect module name in the message is misleading and may complicate problem determination.</p> <p>CIRCUMVENTION:</p> <p>Make sure the the CDBALOAD dataset from Chorus for DB2 Database Management is included in the STEPLIB concatenation for the JBOSS server.</p> <p>PRODUCT(S) AFFECTED: CA Chorus for DB2 Database Management Release 3.0 CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 479</p> <p>Copyright (C) 2013 CA. All rights reserved. R00163-ETJ030-SP1</p> <p>DESC(MISLEADING ERROR MESSAGE MODULE DB2TO064) . ++VER (Z038) FMID (CETJ300) SUP (TR60021 TR61096)</p>

CA Chorus 3.0
CA RS 1312 - PTF RO61111 Details

Release	Service	Details
3.0	RO61111	<p>RO61111 M.C.S. ENTRIES = ++PTF (RO61111)</p> <p>FIX SPECIAL CHARS IN INVESTIGATOR</p> <p>PROBLEM DESCRIPTION: User cannot modify fields for a USERID starting with a special char. DN error will be displayed</p> <p>SYMPTOMS: Error when modifying USERID with leading special chars</p> <p>IMPACT: Will not be able to use investigator to modify special char IDs</p> <p>CIRCUMVENTION: Update Special char IDs with LDAP or Web Admin</p> <p>SYMPTOMS: IMPACT: CIRCUMVENTION: PRODUCT(S) AFFECTED: CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0 Star Problem(s): CHRSEC 95 Copyright (C) 2013 CA. All rights reserved. R00042-SCR030-SP1</p> <p>DESC(FIX SPECIAL CHARS IN INVESTIGATOR) . ++VER (Z038) FMID (CE1M300) PRE (RO57313 RO58094) SUP (TR57423 TR57427 TR60474 TR61111) ++HOLD (RO61111) SYSTEM FMID(CE1M300) REASON (ACTION) DATE (13206) COMMENT (Product: Chorus for Security and Compliance Release 3.0 Sequence: Apply APAR. Purpose: Performing the steps in the holddata will allow you to complete the Chorus Security discipline deployment and configuration and use the user modify/delete functionality in investigator. Relevance: Steps outlined in holddata must always be followed. Knowledge required: SMP/e Product Installation z/OS Systems Programming CSM Access Required: 1. Access to ZFS directory where Chorus is installed. Steps to Perform: 1. Restart Chorus to pick up the new jars.). LINK(' ../teiid-translator-security-ldap-3.0.1-SNAP SHOT.jar') PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO61215 Details

Release	Service	Details
3.0	RO61215	<p>RO61215 M.C.S. ENTRIES = ++PTF (RO61215)</p> <p>UPDATED PRODUCT DOCUMENTATION</p> <p>PROBLEM DESCRIPTION: CA Technologies has updated and expanded the technical documentation available for CA Chorus. This bookshelf includes updated content with many fixes.</p> <p>SYMPTOMS: The guides in the old bookshelf are dated June 2013.</p> <p>IMPACT: By using the June 2013 bookshelf, you are not using the latest CA content.</p> <p>CIRCUMVENTION: You can access the updated documentation by going to CA Support http://support.ca.com, product CA Chorus and select the R3.0 Bookshelf.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 559</p> <p>Copyright (C) 2013 CA. All rights reserved. R00165-ETJ030-SP1</p> <p>DESC(UPDATED PRODUCT DOCUMENTATION) . ++VER (Z038) FMID (CETJ300) SUP (R056952 R058304 R058523 R058887 R059125 R059254 R059941 TR55991 TR56082 TR56132 TR56399 TR56688 TR56952 TR57671 TR57978 TR58304 TR58523 TR58813 TR58887 TR59125 TR59254 TR59941 TR60999 TR61215) BINARY LINK('../ChorusBookshelf.war') PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO61248 Details

Release	Service	Details
3.0	RO61248	<p>RO61248 M.C.S. ENTRIES = ++PTF (RO61248)</p> <p>INCORRECT OBJECT COUNTS FOR SG, DB ACTIONS</p> <p>PROBLEM DESCRIPTION: In CA Chorus for DB2 Database Management, the database and storage group catalog objects display an incorrect number of object dependencies.</p> <p>SYMPTOMS: In the CA Chorus Investigator, select database Catalog object. Select a row of data and click the Views action. The number of views displayed is incorrect as it contains duplicates. In the CA Chorus Investigator, select storage group Catalog object. Select a row of data and click the Indexes or Table spaces action. The number of objects displayed is incorrect as it may not include partitioned indexes or table spaces.</p> <p>IMPACT: Incorrect number of object dependencies exists for database and storage group objects.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus for DB2 Database Management Release 3.0</p> <p>Star Problem(s): CHRDMD 25</p> <p>Copyright (C) 2013 CA. All rights reserved. R00015-DM030-SP1</p> <p>DESC(INCORRECT OBJECT COUNTS FOR SG, DB ACTIONS) . ++VER (Z038) FMID (CE3K300) PRE (RO56052 RO56589 RO57924 RO58554 RO59624) SUP (TR60568 TR60923 TR61248) BINARY LINK('../DBMzDB2-cat-property.txt') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../DBMzDB2-cat-views.txt') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../DBMzDB2-property.txt') PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO61406 Details

Release	Service	Details
3.0	RO61406	<p>RO61406 M.C.S. ENTRIES = ++PTF (RO61406)</p> <p>CHORUS DBA TRANSLATOR MEMORY FIXES</p> <p>PROBLEM DESCRIPTION:</p> <p>A memory leak in the CA Chorus for DB2 Database Management Teiid Translator may result in an out of memory condition occurring in the CA Chorus JBoss server.</p> <p>When this condition occurs the JBoss server will fail to operate correctly and a restart will be required to restore functionality.</p> <p>SYMPTOMS:</p> <p>The CA Chorus for DB2 Database Management discipline may cause an out of memory condition within the CA Chorus JBoss server. All CA Chorus functionality may stop when this condition occurs. A message similar to the following will be displayed in the JBoss server.log file:</p> <pre>00.27.58 STC05399 BPXM023I (<server stc>) 508 508 JVMDDUMP039I Processing dump event "systhrow", 508 detail "java/lang/OutOfM 508 emoryError" at 2013/07/10 04:27:58 - please wait. 508</pre> <p>IMPACT:</p> <p>CA Chorus can no longer be used. A restart of the JBoss server is required.</p> <p>CIRCUMVENTION:</p> <p>The out of memory condition is more likely to occur when multiple CA Chorus for DB2 Database Management requests for large result sets are being executed in close proximity to one another. Typically, requests that retrieve a large number of rows are limited to the CA Chorus Investigator export feature and the Topology Viewer function or component. Avoiding these CA Chorus features for large requests (greater than 5000 rows) may reduce the chance of triggering an out of memory condition in the CA Chorus JBoss server.</p> <p>CIRCUMVENTION:</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s):</p> <p>CHRPLT 574</p> <p>Copyright (C) 2013 CA. All rights reserved. R00168-ETJ030-SP1</p> <p>DESC(CHORUS DBA TRANSLATOR MEMORY FIXES) .</p> <pre>++VER (Z038) FMID (CETJ300) PRE (R055792 R056007 R056096 R056215 R056254 R056305 R056355 R056586 R056645 R056758 R056817 R056895 R056941 R056949 R057040 R057107 R057168 R057247 R057354 R058019 R058088 R058199 R058244 R058384 R058548 R058626 R058753 R058854 R058968 R059150 R059208 R059285 R059296 R059741) SUP (R060777 TR60777 TR61406) BINARY LINK('../teiid-translator-db2tools-catalog-3.0.1-S NAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../coptds-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../teiid-translator-coptds-3.0.1-SNAPSHOT.ja r') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../teiid-connector-coptds-3.0.1-SNAPSHOT.rar ') PARM(PATHMODE(0,7,7,5)) .</pre>

CA Chorus 3.0
CA RS 1312 - PTF RO61413 Details

Release	Service	Details
3.0	RO61413	<p>RO61413 M.C.S. ENTRIES = ++PTF (RO61413)</p> <p>UPDATE ENVETJ TO USE JVM LARGE PAGE SUPPORT</p> <p>PROBLEM DESCRIPTION: A user of CA Chorus would like an increase in performance. Implementing JVM Large Page Support gives this. The current version of ENVETJ does not include JVM Large Page Support.</p> <p>SYMPTOMS: None</p> <p>IMPACT: None</p> <p>CIRCUMVENTION: None</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 581</p> <p>Copyright (C) 2013 CA. All rights reserved. R00169-ETJ030-SP1</p> <p>DESC(UPDATE ENVETJ TO USE JVM LARGE PAGE SUPPORT) . ++VER (Z038) FMID (CETJ300) PRE (RO56228 RO56776 RO56915 RO58809 RO59056 RO59807) SUP (TR55751 TR55830 TR56768 TR61413) ++HOLD (RO61413) SYSTEM FMID(CETJ300) REASON (ACTION) DATE (13210) COMMENT (</p> <p style="padding-left: 2em;">Product: CA Chorus Release 3.0</p> <p style="padding-left: 2em;">Sequence: Before and after applying update</p> <p style="padding-left: 2em;">Purpose: To update environment variable</p> <p style="padding-left: 2em;">Relevance: If you have modified ENVETJ member in CETJOPTN library or have used ETJICUST job in CETJJCL library for Auto-Config SCS to create the output configuration datasets</p> <p style="padding-left: 2em;">Knowledge required: z/OS or ISPF copy commands</p> <p style="padding-left: 2em;">Access required: Read access to CETJOPTN library</p> <p style="padding-left: 2em;">Steps to Perform:</p> <p style="padding-left: 2em;">Before Applying Update: If you have made modifications in ENVETJ member in CETJOPTN, copy the modified member to another location.</p> <p style="padding-left: 2em;">Or If you have used Auto-Config SCS (ETJICUST job in CETJJCL) to create output configuration datasets, copy the sequential dataset(Configuration_n_ds as indicated in the job) to another location .</p> <p style="padding-left: 2em;">After Applying Update: Review the modifications you made to the earlier version of ENVETJ member and modify the update member as needed.</p> <p style="padding-left: 2em;">Or If you have used Auto-Config SCS, rerun the ETJICUST job. This creates the new configuration dataset. Review with the backed-up dataset from the previous run & modify the newly created Configuration_ds dataset and rerun ETJICUST job to bring the changes into effect.This re-creates the output configuration libraries.</p> <p>).</p>

CA Chorus 3.0
CA RS 1312 - PTF RO61425 Details

Release	Service	Details
3.0	RO61425	<p>RO61425 M.C.S. ENTRIES = ++PTF (RO61425)</p> <p>INCORRECT COMMAND IN ETJI095T</p> <p>PROBLEM DESCRIPTION: The command to add a CA Chorus user to a profile in the ETJI095T member is incorrect.</p> <p>SYMPTOMS: The following error messages will be shown if the incorrect command is issued: TSS0299E PROFILE KEYWORD ILLEGAL FOR FUNCTION TSS0301I PERMIT FUNCTION FAILED, RETURN CODE = 4</p> <p>IMPACT: The user will not be added to the profile.</p> <p>CIRCUMVENTION: Add the user to the profile using the proper command of: TSS ADDTO(acid1) PROFILE(%CHORUPF)</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 582 Copyright (C) 2013 CA. All rights reserved. R00170-ETJ030-SP1</p> <p>DESC(INCORRECT COMMAND IN ETJI095T) . ++VER (Z038) FMID (CETJ300) PRE (RO55955 RO56760 RO56943 RO57979) SUP (TR61425) ++HOLD (RO61425) SYSTEM FMID(CETJ300) REASON (ACTION) DATE (13221) COMMENT (</p> <p>Product: CA Chorus Release 3.0</p> <p>Sequence: Before and after applying update. Purpose: Preservation of configured files. Relevance: If you have modified ETJI095T member in the CETJJCL library using manual configuration method. Knowledge required: z/OS or ISPF copy commands. Access required: Read access to the CETJJCL library. Steps to Perform: Before Applying Update: If you are using the manual configuration technique and have made changes to the ETJI095T member in CETJJCL library, copy the modified member to another location. After Applying Update: Review the modifications you made to the earlier version of ETJI095T member and modify the updated member as needed.).</p>

CA Chorus 3.0
CA RS 1312 - PTF RO61444 Details

Release	Service	Details
3.0	RO61444	<p>RO61444 M.C.S. ENTRIES = ++PTF (RO61444)</p> <p>INSIGHT METADATA DATA TYPE REFRESH</p> <p>PROBLEM DESCRIPTION: This problem resolves several data type issues with the CA Chorus for DB2 Database Management Application and Subsystem Performance objects. The incorrect data type definitions prevent use of the appropriate filters for a given data type and may result in objects not being found.</p> <p>SYMPTOMS: From DBA for DB2 Investigator, select Subsystem Performance node under the requested Confederation and DB2 SSID. Select Systems Parameters object. The rows are displayed. Filter the data using 'MAX-UTIL-PARTS' column. This column data is integer, but the filtering options shown are for the text column. Using the text column filters results in no data being found. Similar problems with the incorrect data types exist for the following objects and actions: Remote Locations History System Statistics History System Parameters Dynamic SQL Cache System Statistics Active Threads Active Threads - Locks Held Active Threads - Thread Info Active Threads - Packages Active Threads - Current SQL</p> <p>IMPACT: Incorrect filters for CA Insight objects may result in data not being found.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus for DB2 Database Management Release 3.0 Star Problem(s): CHRDMD 26 Copyright (C) 2013 CA. All rights reserved. R00016-DM030-SP1</p> <p>DESC(INSIGHT METADATA DATA TYPE REFRESH) . ++VER (Z038) FMID (CE3K300) PRE (R056052 R056589 R057924 R058554 R059624 R061248) SUP (TR61444) BINARY LINK('./DBMzDB2-property.txt') PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO61487 Details

Release	Service	Details
3.0	RO61487	<p>RO61487 M.C.S. ENTRIES = ++PTF (RO61487)</p> <p>INCORRECT ERROR CHECKING IN ETJI0100</p> <p>PROBLEM DESCRIPTION: When running the ETJI0100 configuration job for CA Chorus, the error checking code does not show the proper message to report an issue with the UID value.</p> <p>SYMPTOMS: If the user specified for CHORUS_USER has a UID of zero, the error messages produced do not clearly explain that UID zero cannot be used. Instead, the following messages are displayed: "This script is running under the user Error for uid: 0" "Checked user was 0." "Could not find a User called CHORADM." After displaying these messages, the ETJI0100 script completed with a non-zero return code, even though the CHORADM user did exist.</p> <p>IMPACT: The configuration is unable to continue.</p> <p>CIRCUMVENTION: Set the UID for CHORUS_USER to a non-zero value. Rerun ETJI0100.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 583 Copyright (C) 2013 CA. All rights reserved. R00171-ETJ030-SP1</p> <p>DESC(INCORRECT ERROR CHECKING IN ETJI0100) . ++VER (Z038) FMID (CETJ300) SUP (TR61487) TEXT PARM(PATHMODE(0,7,7,5)) SYMLINK('../utilities/chorus_chown.sh') SYMPATH('../bin/CHOWNTSH') .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO61504 Details

Release	Service	Details
3.0	RO61504	<p>RO61504 M.C.S. ENTRIES = ++PTF (RO61504)</p> <p>UNABLE TO DELETE POLICY PROBLEM DESCRIPTION: In CA Chorus, you are unable to delete a policy from a shopping cart when check boxes are checked. SYMPTOMS: You will be prompted with an information dialog "Cannot delete policies created by other users. Please modify your selections." IMPACT: You cannot delete the policies even though you created them. CIRCUMVENTION: Uncheck the check boxes, select the row of the policy, and click Delete Policy. PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s): CHRPLT 536</p> <p>SAVE BUTTON NOT ENABLED ON MODIFYING THE SAVED PATH PROBLEM DESCRIPTION: In CA Chorus, when you edit a saved path status from private to public or from incomplete to complete the save button remains disabled. SYMPTOMS: When performing the edit path option for the saved path in the Investigator module of CA Chorus, the save button is disabled initially. When you try to modify a private path to public or from an incomplete path to complete path, the save button remains disabled. IMPACT: You cannot save your changes. CIRCUMVENTION: After changing the status from private to public or from incomplete to complete you can change the title or description field to enable the save button. PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s): CHRPLT 556</p> <p>LOGIN BUTTON ENABLED WHEN PASTING INCORRECT USERNAME AND PWD PROBLEM DESCRIPTION: In CA Chorus, when logging in, if you paste an incorrect username and password the login button is not disabled. There is no UI warning information displayed when the copied value is too long. SYMPTOMS: The login button will be enabled when pasting a string longer than 8 characters from the clipboard to username or password field. IMPACT: There is no warning message when pasting in the wrong username and password. CIRCUMVENTION: NONE PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s): CHRPLT 558</p> <p>ACTION NAVIGATION IN BREADCRUMB VIEW RESULTS ONLY ONE RECORD PROBLEM DESCRIPTION: In CA Chorus, navigating to actions in breadcrumb view displays only one record even though multiple records satisfy the given condition. SYMPTOMS: You may find only one record. IMPACT: You will be not able to see all the data satisfying the given condition CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s): CHRPLT 561</p> <p>NOTES MODULE SEARCH FILTER IS NOT FILTERING THE GRID PROBLEM DESCRIPTION: In CA Chorus, the notes module search filter is not filtering the grid</p>

CA Chorus 3.0
CA RS 1312 - PTF RO61504 Details

Release	Service	Details
		<p>based on the search text while switching between the tabs.</p> <p>SYMPTOMS: Though the search filter has some search text, you can observe that the grid is not filtered.</p> <p>IMPACT: You cannot get the filtered data.</p> <p>CIRCUMVENTION: Perform the search action again after switching to another tab.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 562 NEW ALERTS TIMER NOT STOPPING AFTER CLOSING THE ALERT MODULE</p> <p>PROBLEM DESCRIPTION: In CA Chorus, When you disable the auto refresh for the Alerts module, the query for fetching the new alerts timer starts. It fires every 30 seconds in server log. This execution of query is not stopped on closing the Alerts module.</p> <p>SYMPTOMS: When auto refresh is disabled for Alerts module, the query for fetching the new alerts timer is not stopping after closing the Alerts module. It fires every 30 seconds in the CA Chorus server log.</p> <p>IMPACT: The execution of the alert timer query does not stop after closing the Alert module.</p> <p>CIRCUMVENTION: NONE</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 564 SEARCH ICON RETURNS UNRELATED RESULTS IN KNOWLEDGE CENTER</p> <p>PROBLEM DESCRIPTION: Context-sensitive help is not working in the Administer Compliance Policy and Administer Security Definitions interfaces, which you launch from the Quick Links module (CA Chorus Security and Compliance Management discipline only).</p> <p>SYMPTOMS: When you click on help icon in Administer Compliance Policy and Administer Security Definitions interfaces you may see unrelated topics in Knowledge Center.</p> <p>IMPACT: You do not receive useful research results when you click the help icon.</p> <p>CIRCUMVENTION: You must manually search the Knowledge Center.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 565 ENABLE FILTERING AND CHARTING ON HEALTH STATE COLUMN</p> <p>PROBLEM DESCRIPTION: In CA Chorus, the user should be able to perform filtering and charting on the health state 'status' column in Investigator grid. The filtering should be done based on health state values 1, 2 and 3.</p> <p>SYMPTOMS: You may not be able to perform filtering and charting on health state column.</p> <p>IMPACT: It is not possible to perform filtering and charting on health state 'status' column.</p> <p>CIRCUMVENTION: NONE</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 566 UNABLE TO ADD NOTES AFTER EXECUTING BREADCRUMB</p> <p>PROBLEM DESCRIPTION: In CA Chorus, when viewing any breadcrumb within the path will cause the Notes icon to be disabled. After being disabled, there is no methodology to allow it to be re-enabled again.</p>

CA Chorus 3.0
CA RS 1312 - PTF RO61504 Details

Release	Service	Details
		<p>SYMPTOMS: The Notes icon, within the Investigator Toolbar, is never re-enabled after a breadcrumb is selected and viewed.</p> <p>IMPACT: After viewing any breadcrumb, you are not able to add any additional notes for any other activity.</p> <p>CIRCUMVENTION: None</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 567</p> <p>SELECT ALL CHECKBOX NOT MAINTAINING STATUS</p> <p>PROBLEM DESCRIPTION: In CA Chorus, when viewing a breadcrumb that had the SELECT ALL checkbox enabled, the display does not maintain that status. All rows return as checked, but the SELECT ALL checkbox is not checked. Additionally, if SELECT ALL is checked and a note is then added onto a row, the check is removed from SELECT ALL.</p> <p>SYMPTOMS: The SELECT ALL checkbox is not maintaining the correct status when displaying a breadcrumb or after adding a note to a selected row.</p> <p>IMPACT: Display is not maintaining an accurate reflection of the selection status.</p> <p>CIRCUMVENTION: None</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 568</p> <p>GRID IN POLICY OBJECT TAB DISPLAYS PRIMARY KEY COLUMNS</p> <p>PROBLEM DESCRIPTION: In CA Chorus, the policy creation object tab does not show all columns. It only displays primary keys of the selected object.</p> <p>SYMPTOMS: While configuring rules on a non primary key columns, you might not have enough information about the value to set in the threshold text field.</p> <p>IMPACT: The threshold field cannot be accurately set.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 569</p> <p>CSM PASSWORD UNENCRYPTED FROM QUICK LINKS</p> <p>PROBLEM DESCRIPTION: In CA Chorus, the user password is not encrypted while logging into MSM from the quick links module.</p> <p>SYMPTOMS: The password is visible as plain text over the network.</p> <p>IMPACT: The visible password can be stolen resulting in a security threat.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 570</p> <p>LAST VISITED PATH IS NOT SAVED IN SOME VERSIONS OF FIREFOX</p> <p>PROBLEM DESCRIPTION: When you visit the Investigator in CA Chorus, the visited bread crumb path is not saved if you have not explicitly saved it.</p> <p>SYMPTOMS: The Investigator module in CA Chorus does not show the last visited unsaved bread crumb path in some versions of Firefox.</p> <p>IMPACT: You cannot navigate to the path in Investigator that was previously visited</p>

CA Chorus 3.0
CA RS 1312 - PTF RO61504 Details

Release	Service	Details
		<p>unless you have saved it. CIRCUMVENTION: To retain a bread crumb path in Firefox, you need to save it. PRODUCT(S) AFFECTED: CA Chorus Release 3.0 Star Problem(s): CHRPLT 571 EDIT PATH CANCELLATION RETAINING SELECTION CHANGE PROBLEM DESCRIPTION: In CA Chorus, the edit path functionality is retaining the selection change made from Incomplete to Complete or vice versa even after clicking on the cancel button. SYMPTOMS: You can see the unsaved selection change is retained. IMPACT: You will see the wrong selection of options. That is, in case of Incomplete you will see Complete and vice versa. CIRCUMVENTION: None PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0 Star Problem(s): CHRPLT 572 ADDING ROLE AND USERS BY RESOURCES TO POLICY CAUSES ERROR PROBLEM DESCRIPTION: In CA Chorus, when creating a CA Chorus Personal Policy if you select the the Roles and Users by Resource object from the Security discipline under the Objects tab, define a rule condition for the policy, and save it, the policy does not invoke the action. An exception appears in the server.log. SYMPTOMS: An exception is logged in server.log with following error information-SQLCODE=-443, SQLSTATE=38I01, DRIVER=4.12.55. 38I01. Error Code=-443 No indication appears in the UI for this problem. IMPACT: The policy with this object does not evaluate and hence no associated action fires. CIRCUMVENTION: Do not create policies using this object. PRODUCTS AFFECTED: CA Chorus RELEASE: 03.0 PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s): CHRPLT 573 MAXIMIZING THE NOTES MODULE CAUSES AN ERROR PROBLEM DESCRIPTION: In CA Chorus, maximizing the Notes Module after all the notes are added to the grid causes an error. SYMPTOMS: After the Notes module is loaded with all the notes, by scrolling down until the "Displaying all rows" message is displayed, resizing the notes module causes the following error: "An error occurred". IMPACT: Maximizing the Notes modules after all the notes are loaded causes an error. CIRCUMVENTION: Resize the notes module before loading all the notes. PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s): CHRPLT 576 ERROR IN MOVING COLUMNS UP IN SELECT AND REORDER COLUMN PROBLEM DESCRIPTION: In CA Chorus, when you select and reorder columns from the Investigator, if you select any three columns and move them up, "An error occurred" message appears. SYMPTOMS: In select or reorder column dialog, select any three columns with CNTL key. On moving those selected items up "An error occurred" is displayed. IMPACT: You cannot perform multiple selections and move items up.</p>

CA Chorus 3.0
CA RS 1312 - PTF RO61504 Details

Release	Service	Details
		<p>CIRCUMVENTION: NONE PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s): CHRPLT 577 UNABLE TO EXPAND GROUPED BY ROW FROM BREADCRUMB PROBLEM DESCRIPTION: In CA Chorus, with a loaded grid in Investigator, if you select 'Customize Your Tabular Data View' button from the toolbar above the grid and after performing column grouping through 'Group By' combo over a required column you will find the grid loaded with new grouped rows. If you expand a group and select a row, a new grid selection breadcrumb will be created. If you select the created breadcrumb, the group from which you selected a row will not be expanded and the row selection is not retained. SYMPTOMS: Clicking on the breadcrumb or refreshing the grid will not expand grouped by row and show the child rows which are there in the history. IMPACT: You cannot get the details of the number of rows grouped of the parent group in history and cannot see the details of the selected row. Even after refreshing you cannot expand the grid. CIRCUMVENTION: No circumvention for expanding grouped rows after breadcrumb click, but in live case you may select the particular tree node to reload the grid. PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s): CHRPLT 578 Copyright (C) 2013 CA. All rights reserved. R00172-ETJ030-SP1</p> <p>DESC(UNABLE TO DELETE POLICY) . ++VER (Z038) FMID (CETJ300) PRE (R055792 R056007 R056096 R056215 R056254 R056305 R056355 R056586 R056645 R056758 R056817 R056895 R056941 R056949 R057040 R057107 R057168 R057247 R057354 R058019 R058088 R058199 R058244 R058384 R058548 R058626 R058753 R058854 R058968 R059150 R059208 R059285 R059296 R059741 R061000) SUP (R060778 TR60379 TR60502 TR60542 TR60596 TR60639 TR60708 TR60741 TR60778 TR60913 TR61217 TR61269 TR61504) BINARY LINK('../metadata-property.txt') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../chorus-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../Help.war') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../datapipes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../query-fns-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../ui-classes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../Chorus.war') PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO61755 Details

Release	Service	Details
3.0	RO61755	<p>RO61755 M.C.S. ENTRIES = ++PTF (RO61755)</p> <p>HOST CONNECTION NOT BEING DONE FOR ALTERNATE VANTAGE ENGINES</p> <p>PROBLEM DESCRIPTION: When the CA Chorus Storage Discipline is configured for a multi-host environment, and in that environment the primary CA Vantage SRM engine is not available, CA Chorus is not selecting/connecting to the alternate CA Vantage SRM engine.</p> <p>SYMPTOMS: User does not see full CA Chorus Storage Discipline tree with CA Vantage SRM data.</p> <p>IMPACT: User cannot see host data from alternate CA Vantage SRM host even when the host is available.</p> <p>CIRCUMVENTION: NONE</p> <p>PRODUCTS AFFECTED: CA Chorus 3.0</p> <p>PRODUCT(S) AFFECTED: CA Chorus (TM) for Storage Management Release 3.0</p> <p>Star Problem(s): CHRSTO 86</p> <p>Copyright (C) 2013 CA. All rights reserved. R00039-E4H030-SP1</p> <p>DESC(HOST CONNECTION NOT BEING DONE FOR ALTERNATE VANTAGE ENGINES) . ++VER (Z038) FMID (CE4H300) PRE (R055876 R056211 R056418 R057306 R058662) SUP (R056905 R059162 TR56905 TR59162 TR61755) LINK('../teiid-translator-storage-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO61967 Details

Release	Service	Details
3.0	RO61967	<p>RO61967 M.C.S. ENTRIES = ++PTF (RO61967)</p> <p>SAMPJ CHANGES FOR \$ESINFO, \$ULEOBJ AND EIMIT021</p> <p>PROBLEM DESCRIPTION: EIMIT021 has spelling errors. \$ESINFO and \$ULEOBJ have line numbers in the right margin that are inconsistent with other sampjcl members.</p> <p>SYMPTOMS: There are no functional symptoms. The problems are purely cosmetic.</p> <p>IMPACT: No impact.</p> <p>CIRCUMVENTION: For EIMIT021, you may manually correct the spelling errors.</p> <p>PRODUCT(S) AFFECTED: CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0 Chorus 3.0</p> <p>Star Problem(s): CHRSEC 99</p> <p>Copyright (C) 2013 CA. All rights reserved. R00045-SCR030-SP1</p> <p>DESC(SAMPJ CHANGES FOR \$ESINFO, \$ULEOBJ AND EIMIT021) . ++VER (Z038) FMID (CE1M300) SUP (RO59226 TR59226 TR61967) ++HOLD (RO61967) SYSTEM FMID(CE1M300) REASON (ACTION) DATE (13228) COMMENT (Product: CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0 Sequence: If configuration has not yet been completed, then apply this apar before deployment. If you have already configured successfully, you will not need this fix. Purpose: Performing the steps in the holddata will allow you to complete the Chorus Security discipline deployment and configuration without cosmetic errors in the attached sampjcl members. Relevance: This is an optional apar that corrects minor cosmetic defects. Knowledge required: SMP/e CA CSM Product Installation Access required: Access will be required to the CE1MJCL dataset. Steps to Perform: 1. If deployment/configuration is complete you do not need to apply this apar, otherwise apply apar. 2. Continue deployment of Chorus with updated jcl members Product: Chorus for Security and Compliance Release 3.0).</p>

CA Chorus 3.0
CA RS 1312 - PTF RO61985 Details

Release	Service	Details
3.0	RO61985	<p>RO61985 M.C.S. ENTRIES = ++PTF (RO61985)</p> <p>REPORT ORDER MISMATCH IN UI AND EZTRIEVE REPORT</p> <p>PROBLEM DESCRIPTION: Columns are ordered in different sequences in the display in the CA Chorus UI and reports generated from JCL saved by the 'save JCL' action.</p> <p>SYMPTOMS: When saving JCL from Chorus UI, submitting and comparing the CA Easytrieve report to the UI report, the order of the columns may be mismatched.</p> <p>IMPACT: You will not see the same order of columns in the CA Easytrieve report in RPTOUT as in the Chorus UI and will be confused whether the report is correct.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 493</p> <p>ERROR WHILE SWITCHING FROM TIME SERIES VIEW TO GRID VIEW</p> <p>PROBLEM DESCRIPTION: In CA Chorus Investigator, after an object is added to Topology Viewer, a switch from Time Series view to Grid view fails.</p> <p>SYMPTOMS: Error Dialog with message 'An error occurred' will be shown.</p> <p>IMPACT: You will not be able to navigate directly to the grid view.</p> <p>CIRCUMVENTION: Switch to Topology View then to Grid View.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 504</p> <p>NOTES ICON NOT DISPLAYED FOR ALL EVENTS OBJECT</p> <p>PROBLEM DESCRIPTION: In CA Chorus, after opening Investigator and navigating to the All Events object in the Security discipline, adding a note to any object, navigating to some other object and back to the All Events object, the note added is not visible.</p> <p>SYMPTOMS: The added note is not visible.</p> <p>IMPACT: You cannot see the added notes for the All Events object.</p> <p>CIRCUMVENTION: NONE.</p> <p>PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 579</p> <p>ROLE PARAMETERS TITLE ON SETTINGS WINDOW.</p> <p>PROBLEM DESCRIPTION: In CA Chorus, the Investigator toolbar settings icon uses the Setting as tooltip whereas the dialog uses the Role Parameters as title but, the Role Parameters is displaying as the title of the settings window.</p> <p>SYMPTOMS: You can see Role Parameters is the title of the settings window.</p> <p>IMPACT: This may cause confusion on which window you are viewing.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0</p> <p>Star Problem(s): CHRPLT 586</p> <p>INCONSISTENCY IN WRENCH ICON FOR NOTES MODULE</p> <p>PROBLEM DESCRIPTION: In CA Chorus, the wrench icon is located on the tool bar for the Investigator and Alerts modules, but; for the Notes module, the wrench icon is located in header.</p>

CA Chorus 3.0
CA RS 1312 - PTF RO61985 Details

Release	Service	Details
		<p>SYMPTOMS: The wrench icon is available in the header for the Notes module, whereas it is part of the tool bar for other modules.</p> <p>IMPACT: The position of the wrench icon in the Notes modules is inconsistent with respect to other modules.</p> <p>CIRCUMVENTION: None</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 587</p> <p>REMOVE PERSPECTIVE ACTION IS MAKING NODES DISAPPEAR</p> <p>PROBLEM DESCRIPTION: CA Chorus Topology Viewer is empty after performing 'Remove Perspective' action.</p> <p>SYMPTOMS: All the nodes present in the Topology Viewer will disappear.</p> <p>IMPACT: You cannot perform any actions on the Topology Viewer.</p> <p>CIRCUMVENTION: You must return to the Grid view and add the node to the Topology Viewer.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 588</p> <p>MULTIPLE SAVING OF NOTES</p> <p>PROBLEM DESCRIPTION: In CA Chorus, note added for a row in investigator gets saved multiple times.</p> <p>SYMPTOMS: The save button in the notes dialog window is enabled and can be clicked multiple times before the note is successfully saved.</p> <p>IMPACT: The note with the same description is getting saved multiple times.</p> <p>CIRCUMVENTION: N/A</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 589</p> <p>EDIT POLICY ENABLES GENERAL DETAIL TAB</p> <p>PROBLEM DESCRIPTION: In CA Chorus, in Object Picker, after viewing details of a created policy in the 'Details Pane' upon navigating through tabs other than the 'General Details Tab', if you now want to edit the existing details by selecting the 'Edit' button in the details panel header, the 'General Detail tab' will be enabled. The tab which you are currently viewing should be in focus after selecting the 'Edit' button.</p> <p>SYMPTOMS: You will see the tabs which you want to edit are not in focus and you have to navigate again to the tab which can be edited.</p> <p>IMPACT: You have to select the desired tab to edit for editing.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 591</p> <p>SELECT ALL IS NOT WORKING AFTER GRID REFRESH IN INVESTIGATOR</p> <p>PROBLEM DESCRIPTION: In CA Chorus, you are unable to perform a 'Select All' operation in the Investigator grid after doing a grid refresh.</p> <p>SYMPTOMS: When you click on 'Select All' after a grid refresh, nothing happens.</p> <p>IMPACT: You cannot perform a 'Select All' after the grid is refreshed.</p> <p>CIRCUMVENTION: None</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p>

CA Chorus 3.0
CA RS 1312 - PTF RO61985 Details

Release	Service	Details
		<p>Star Problem(s): CHRPLT 601 INDIVIDUAL SELECTION SHOULD NOT LEAD TO SELECT ALL IN GRID PROBLEM DESCRIPTION: In CA Chorus, if you select individual rows in the grid, the 'Select All' check box is automatically enabled. SYMPTOMS: When you select the individual rows in the grid, it automatically results in checking the 'Select All' check box. IMPACT: In the grid if the 'Select All' check box is selected automatically when you make individual row selections, then any new records added to the grid will be selected by default. CIRCUMVENTION: None PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s): CHRPLT 602 REFRESH IN INVESTIGATOR CAUSES INCORRECT QUERIES PROBLEM DESCRIPTION: In CA Chorus, in the Investigator grid you can sort on any column, choose the 'Select All' option and perform the refresh. Go to any other discipline and select any object and, receive an incorrect queries error message. SYMPTOMS: You can see the error message like "TEIID30087 Element 'sorted column' in ORDER BY was not found in the FROM clause" in investigator. IMPACT: You cannot navigate to any other objects. CIRCUMVENTION: You can login again and navigate to another discipline object. PRODUCTS(S) AFFECTED: CA Chorus Release: 03.0 Star Problem(s): CHRPLT 606 Copyright (C) 2013 CA. All rights reserved. R00175-ETJ030-SP1</p> <p>DESC(REPORT ORDER MISMATCH IN UI AND EZTRIEVE REPORT) . ++VER (Z038) FMID (CETJ300) PRE (R055792 R056007 R056096 R056215 R056254 R056305 R056355 R056586 R056645 R056758 R056817 R056895 R056941 R056949 R057040 R057107 R057168 R057247 R057354 R058019 R058088 R058199 R058244 R058384 R058548 R058626 R058753 R058854 R058968 R059150 R059208 R059285 R059296 R059741 R060778 R061000 R061504) SUP (TR60379 TR60502 TR60913 TR61748 TR61985) BINARY LINK('../chorus-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../ui-classes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../Chorus.war') PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO62045 Details

Release	Service	Details
3.0	RO62045	<p>RO62045 M.C.S. ENTRIES = ++PTF (RO62045)</p> <p>JBOSS ABEND AT START WITH DBA ENABLED</p> <p>PROBLEM DESCRIPTION: JBOSS abend SOC4/S0C1/S422 during startup with DBA discipline enabled. Various symptoms can occur depending in the environment. Problems are due to corrupted storage in the datacom interface. We have seen the abend in system module ATRRCSS1 and in Datacom interface module DBINRPR.</p> <p>SYMPTOMS: Program checks can occur in various places, or datacom connection errors when DBA discipline is attempting to connect to the MUF.</p> <p>IMPACT: JBOSS server crashes and requires restart</p> <p>CIRCUMVENTION: Disable the DBA discipline</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s):</p> <p>CHRPLT 603</p> <p>Copyright (C) 2013 CA. All rights reserved. R00176-ETJ030-SP1</p> <p>DESC(JBOSS ABEND AT START WITH DBA ENABLED) .</p> <p>++VER (Z038)</p> <p>FMID (CETJ300)</p> <p>SUP (TR62045)</p>

CA Chorus 3.0
CA RS 1312 - PTF RO62086 Details

Release	Service	Details
3.0	RO62086	<p>RO62086 M.C.S. ENTRIES = ++PTF (RO62086)</p> <p>UPDATED SECURITY SYMBOL COMMENTS FOR AUTO-CONFIGURATION PROBLEM DESCRIPTION: For CA Chorus, there are incorrect comments for a few Security symbols in the Configuration_ds file during Auto-Configuration. SYMPTOMS: The comments on the Configuration_ds file for some Security symbols might be misleading. IMPACT: Due to incorrect comments, you might provide incorrect values to these symbols and proceed with the execution of the ETJICUST job for Auto-Configuration. CIRCUMVENTION: None PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s): CHRPLT 575 CLARIFY MANDATORY & OPTIONAL VARIABLES IN AUTO-CONFIGURATION PROBLEM DESCRIPTION: For CA Chorus, there are many variables in the CONFVARS file that an installer has to review during Auto-Configuration. This should be split into separate sections to clarify editing only the mandatory variables and by retaining defaults for the optional variables. SYMPTOMS: There are many variables in Configuration_ds file to review and provide overrides wherever applicable. IMPACT: It will take more time to scroll through the pages of Configuration_ds file, provide edits and rerun ETJICUST to complete variable substitution. CIRCUMVENTION: None PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s): CHRPLT 600 Copyright (C) 2013 CA. All rights reserved. R00177-ETJ030-SP1</p> <p>DESC(UPDATED SECURITY SYMBOL COMMENTS FOR AUTO-CONFIGURATION) . ++VER (Z038) FMID (CETJ300) PRE (R056228 R056915 R058809 R059056 R059807 R060500) SUP (TR60222 TR61213 TR61981 TR62086) ++HOLD (RO62086) SYSTEM FMID(CETJ300) REASON (ACTION) DATE (13228) COMMENT (</p> <p style="margin-left: 2em;">Product: CA Chorus Release: 3.0</p> <p style="margin-left: 2em;">Sequence: Before and after applying update</p> <p style="margin-left: 2em;">Purpose: Preservation of configured files</p> <p style="margin-left: 2em;">Relevance: If you used ETJICUST job in CETJJCL library for Auto-Config SCS to create the output configuration datasets</p> <p style="margin-left: 2em;">Knowledge required: z/OS or ISPF copy commands</p> <p style="margin-left: 2em;">Access required: Read access to CETJJCL library.</p> <p style="margin-left: 2em;">Steps to Perform:</p> <p style="margin-left: 2em;">Before Applying Update: If you have used Auto-Config SCS (ETJICUST job in CETJJCL) to create output configuration datasets, copy the sequential dataset (Configuration_ds as indicated in the job) to another location.</p> <p style="margin-left: 2em;">After Applying Update: If you have used Auto-Config SCS, rerun the ETJICUST job. This creates the new configuration dataset. Review with the backed-up dataset from the previous run & modify the newly created Configuration_ds dataset and rerun ETJICUST job to bring the changes into effect. This re-creates the output configuration libraries.</p> <p style="margin-left: 2em;">).</p>

CA Chorus 3.0
CA RS 1312 - PTF RO62106 Details

Release	Service	Details
3.0	RO62106	<p>RO62106 M.C.S. ENTRIES = ++PTF (RO62106)</p> <p>ERROR WHILE ADDING ORGANIZATION COUNTS FROM TOOLBAR PROBLEM DESCRIPTION: In the Chorus Security Investigator if you select CA Top Secret Organization and then select the wrench then try to add any of the counts (Count of Organization Users, of Profiles in Organization, Organization Groups, Resources Owned By Organization, or Organization Administrator) you will get an abend and you can't get data to display unless you remove that field again. SYMPTOMS: IMPACT: An abend and no data gets displayed CIRCUMVENTION: N/A PRODUCT(S) AFFECTED: CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0 SCR 3.0 Star Problem(s): CHRSEC 100 Copyright (C) 2013 CA. All rights reserved. R00046-SCR030-SP1</p> <p>DESC(ERROR WHILE ADDING ORGANIZATION COUNTS FROM TOOLBAR) . ++VER (Z038) FMID (CE1M300) PRE (RO58005 RO58041 RO58455 RO59207 RO59926 RO58094) SUP (TR57423 TR57427 TR58094 RO60057 TR60057 TR62106) ++HOLD (RO62106) SYSTEM FMID(CE1M300) REASON (ACTION) DATE (13234) COMMENT (Product: Chorus for Security and Compliance Release 3.0 Sequence: The fix must be applied before performing Chorus Security discipline deployment and configuration. Purpose: Performing the steps in the holddata will allow you to complete the Chorus Security discipline deployment and configuration. Relevance: Steps outlined in holddata must always be followed. Knowledge required: SMP/e Product Installation Product Deployment Product Configuration Access Required: 1. Access will be required to the CE1MJCL dataset. 2. Access will be required to <CHORUS_HOME>/roles/security. 3. Access will be required to <CHORUS_HOME>/config. Steps to Perform: 1. Apply APAR. 2. Redeploy Chorus Security Discipline if needed with either CA CSM or using jobs in CE1MJCL. 3. Reconfigure Chorus for Security and Compliance Management manually or using AUTO-CONFIG.). BINARY LINK('./security-cia-objects-model.xml') PARM(PATHMODE(0,7,7,5)) SYMLINK('./../../../../jboss/standalone/chorus/vdbs/Chorus/security-cia-objects-model.xml') SYMPATH('./../../../../config/security-cia-objects-model.xml') . BINARY LINK('./cia-property.txt') PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO62121 Details

Release	Service	Details
3.0	RO62121	<p>RO62121 M.C.S. ENTRIES = ++PTF (RO62121)</p> <p>SORTING NOT WORKING FOR RESOURCE CLASS COLUMN</p> <p>PROBLEM DESCRIPTION: In CA Chorus, after opening investigator and navigating to the Rules object in the Security discipline with Datacom backend and sorting on the Resource Class column, the data is not displayed in the sorted order.</p> <p>SYMPTOMS: The data for the Resource Class column is not in sorted order.</p> <p>IMPACT: When you sort the column in Rules object, the data is not sorted.</p> <p>CIRCUMVENTION: NONE.</p> <p>PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0 PRODUCT(S) AFFECTED: CA Chorus Release 3.0 Star Problem(s): CHRPLT 542 Copyright (C) 2013 CA. All rights reserved. R00015-JBT030-SP1</p> <p>DESC(SORTING NOT WORKING FOR RESOURCE CLASS COLUMN) . ++VER (Z038) FMID (CETJ302) PRE (RO60632) SUP (RO55819 RO58970 TR55819 TR58629 TR58970 TR62121) BINARY LINK('../teiid-engine-8.1.0.FinalCAFix-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO62149 Details

Release	Service	Details
3.0	RO62149	<p>RO62149 M.C.S. ENTRIES = ++PTF (RO62149)</p> <p>SCS UPDATES - FIX RUNTIME JCL</p> <p>PROBLEM DESCRIPTION: Update SCS metadata and ElMI0015 and add \$SICFG, DSICFG, \$lMDELND to fix issues with the RunTime JCL dataset</p> <p>SYMPTOMS: ElMI0015 will not be configured correctly after SCS configuration</p> <p>IMPACT: In order to reconfigure manually the user will have to update ElMI0015 with DSI info</p> <p>CIRCUMVENTION: Reconfigure w SCS or update ElMI0015 manually and run.</p> <p>PRODUCT(S) AFFECTED: CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0</p> <p>Star Problem(s): CHRSEC 88</p> <p>Copyright (C) 2013 CA. All rights reserved. R00047-SCR030-SP1</p> <p>DESC(SCS UPDATES - FIX RUNTIME JCL) . ++VER (Z038) FMID (CE1M300) PRE (RO56440 RO56486) SUP (RO59140 TR59140 TR60202 TR61774 TR62149) ++HOLD (RO62149) SYSTEM FMID(CE1M300) REASON (ACTION) DATE (13234) COMMENT (</p> <p>Product: Chorus for Security and Compliance Release 3.0</p> <p>Sequence: The fix must be applied before performing Chorus Security discipline deployment and configuration.</p> <p>Purpose: Performing the steps in the holddata will allow you to complete the Chorus Security discipline deployment and configuration.</p> <p>Relevance: Steps outlined in holddata must always be followed.</p> <p>Knowledge required: SMP/e Product Installation Product Deployment Product Configuration</p> <p>Access Required: 1. Access will be required to the CE1MJCL dataset. 2. Access will be required to <CHORUS_HOME>/roles/security. 3. Access will be required to <CHORUS_HOME>/config.</p> <p>Steps to Perform: 1. Apply APAR. 2. Redeploy Chorus Security Discipline if needed with either CA CSM or using jobs in CE1MJCL. 3. Reconfigure Chorus for Security and Compliance Management manually or using AUTO-CONFIG.</p> <p>Product: Chorus for Security and Compliance Release 3.0</p> <p>Sequence: The fix must be applied before performing Chorus Security discipline deployment and configuration. However, if you have already configured successfully, you will not need this fix.</p> <p>Purpose: Performing the steps in the holddata will allow you to complete the Chorus Security discipline deployment and configuration.</p> <p>Relevance: Steps outlined in holddata must always be followed.</p> <p>Knowledge required: SMP/e CA CSM Product Installation Product Deployment</p>

CA Chorus 3.0
CA RS 1312 - PTF RO62149 Details

Release	Service	Details
		<p>Product Configuration</p> <p>Access Required:</p> <ol style="list-style-type: none">1. Access will be required to the CE1MJCL dataset.2. Access will be required to <CHORUS_HOME>/roles/security.3. Access will be required to <CHORUS_HOME>/config. <p>Steps to Perform:</p> <ol style="list-style-type: none">1. Apply APAR.2. Redeploy Chorus Security Discipline if needed with either CA CSM or using jobs in CE1MJCL.3. Reconfigure Chorus for Security and Compliance Management manually or using AUTO-CONFIG, or using CA CSM. <p>).</p> <p>TEXT</p> <p>LINK('../nodedef')</p> <p>PARM(PATHMODE(0,7,5,5),SHAREAS)</p> <p>SYMLINK('../../utilities/nodedef')</p> <p>SYMPATH('../roles/security/nodedef') .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO62379 Details

Release	Service	Details
3.0	RO62379	<p>RO62379 M.C.S. ENTRIES = ++PTF (RO62379)</p> <p>INCORRECT COMMENT FOR CSM_APPL VARIABLE</p> <p>PROBLEM DESCRIPTION: If you use the Auto Config process for the configuration of CA Chorus, the comments in ENVETJ for CA Chorus Software Manager (CSM) directs you to uncomment the variable which is already enabled in the configuration_ds dataset.</p> <p>SYMPTOMS: The comments for the variable CSM_APPL are unclear.</p> <p>IMPACT: You may be confused by this comment.</p> <p>CIRCUMVENTION: If you want to implement the CA CSM quick link, leave the variable uncommented in ENVETJ</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 613</p> <p>Copyright (C) 2013 CA. All rights reserved. R00181-ETJ030-SP1</p> <p>DESC(INCORRECT COMMENT FOR CSM_APPL VARIABLE) . ++VER (Z038) FMID (CETJ300) PRE (RO56228 RO56776 RO58809 RO59056 RO61413) SUP (TR55751 TR55830 TR62280 TR62379) ++HOLD (RO62379) SYSTEM FMID(CETJ300) REASON (ACTION) DATE (13246) COMMENT (</p> <p>Product: CA Chorus Release 3.0</p> <p>Sequence: Before and after applying update</p> <p>Purpose: To update environment variable</p> <p>Relevance: If you have used ETJICUST job in CETJJCL library for Auto-Config SCS to create the output configuration datasets</p> <p>Knowledge required: z/OS or ISPF copy commands</p> <p>Access required: Read access to CETJOPTN library.</p> <p>Steps to Perform:</p> <p>Before Applying Update: If you have used Auto-Config SCS (ETJICUST job in CETJJCL) to create output configuration datasets, copy the sequential dataset(Configuration_ds as indicated in the job) to another location.</p> <p>After Applying Update: If you have used Auto-Config SCS, rerun the ETJICUST job. This creates the new configuration dataset. Review with the backed-up dataset from the previous run & modify the newly created Configuration_ds dataset and rerun ETJICUST job to bring the changes into effect. This re-creates the output configuration libraries.</p> <p>).</p>

CA Chorus 3.0
CA RS 1312 - PTF RO62389 Details

Release	Service	Details
3.0	RO62389	<p>RO62389 M.C.S. ENTRIES = ++PTF (RO62389)</p> <p>COST ANALYSIS FROM SUMMARY OBJECT INSTEAD OF DTOC4SYS</p> <p>PROBLEM DESCRIPTION: Change the select query for 2 cost analysis scenarios to gather collected data from a Summary object created from the DTOC4SYS object instead of the DTOC4SYS object directly.</p> <p>SYMPTOMS: None</p> <p>IMPACT: Collecting data from DTOC4SYS directly had slower response time</p> <p>CIRCUMVENTION: None</p> <p>PRODUCTS AFFECTED: CA Chorus 3.0</p> <p>PRODUCT(S) AFFECTED: CA Chorus (TM) for Storage Management Release 3.0</p> <p>Star Problem(s): CHRSTO 85</p> <p>Copyright (C) 2013 CA. All rights reserved. R00040-E4H030-SP1</p> <p>DESC(COST ANALYSIS FROM SUMMARY OBJECT INSTEAD OF DTOC4SYS) . ++VER (Z038) FMID (CE4H300) PRE (R056211 R056418 R056903 R058662) SUP (TR62389) BINARY LINK('./storage_analysis_property.txt') PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO62465 Details

Release	Service	Details
3.0	RO62465	<p>RO62465 M.C.S. ENTRIES = ++PTF (RO62465)</p> <p>ANALYSIS SERVICE SHOWS SEVERITY 99 IN DETAILS</p> <p>PROBLEM DESCRIPTION: When any analysis service scenario run does not have any severity associated to it, an empty field can be seen in the Severity column in the Investigator grid. For the same run, the Summary tab incorrectly shows a value of 99 in the Severity Level field.</p> <p>SYMPTOMS: The Summary tab incorrectly shows a value of 99 in the Severity Level field. The Severity Level field should be empty for such runs.</p> <p>IMPACT: The display of different information in the Investigator grid and Summary tab below the Investigator grid is misleading.</p> <p>CIRCUMVENTION: NONE</p> <p>PRODUCTS AFFECTED: CA Chorus 3.0</p> <p>PRODUCT(S) AFFECTED: CA Chorus (TM) for Storage Management Release 3.0</p> <p>Star Problem(s): CHRSTO 87</p> <p>Copyright (C) 2013 CA. All rights reserved. R00041-E4H030-SP1</p> <p>DESC(ANALYSIS SERVICE SHOWS SEVERITY 99 IN DETAILS) . ++VER (Z038) FMID (CE4H300) PRE (R056211 R056418 R058662 R059905) SUP (TR62465) BINARY LINK('../storage-analysis-service-model.xml') PARM(PATHMODE(0,7,7,5)) SYMLINK('../../../../../jboss/standalone/chorus/vdbs/Chorus/storage-analysis-service-model.xml') SYMPATH('../../../../../roles/storage/storage-analysis-service-model.xml') .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO62510 Details

Release	Service	Details
3.0	RO62510	<p>RO62510 M.C.S. ENTRIES = ++PTF (RO62510)</p> <p>METRICPANELSERVICE EXCEPTIONS IN LOGS</p> <p>PROBLEM DESCRIPTION: In CA Chorus, there are exceptions in the logs related to the Metric Panel Service. The exceptions do not affect any functionality but gives the impression that there is an error.</p> <p>SYMPTOMS: There are exceptions in the logs as follows: No implementation for com.ca.mfui.client.MetricPanelService was bound while locating com.ca.mfui.client.MetricPanelService.</p> <p>IMPACT: You get the impression that something is wrong.</p> <p>CIRCUMVENTION: NONE.</p> <p>PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0</p> <p>Star Problem(s): CHRPLT 592</p> <p>ADD NEW METRIC WIZARD INCORRECT TOOLTIP FOR TREE ICON</p> <p>PROBLEM DESCRIPTION: In CA Chorus, while adding a new metric from the "Add New Metrics" wizard after grouping them either based on metric type or resource, the metric tree gets populated for selection. The tooltip for the tree icon shows as "Shows tree popup".</p> <p>SYMPTOMS: Add New Metrics wizard displays an incorrect tooltip for the tree icon.</p> <p>IMPACT: Incorrect tooltip for tree icon.</p> <p>CIRCUMVENTION: None</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 593</p> <p>SELECTED ITEMS COUNT NOT DISPLAYED IN SHOPPING CART</p> <p>PROBLEM DESCRIPTION: In CA Chorus, when you select the bottom objects in the grid, the selected items count is not displaying in the shopping cart.</p> <p>SYMPTOMS: Shopping cart displays selected count as 0.</p> <p>IMPACT: You will not know the selected item count.</p> <p>CIRCUMVENTION: NONE</p> <p>PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0</p> <p>Star Problem(s): CHRPLT 594</p> <p>SELECT ALL TOOLTIP SHOWS OPPOSITE OPTION AFTER REFRESH</p> <p>PROBLEM DESCRIPTION: In CA Chorus, in the Investigator grid you can select the 'Select All' option and observe the tooltip is 'Unselect All', perform a refresh using the refresh button and the tooltip is now 'Select All' instead of 'Unselect All'.</p> <p>SYMPTOMS: The 'Select ALL' option is working the opposite way when refreshed.</p> <p>IMPACT: You can see some unselected records in the grid after refresh.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0</p> <p>Star Problem(s): CHRPLT 595</p> <p>ERROR DIALOG SHOWING MISLEADING MESSAGE ON SESSION TIMEOUT</p> <p>PROBLEM DESCRIPTION: In CA Chorus, on a session timeout, along with the proper message and message id, there is also an unrelated message displayed related to the Knowledge Center.</p>

CA Chorus 3.0
CA RS 1312 - PTF RO62510 Details

Release	Service	Details
		<p>SYMPTOMS: On the error dialog, it shows "For a message definition and recommended resolution, highlight the message ID and click the question mark icon in the upper-right corner of the error dialog. The Knowledge Center will open with a link to the message definition and resolution." IMPACT: You will be directed to the Knowledge Center where you will not find a resolution. CIRCUMVENTION: None PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0 Star Problem(s): CHRPLT 596 NO LOADING NOTIFICATION WHEN CONFIGURING POLICY STATUS LIGHT mROBLEM DESCRIPTION: When configuring/reconfiguring the Policy Status Light module in CA Chorus, you are not notified about the loading of the object picker. SYMPTOMS: When you configure the Policy Status Light module, nothing happens for some time until the object picker opens. IMPACT: As there is no loading intimation, you are not sure if any action is about to happen. You may click on the configure link several times. CIRCUMVENTION: None. PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0 Star Problem(s): CHRPLT 597 METRIC FILTER SHOULD SEARCH BASED ON SUB STRING OF THE VALUE mROBLEM DESCRIPTION: In CA Chorus, while adding metrics to the Time Series Chart, if you filter the available metrics by specifying a sub string, the search is not performed based on that sub string. The filtering on entities also exhibits similar behavior. SYMPTOMS: The search is not filtering based on the value given in the sub string. Eg: RACROUTE AUTHs In the example the search should filter if you give the sub string "AUTHs". IMPACT: You will not able be to filter the available metrics or entities. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s): CHRPLT 598 RELATION "UID STRING" IS NOT EXPANDING CHILDREN mROBLEM DESCRIPTION: In CA Chorus, relation "UID Strings" is not expanding children properly in the Topology view because of Unicode characters in the label. SYMPTOMS: You will see an error dialog when you try to expand children. IMPACT: You will not see child objects. CIRCUMVENTION: None PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0 Star Problem(s): CHRPLT 599 DESCRIPTION FIELD IN SAVE PERSPECTIVE DIALOG IS INCORRECT PROBLEM DESCRIPTION: CA Chorus Topology Viewer is showing the wrong warning message for the 'Description' field while performing 'Save Perspective' action. SYMPTOMS: A Warning icon is displayed after clicking on the 'Description' field and navigating out without entering any value. SYMPTOMS:</p>

CA Chorus 3.0
CA RS 1312 - PTF RO62510 Details

Release	Service	Details
		<p>IMPACT: It might lead to confusion as a description is not required to save a Perspective.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0</p> <p>Star Problem(s): CHRPLT 604</p> <p>GRID FOOTER NOT VISIBLE ON REFRESHING THE BREADCRUMB</p> <p>PROBLEM DESCRIPTION: In CA Chorus Investigator, expanding the search panel after the grid is loaded, reloads the grid with new data. Selecting a row enables a list of actions, if an action is selected, a navigation history will be added to the search panel and, the display count text footer of the grid will no longer be visible.</p> <p>SYMPTOMS: Display count text footer will not be visible.</p> <p>IMPACT: For that action performed you may not know the count and time stamp of query execution.</p> <p>CIRCUMVENTION: On toggling 'Details Pane' below the grid, the footer will be visible.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 605</p> <p>COPY TO CLIPBOARD ERROR MESSAGE IMPROPER</p> <p>PROBLEM DESCRIPTION: When you get an error in CA Chorus, you can click copy to clipboard in the error dialog. Firefox does not support copy to the clipboard, there is a pop up with the error details. This error description provides more level of specific guidance to another companies product which may change at any time.</p> <p>SYMPTOMS: When you click on the copy to clipboard you will be prompted with error dialog providing the browser's setting information.</p> <p>IMPACT: As the description is more specific to another product this may change later.</p> <p>CIRCUMVENTION: Select the text to copy and user ctrl-C to place it in the clipboard.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 607</p> <p>EXPANDING IMPORT PANEL CAUSES PARTIAL DISPLAY</p> <p>PROBLEM DESCRIPTION: In CA Chorus, the DBA Command Manager for DB2 layout gets distorted when expanding the import panel for importing a file.</p> <p>SYMPTOMS: In DBA Command Manager for DB2, the import panel is expanded by clicking the "Import File" button. As this import panel is expanded, the panel where the results are displayed is pushed down and is only partially visible.</p> <p>IMPACT: The results are partially hidden.</p> <p>CIRCUMVENTION: On minimizing the import panel, the results panel is displayed properly.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 608</p> <p>CA CHORUS REJECTS USER IDS WITH LESS THAN 4 CHARACTERS</p> <p>PROBLEM DESCRIPTION: CA Chorus expects a minimum 4 characters in a user ID. The IDs with less than 4 characters are not allowed to login into CA Chorus.</p> <p>SYMPTOMS: If you try to login to CA Chorus with a user ID less than 4 characters, the user ID field will be highlighted. The hover text states 'The minimum length of this field is 4.'</p> <p>IMPACT:</p>

CA Chorus 3.0
CA RS 1312 - PTF RO62510 Details

Release	Service	Details
		<p>You cannot login to CA Chorus if your user ID is less than 4 characters. CIRCUMVENTION: None. PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0 Star Problem(s): CHRPLT 609 CHART IS NOT UPDATED AFTER DELETION OF RECORD PROBLEM DESCRIPTION: In CA Chorus, add a chart in the investigator and perform the delete operation on a record, the chart is not updated with the latest data. SYMPTOMS: The added chart in investigator displays older data. IMPACT: The chart will not be updated with the latest data. CIRCUMVENTION: You need to add a new chart by removing the older chart. PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s): CHRPLT 611 DBA ALERTS ARE NOT EXPANDED WHEN GROUPEd ON 'TIME' COLUMN PROBLEM DESCRIPTION: In CA Chorus, add the DBA Alerts to the Dashboard and group them on the Time column.If you try to expand this group, you cannot see any data even though the group count indicates the presence of data. SYMPTOMS: If you expand a row in the DBA Alerts that are grouped on the 'Time' column, no data will be displayed. IMPACT: You cannot see the data. CIRCUMVENTION: NONE PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s): CHRPLT 612 CHART ON COUNT,SORT ON HEALTHSTATE SHOWS INCORRECT RESULTS PROBLEM DESCRIPTION: In CA Chorus, when you perform charting on COUNT, the chart displayed is misleading. When you perform sorting on Health State column, the Normal Health State is not being sorted correctly. SYMPTOMS: When you perform Charting on count, the resultant chart's title and labels will be different from the data represented. When you sort onHealth State column, you will see the rows with the Normal Health State are displayed at both the top and the bottom of the grid. IMPACT: You may not see correct data while charting and sorting. CIRCUMVENTION: NONE PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s): CHRPLT 614 SHOPPING CART COUNT SHOULD BE SAME AS THAT IN THE GRID PROBLEM DESCRIPTION: In CA Chorus, when you open the Shopping cart after making selections in the Object Picker, the shopping cart count and the count displayed in the grid pagination bar do not match. SYMPTOMS: In Object Picker, the Shopping Cart count and,the count displayed in the grid pagination bar are different. IMPACT: The number of Objects Selected in the Object Picker may be unclear. CIRCUMVENTION: NONE PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s):</p>

CA Chorus 3.0
CA RS 1312 - PTF RO62510 Details

Release	Service	Details
		<p>CHRPLT 616</p> <p>'NO DATA FOUND' TRUNCATED MESSAGE WHEN CHARTING</p> <p>PROBLEM DESCRIPTION:</p> <p>In CA Chorus, if there is no data returned while charting, the displayed message is "NO DATA" instead of "No Data found".</p> <p>SYMPTOMS:</p> <p>You may get an incorrect message like "NO DATA" while charting.</p> <p>IMPACT:</p> <p>A truncated message may cause confusion.</p> <p>CIRCUMVENTION:</p> <p>NONE</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s):</p> <p>CHRPLT 617</p> <p>EDITING ALLOWED ON PUBLIC POLICIES</p> <p>PROBLEM DESCRIPTION:</p> <p>In CA Chorus, you are able to edit the public policies created by other users.</p> <p>SYMPTOMS:</p> <p>A public policy should only allow the creator of that policy to edit the information.</p> <p>IMPACT:</p> <p>A policy may be edited by others without the policy owner's knowledge.</p> <p>CIRCUMVENTION:</p> <p>NONE</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s):</p> <p>CHRPLT 618</p> <p>ALERT DETAILS BOX CUTS OFF TEXT</p> <p>PROBLEM DESCRIPTION:</p> <p>In CA Chorus, the alert details box cuts off text for some fields due to predefined height and width set for TextField.</p> <p>SYMPTOMS:</p> <p>You will observe that some fields are truncated abnormally.</p> <p>IMPACT:</p> <p>You will not see the full text for some fields.</p> <p>CIRCUMVENTION:</p> <p>You can use the keyboard arrow keys(left or right) or use the home and end keys to view the complete text.</p> <p>PRODUCTS(S) AFFECTED: CA Chorus Release: 03.0</p> <p>Star Problem(s):</p> <p>CHRPLT 619</p> <p>GRAPH NOT VISIBLE WITH DIFFERENT SCREEN RESOLUTION</p> <p>PROBLEM DESCRIPTION:</p> <p>In CA Chorus, TSF graphs are not visible when screen resolution is changed to 1024x768.</p> <p>SYMPTOMS:</p> <p>In investigator when charting is done on a TSF object , the graph which falls out of the visible area is not visible after horizontal scrolling also.</p> <p>IMPACT:</p> <p>The graph is not visible in the chart panel resulting in the loss of information.</p> <p>CIRCUMVENTION:</p> <p>N/A</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s):</p> <p>CHRPLT 620</p> <p>HTML INJECTION VULNERABILITY</p> <p>PROBLEM DESCRIPTION:</p> <p>In CA Chorus, HTML can be injected in the search field of investigator.</p> <p>SYMPTOMS:</p> <p>HTML tags can be inserted along with the search string in the text box of the search panel in investigator.</p> <p>IMPACT:</p> <p>Scripts can be inserted and executed resulting in security threat.</p> <p>CIRCUMVENTION:</p>

CA Chorus 3.0
CA RS 1312 - PTF RO62510 Details

Release	Service	Details
		<p>N/A</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s):</p> <p>CHRPLT 621</p> <p>CLEAR SEARCH OPERATION IS NOT DISPLAYING ALL NOTES</p> <p>PROBLEM DESCRIPTION:</p> <p>In CA Chorus, the notes module search filter is not showing all the notes when the "Clear Search" button is clicked.</p> <p>SYMPTOMS:</p> <p>You will observe that the search text is removed from the search filter but, no reset filter is applied.</p> <p>IMPACT:</p> <p>You cannot see all the notes. The notes that satisfied the filter condition that you previously had applied will be displayed.</p> <p>CIRCUMVENTION:</p> <p>You need to click on the Refresh button.</p> <p>PRODUCTS(S) AFFECTED: CA Chorus Release: 03.0</p> <p>Star Problem(s):</p> <p>CHRPLT 622</p> <p>ERROR ON SELECTING POLICY IF ASSOCIATED OBJECT NOT PRESENT</p> <p>PROBLEM DESCRIPTION:</p> <p>In CA Chorus, an error occurs when you select policies under "Chorus Personal Policies" and all the associated objects of that policy are not available.</p> <p>SYMPTOMS:</p> <p>"An error occured" is displayed when you click on a policy under "Chorus Personal Policies".</p> <p>IMPACT:</p> <p>You cannot proceed to view the details of the policy.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s):</p> <p>CHRPLT 629</p> <p>Copyright (C) 2013 CA. All rights reserved. R00182-ETJ030-SP1</p> <p>DESC(METRICPANELSERVICE EXCEPTIONS IN LOGS) .</p> <p>++VER (Z038)</p> <p>FMID (CETJ300)</p> <p>PRE (R055792 R056007 R056096 R056215 R056254 R056305</p> <p>R056355 R056586 R056645 R056758 R056817 R056895</p> <p>R056941 R056949 R057040 R057107 R057168 R057247</p> <p>R057354 R058019 R058088 R058199 R058244 R058384</p> <p>R058548 R058626 R058753 R058854 R058968 R059150</p> <p>R059208 R059285 R059296 R059741 R061000 R061504</p> <p>R061985)</p> <p>SUP (R060778 TR60379 TR60502 TR60542 TR60596 TR60639</p> <p>TR60708 TR60741 TR60778 TR60913 TR62510)</p> <p>BINARY</p> <p>LINK('../chorus-service-3.0.1-SNAPSHOT.jar')</p> <p>PARM(PATHMODE(0,7,7,5)) .</p> <p>BINARY</p> <p>LINK('../Help.war')</p> <p>PARM(PATHMODE(0,7,7,5)) .</p> <p>BINARY</p> <p>LINK('../query-fns-3.0.1-SNAPSHOT.jar')</p> <p>PARM(PATHMODE(0,7,7,5)) .</p> <p>BINARY</p> <p>LINK('../Chorus.war')</p> <p>PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO63060 Details

Release	Service	Details
3.0	RO63060	<p>RO63060 M.C.S. ENTRIES = ++PTF (RO63060)</p> <p>UPDATE COMMENTS FOR 95 JOBS FOR GENERAL CLARIFICATION</p> <p>PROBLEM DESCRIPTION :</p> <p>The security jobs acts as a prerequisite for installation of CA Chorus. The comments in the security jobs ETJI095A ,ETJI095R , ETJI095T in CETJJCL library are not clear.</p> <p>PROBLEM DESCRIPTION:</p> <p>SYMPTOMS:</p> <p>The comments are little confusing for you to understand and update variables.</p> <p>IMPACT:</p> <p>You need to read and understand comments carefully.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s):</p> <p>CHRPLT 636</p> <p>Copyright (C) 2013 CA. All rights reserved. R00189-ETJ030-SP1</p> <p>DESC(UPDATE COMMENTS FOR 95 JOBS FOR GENERAL CLARIFICATION) . ++VER (Z038) FMID (CETJ300) PRE (RO55955 RO56760 RO56943 RO57979 RO61425) SUP (TR62833 TR63060) ++HOLD (RO63060) SYSTEM FMID(CETJ300) REASON (ACTION) DATE (13263) COMMENT (Product: CA Chorus Release 3.0 Sequence: Before and after applying update. Purpose: To update comments in 95 jobs. Relevance: If you have modified ETJI095A ,ETJI095R , ETJI095T jobs. Knowledge required:z/OS or ISPF copy commands. Access required:Read access to CETJJCL library. Steps to Perform: Before Applying Update: If you have made modifications in ETJI095A ,ETJI095R , ETJI095T jobs, copy the modified members to another location. After Applying Update: Review the modifications you made to the earlier version of ETJI095A ,ETJI095R , ETJI095T jobs and modify the updated member as needed.).</p>

CA Chorus 3.0
CA RS 1312 - PTF RO63070 Details

Release	Service	Details
3.0	RO63070	<p>RO63070 M.C.S. ENTRIES = ++PTF (RO63070)</p> <p>NEWLY CREATED SHARED DASHBOARD MISSING IN OBJECT PICKER</p> <p>PROBLEM DESCRIPTION: In CA Chorus, a newly created shared dashboard is not visible in the object picker.</p> <p>SYMPTOMS: If any new workspace dashboard is shared , it is not displayed in the object picker.</p> <p>IMPACT: Newly created shared dashboard cannot be imported without manually searching for it.</p> <p>CIRCUMVENTION: The details of the shared dashboard can be obtained by manually searching with the name , from the search panel.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s):</p> <p>CHRPLT 638</p> <p>Copyright (C) 2013 CA. All rights reserved. R00191-ETJ030-SP1</p> <p>DESC(NEWLY CREATED SHARED DASHBOARD MISSING IN OBJECT PICKER) . ++VER (Z038) FMID (CETJ300) PRE (R055792 R056007 R056096 R056215 R056254 R056305 R056355 R056586 R056645 R056758 R056817 R056895 R056941 R056949 R057040 R057107 R057168 R057247 R057354 R058019 R058088 R058199 R058244 R058384 R058548 R058626 R058753 R058854 R058968 R059150 R059208 R059285 R059296 R059741 R061504) SUP (TR63070) BINARY LINK('../metadata-property.txt') PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO63072 Details

Release	Service	Details
3.0	RO63072	<p>RO63072 M.C.S. ENTRIES = ++PTF (RO63072)</p> <p>ACTIONS-DS RUNNING OUT OF CONNECTIONS</p> <p>PROBLEM DESCRIPTION: In CA Chorus, the CHORUS-H2-ACTIONS-DS becomes inaccessible and causes error when configuring the policy status light on the Dashboard or if you are using the Investigator, it may close down.</p> <p>SYMPTOMS: If you are configuring the Policy Status Light, the following error message is displayed in the error dialog- Message: NOCODE An unknown error has occurred: com.ca.chorus.db.ChorusTranslatorMessagesException: TEIID31108 Data Source java:jboss/datasources/CHORUS-H2-ACTIONS-DS not accessible. If you are using the Investigator, it closes with the following warning message in the workspace notification area- "TEIID31108 Data Source java:jboss/datasources/CHORUS-H2-ACTIONS-DS not accessible."</p> <p>IMPACT: You may not be able to configure the Policy Status Light and create personal policies. The Investigator may also become unusable.</p> <p>CIRCUMVENTION: Restart the JBoss server.</p> <p>PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0 PRODUCT(S) AFFECTED: CA Chorus Release 3.0 Star Problem(s): CHRPLT 645 Copyright (C) 2013 CA. All rights reserved. R00192-ETJ030-SP1</p> <p>DESC(ACTIONS-DS RUNNING OUT OF CONNECTIONS) . ++VER (Z038) FMID (CETJ300) PRE (R055792 R056007 R056096 R056215 R056254 R056305 R056355 R056586 R056645 R056758 R056817 R056895 R056941 R056949 R057040 R057107 R057168 R057247 R057354 R058019 R058088 R058199 R058244 R058384 R058548 R058626 R058753 R058854 R058968 R059150 R059208 R059285 R059296 R059741) SUP (TR63072) BINARY LINK('./chorus-actions-ds.xml') PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1312 - PTF RO63220 Details

Release	Service	Details
3.0	RO63220	<p>RO63220 M.C.S. ENTRIES = ++PTF (RO63220)</p> <p>DISABLE SHOPPING CART ICON WHEN EMPTY</p> <p>PROBLEM DESCRIPTION: In CA Chorus, the shopping cart icon is in an enabled state when nothing has been selected in the checkbox.</p> <p>SYMPTOMS: You can see the shopping cart icon is in an enabled state even though nothing was selected.</p> <p>IMPACT: If nothing is selected and you click the shopping cart icon, the page will navigate to the shopping cart view showing an empty shopping cart.</p> <p>CIRCUMVENTION: None</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 624</p> <p>CLEAR TEXT BUTTON SHOULD ALWAYS BE VISIBLE IN ACTIONS PANE</p> <p>PROBLEM DESCRIPTION: In CA Chorus, when the vertical scroll bar appears in the Actions pane, the "Clear Text" button is not visible.</p> <p>SYMPTOMS: You will not see the "Clear Text" button in actions pane.</p> <p>IMPACT: You will not be able to clear the search text entered.</p> <p>CIRCUMVENTION: Use the horizontal scroll bar to see the "Clear Text" button.</p> <p>PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 625</p> <p>UPDATED INDEXES FOR KNOWLEDGE CENTER BOOKSHELVES</p> <p>PROBLEM DESCRIPTION: CA Chorus includes the Knowledge Center that you can used to search for information from the bookshelves like CA ACF2,CA TOP Secret, CA Vantage, CA Sysview, CA NetMaster. The indexes in CA Chorus must be updated to include change to these bookshelves. The current indexes pointing to the source are out of date.</p> <p>SYMPTOMS: In some instances, a Knowledge Center will return old content from the bookshelves.</p> <p>IMPACT: You will not be able to see some of the most recent content from the bookshelves.</p> <p>CIRCUMVENTION: NONE</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 626</p> <p>CONTINUOUS SCROLL MOVES HORIZONTAL BAR IN OPPOSITE DIRECTION</p> <p>PROBLEM DESCRIPTION: In CA Chorus, in the Investigator grid you can move the horizontal bar from left to right to view more columns, when you fetch more records using continuous scrolling, the grid horizontal bar is moved to its' leftmost starting point, rather than maintaining current position.</p> <p>SYMPTOMS: You can see the horizontal bar is moving from right to left after continuous scroll.</p> <p>IMPACT: After continuous scroll, to view more columns, the horizontal bar must be moved from left to right.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0</p> <p>Star Problem(s): CHRPLT 628</p>

CA Chorus 3.0
CA RS 1312 - PTF RO63220 Details

Release	Service	Details
		<p>DSSYSTEM AND DSGROUP NOT FOUND ERROR WHILE EDITING A POLICY</p> <p>PROBLEM DESCRIPTION: In CA Chorus, for the DBA discipline when editing an existing policy, the not found error for dsSystem and dsGroup is displayed.</p> <p>SYMPTOMS: You will receive the following error message when trying to edit an existing policy for the DBA Discipline. CAEU9124E Db2tools: Required 'dsSystem' or 'dsGroup' parameter is missing.</p> <p>IMPACT: You cannot edit or add additional objects to the policy.</p> <p>CIRCUMVENTION: NONE.</p> <p>PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 630</p> <p>RESTRICT TYPING AFTER CHARACTER LIMITS ARE MET</p> <p>PROBLEM DESCRIPTION: In CA Chorus, in Create/Edit Dashboard functionality, the TextField (Dashboard Name) allows user to type more characters than the maximum limit set.</p> <p>SYMPTOMS: On violation of maximum limit set to a TextField, you will see a proper validation message, like "The maximum length for this field is 250". But you can still type more characters.</p> <p>IMPACT: You have to remove the excess text entered.</p> <p>CIRCUMVENTION: Use left arrow key to remove the excess text entered.</p> <p>PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 632</p> <p>VERSION NUMBER NOT AVAILABLE IN ALL ERROR MESSAGES IN KC</p> <p>PROBLEM DESCRIPTION: In CA Chorus the Knowledge Center shows an error message without a version number for all errors that occur. The version number contains snapshot information, build information and date & time.</p> <p>SYMPTOMS: Missing version number in error messages that occur in the Knowledge Center.</p> <p>IMPACT: You will not be able to see the version number in error messages that occur in the Knowledge Center.</p> <p>CIRCUMVENTION: NONE</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 633</p> <p>DATA IS EXPORTED EVEN WHEN NO DATA IS DISPLAYED IN GRID</p> <p>PROBLEM DESCRIPTION: In CA Chorus, the Investigator grid displays the data which can be exported to a csv file. The export button is in an enabled state even when there is no data available in the grid, the data gets exported to the file.</p> <p>SYMPTOMS: In the Investigator grid for few objects no data will be displayed initially, and the data will be populated only after search criteria is applied. In this scenario, exporting the grid to a file has data, whereas the Investigator grid prompts for narrowing down the search without displaying the data.</p> <p>IMPACT: Inconsistency in the data being exported and displayed in the Investigator grid.</p> <p>CIRCUMVENTION: None</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s):</p>

CA Chorus 3.0
CA RS 1312 - PTF RO63220 Details

Release	Service	Details
		<p>CHRPLT 634 COLUMN RESIZE ON INVESTIGATOR GRID CAUSES AN ERROR PROBLEM DESCRIPTION: In CA Chorus, column resize on Investigator grid after all the rows are added to the grid causes an error. SYMPTOMS: In the Investigator grid by scrolling down until the "Displaying all rows" message is displayed, resizing any of the columns now causes the following error: "An error occurred". IMPACT: Resizing of columns in Investigator grid after all the rows are loaded causes an error. CIRCUMVENTION: Resize the columns before loading all the rows. PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s):</p> <p>CHRPLT 635 MESSAGE INSUFFICIENT WHEN BROWSER UNSUPPORTED PROBLEM DESCRIPTION: If you try to launch CA Chorus in unsupported browsers, you will see the following message which is incomplete: CA Chorus supports the following browsers SYMPTOMS: The message for downloading unsupported browser is not clear. IMPACT: You will not understand the message displayed. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s):</p> <p>CHRPLT 637 BREADCRUMB SELECTION IS NOT LOADING THE DATA IN GRID PROBLEM DESCRIPTION: In CA Chorus, In investigator a breadcrumb is created when you select, all rows by clicking on the "select all" checkbox, on executing this breadcrumb no data is loading. SYMPTOMS: Grid will be displayed with no data. IMPACT: You will not see the selected records. CIRCUMVENTION: NONE PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0 PRODUCT(S) AFFECTED: CA Chorus Release 3.0 Star Problem(s):</p> <p>CHRPLT 639 SEARCH PANEL SHOWS INCORRECT VALIDATION MESSAGE PROBLEM DESCRIPTION: In CA Chorus, the Investigator search panel displays the validation message 'This field is required' on a column drop-down list without selecting any field from the list. SYMPTOMS: The validation message 'This field is required' on the column drop-down list is displayed. IMPACT: The message is displayed erroneously. CIRCUMVENTION: None. PRODUCTS(s) AFFECTED: CA Chorus Release: 03.0 Star Problem(s):</p> <p>CHRPLT 641 SELECT ALL TOOL TIP SHOWS OPPOSITE ON BREADCRUMB SELECTION PROBLEM DESCRIPTION: In CA Chorus, when executing a grid selection breadcrumb, the tooltip 'Select ALL' and 'Unselect ALL' are displayed in reverse in the Investigator grid.</p>

CA Chorus 3.0
CA RS 1312 - PTF RO63220 Details

Release	Service	Details
		<p>SYMPTOMS: The 'Select ALL' tooltip is working the opposite way when you execute grid selection breadcrumb. IMPACT: Tooltip is displayed in the opposite way. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s): CHRPLT 646 PROBLEM WITHDRAWN Star Problem(s): CHRPLT 647 Copyright (C) 2013 CA. All rights reserved. R00193-ETJ030-SP1</p> <p>DESC(DISABLE SHOPPING CART ICON WHEN EMPTY) . ++VER (Z038) FMID (CETJ300) PRE (R055792 R056007 R056096 R056215 R056254 R056305 R056355 R056586 R056645 R056758 R056817 R056895 R056941 R056949 R057040 R057107 R057168 R057247 R057354 R058019 R058088 R058199 R058244 R058384 R058548 R058626 R058753 R058854 R058968 R059150 R059208 R059285 R059296 R059741 R061504 R062510) SUP (R060327 R060778 R061000 R061985 TR60327 TR60379 TR60502 TR60542 TR60596 TR60639 TR60708 TR60741 TR60778 TR60913 TR61000 TR61217 TR61269 TR61748 TR61985 TR63071 TR63220) BINARY LINK('../chorus-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../Help.war') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../knowledge-center-classes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../teiid-translator-tsf-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../chorus-actions-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../teiid-translator-customfunctions-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../ui-classes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../Chorus.war') PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 2.5
CA RS 1312 - PTF RO59934 Details

Release	Service	Details
2.5	RO59934	<p>RO59934 M.C.S. ENTRIES = ++PTF (RO59934)</p> <p>REMOVE HARDCODED DB2TOOLS APPLID REFERENCE</p> <p>Problem:</p> <p>A PassTicket failure is encountered on startup of CA Mainframe Chorus for DB2 Database Management when the CA Mainframe Chorus for DB2 APPLID, DB2TOOLS has not been defined.</p> <p>PROBLEM DESCRIPTION:</p> <p>Symptoms:</p> <p>The CA Mainframe Chorus for DB2 Database Management role will fail to initialize correctly during server startup.</p> <p>Impact:</p> <p>The CA Mainframe Chorus for DB2 Database Management role cannot be used.</p> <p>Workaround:</p> <ol style="list-style-type: none"> 1.) Define the DB2TOOLS APPLID as specified in the CA Mainframe Chorus for DB2 Database Management Installation Guide. 2.) Modify the your_chorusdba_hlq.CE3KPARM (E3KCFG10) member by setting the GlobalApplid/Aplid value(s) to DB2TOOLS. 3.) Submit the your_chorusdba_hlq.CE3KJCL(E3KI0010) member to update the db2tools.cfg file. 4.) Update the CA Database Management Solutions for DB2 for z/OS target library CDBAPARM(PXNPARM) member to specify: PASSNAME(DB2TOOLS) <p>CIRCUMVENTION:</p> <p>PRODUCT(S) AFFECTED: CA Mainframe Chorus Release 2.0 CA Mainframe Chorus Release 2.5</p> <p>Star Problem(s): CHRPLT 475</p> <p>SEARCH FAILS AFTER INDEXING</p> <p>PROBLEM DESCRIPTION:</p> <p>A Search API default value used in the CA Mainframe Chorus Knowledge Center prevents some documents from being indexed correctly.</p> <p>SYMPTOMS:</p> <p>CA Mainframe Chorus includes a Knowledge Center where you can upload and index files. After you index a file through the Upload Documents tab or Index Documents tab, a search using words included in the document does not return results from the document.</p> <p>IMPACT:</p> <p>Your search results will be missing some entries that meet the search criteria.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED: CA Mainframe Chorus Release 02.5</p> <p>Star Problem(s): CHRPLT 412</p> <p>Copyright (C) 2013 CA. All rights reserved. R00127-ETJ025-SP1</p> <p>DESC(REMOVE HARDCODED DB2TOOLS APPLID REFERENCE) . ++VER (Z038) FMID (CETJ250) PRE (RO43503 RO43631 RO46067 RO48694) SUP (RO43381 RO43543 RO43726 RO43770 RO44056 RO44204 RO44294 RO44361 RO44436 RO44531 RO44650 RO44816 RO44893 RO44951 RO45121 RO45282 RO45320 RO45597 RO45643 RO45748 RO45792 RO45852 RO45965 RO46195 RO46247 RO46376 RO46450 RO46507 RO46755 RO47618 RO48190 RO49234 RO51473 RO51815 TR43306 TR43314 TR43336 TR43340 TR43343 TR43381 TR43543 TR43726 TR43770 TR44056 TR44204 TR44294 TR44361 TR44436 TR44531 TR44650 TR44816 TR44893 TR44951 TR45121 TR45282 TR45320 TR45597 TR45643 TR45748 TR45792 TR45852 TR45928 TR45965 TR46195 TR46247 TR46376 TR46450 TR46507 TR46588 TR46698 TR46755 TR47610 TR47618 TR47900 TR48190 TR49234 TR51473 TR51815 TR57320 TR59838 TR59934) PARM(PATHMODE(0,7,7,5))</p>

CA Chorus 2.5
CA RS 1312 - PTF RO59934 Details

Release	Service	Details
		SHSCRIPT(CHDIRINS,POST) . PARM(PATHMODE(0,7,7,5)) SYMLINK('../jboss/server/default/deploy/Chorus.war ') SYMPATH('../../../../../bin/MFUIWAR') .

CA Chorus 2.5
CA RS 1312 - PTF RO60689 Details

Release	Service	Details
2.5	RO60689	<p>RO60689 M.C.S. ENTRIES = ++PTF (RO60689)</p> <p>INVALID FILES CREATED DURING DOCUMENTATION INDEXING</p> <p>PROBLEM DESCRIPTION: Documentation indexing for certain file types in CA Mainframe Chorus results in creation of invalid files in the home directory of the CHORADM user.</p> <p>SYMPTOMS: Invalid files having special characters will be created in the home directory of CHORADM user.</p> <p>IMPACT: Invalid garbage-like temporary files will be created in CHORADM's home directory. These might be unnecessary to retain.</p> <p>CIRCUMVENTION: None</p> <p>PRODUCT(S) AFFECTED: CA Mainframe Chorus Release 02.5</p> <p>Star Problem(s): CHRPLT 541</p> <p>Copyright (C) 2013 CA. All rights reserved. R00128-ETJ025-SP1</p> <p>DESC(INVALID FILES CREATED DURING DOCUMENTATION INDEXING) . ++VER (Z038) FMID (CETJ250) PRE (RO43862 RO44281 RO45588 RO45823 RO47102 RO49232 RO55385 RO59532) SUP (RO43734 TR43734 TR46729 TR47036 TR58257 TR58908 TR60689) ++HOLD (RO60689) SYSTEM FMID(CETJ250) REASON (ACTION) DATE (13185) COMMENT (Product: CA Chorus Release: 2.5 Sequence: Before and after applying update Purpose: Preservation of configured member CETJOPTN(ENV) Relevance: If you have modified ENV member in CETJOPTN library Knowledge required: z/OS or ISPF copy commands Access required: Read access to CETJOPTN library. Steps to Perform: Before Applying Update: If you have made modifications in ENV member in CETJOPTN library, copy the modified member to another location. After Applying Update: Review the modifications you made to the earlier version of ENV member and modify the updated member as needed. Note: in order for changes to CETJOPTN(ENV) to take effect, the JBoss started task must be recycled.).</p>