

CA Chorus 3.0
CA RS 1407 Service List

Release	Service	Description	Type
3.0	RO69923	CHORUS IM 3.0.1 NEW FUNCTIONALITY - SPRINT 1	PTF
	RO70198	SECURITY USER ID IS NOT GETTING DELETED	PTF
	RO70579	AUTO-CONFIGURATION SUPPORT FOR PLATFORM VERSION IDENTIFIER	PTF
	RO70581	GETTING ERROR WHILE SELECTING OBJECTS FOR POLICIES	PTF
	RO70610	DBA E3KT006W MESSAGE	PTF
	RO70619	ETJJI0130 RETURNS RC=256 WHEN CORRECT VALUES ARE GIVEN	PTF
	RO70708	CHORUS PLATFORM 4.0 COMPATIBILITY	PTF
	RO70820	CANNOT ACCESS CA CHORUS USING INTERNET EXPLORER V 11	PTF
	RO70963	SCS MODIFICATIONS FOR NEW CA CHORUS PLATFORM PROFILE	PTF
	RO71148	CA CHORUS BOOKSHELF UPDATE	PTF
The CA RS 1407 service count for this release is 10			

CA Chorus 2.5
CA RS 1407 Service List

Release	Service	Description	Type
2.5	NO-SRV2	CA RS 1407 Contains No Service For This Release of This Product.	PTF
The CA RS 1407 service count for this release is 0			

CA Chorus 2.0
CA RS 1407 Service List

Release	Service	Description	Type
2.0	NO-SRVC	CA RS 1407 Contains No Service For This Release of This Product.	PTF
The CA RS 1407 service count for this release is 0			

CA Chorus
CA RS 1407 Service List for CETJ300

FMID	Service	Description	Type
CETJ300	RO70579	AUTO-CONFIGURATION SUPPORT FOR PLATFORM VERSION IDENTIFIER	PTF
	RO70581	GETTING ERROR WHILE SELECTING OBJECTS FOR POLICIES	PTF
	RO70610	DBA E3KT006W MESSAGE	PTF
	RO70619	ETJI0130 RETURNS RC=256 WHEN CORRECT VALUES ARE GIVEN	PTF
	RO70820	CANNOT ACCESS CA CHORUS USING INTERNET EXPLORER V 11	PTF
	RO70963	SCS MODIFICATIONS FOR NEW CA CHORUS PLATFORM PROFILE	PTF
	RO71148	CA CHORUS BOOKSHELF UPDATE	PTF
The CA RS 1407 service count for this FMID is 7			

CA Chorus
CA RS 1407 Service List for CETJ302

FMID	Service	Description	Type
CETJ302	RO70198	SECURITY USER ID IS NOT GETTING DELETED	PTF
The CA RS 1407 service count for this FMID is 1			

CA Chorus
CA RS 1407 Service List for CFAW300

FMID	Service	Description	Type
CFAW300	RO69923	CHORUS IM 3.0.1 NEW FUNCTIONALITY - SPRINT 1	PTF
	RO70708	CHORUS PLATFORM 4.0 COMPATIBILITY	PTF
The CA RS 1407 service count for this FMID is 2			

CA Chorus 3.0
CA RS 1407 - PTF RO69923 Details

Release	Service	Details
3.0	RO69923	<p>RO69923 M.C.S. ENTRIES = ++PTF (RO69923)</p> <p>CHORUS IM 3.0.1 NEW FUNCTIONALITY - SPRINT 1</p> <p>PROBLEM DESCRIPTION: This is the first in a series of PTFs that will deliver new functionality and corrective maintenance to the CA Chorus Infrastructure Management (IM) Discipline.</p> <p>New functionalities:</p> <ul style="list-style-type: none"> o Websphere MQ policies are now available in the Policy Status Light Module. o Websphere MQ alerts are now available in the Alerts Module. o Websphere MQ alerts are now available from Investigator. o The Alerts tab on the WebSphere MQ Queue Managers will now display Alerts. o Added navigation from WebSphere MQ Queue Managers to Alerts. <p>Corrective maintenance:</p> <ul style="list-style-type: none"> o Alerts are not expanded in CICS or z/OS alerts when Grouped with "Time" column. o Investigator and policy object picker was erroneously displaying rows with null values for tables on systems that are inaccessible due to communications or security restrictions. <p>SYMPTOMS: N/A</p> <p>IMPACT: New functionality.</p> <p>CIRCUMVENTION: N/A</p> <p>PRODUCT(S) AFFECTED: CA Chorus Infrastructure Management for Networks and Systems Release 3.0</p> <p>Star Problem(s): CHRRPF 20</p> <p>Copyright (C) 2014 CA. All rights reserved. R00022-FAW030-SP1</p> <p>DESC(CHORUS IM 3.0.1 NEW FUNCTIONALITY - SPRINT 1). ++VER (Z038) FMID (CFAW300) SUP (RO56035 RO56542 RO56583 RO56989 RO57167 RO58395 RO58400 RO59189 TR56035 TR56542 TR56583 TR56989 TR57167 TR58395 TR58400 TR59189 TR69923)</p> <p>BINARY LINK('./gsv-locale.txt') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('./gsv-property.txt') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('./gsv-treedefinition.txt') PARM(PATHMODE(0,7,7,5)) . LINK('./modules/com/ca/chorus/translators/teiid-t ranslator-performance-sysview/main/teiid-connector-performance-sysview-c lasses-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . LINK('./modules/com/ca/chorus/translators/teiid-t ranslator-performance-sysview/main/teiid-translator-performance-sysview- 3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1407 - PTF RO70198 Details

Release	Service	Details
3.0	RO70198	<p>RO70198 M.C.S. ENTRIES = ++PTF (RO70198)</p> <p>SECURITY USER ID IS NOT GETTING DELETED</p> <p>PROBLEM DESCRIPTION: In CA Chorus for Security and Compliance Management, when you delete a user in the Investigator, the selected User ID is not deleted from the data source.</p> <p>SYMPTOMS: The User ID is not deleted from the data source and the user id is visible after refreshing the grid in the Investigator.</p> <p>IMPACT: The Security User ID is not deleted.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release: 3.0</p> <p>Star Problem(s): CHRPLT 735</p> <p>Copyright (C) 2014 CA. All rights reserved. R00018-JBT030-SP1</p> <p>DESC(SEcurity USER ID IS NOT GETTING DELETED). ++VER (Z038) FMID (CETJ302) PRE (RO59394) SUP (TR70198) BINARY LINK('../teiid-connector-ldap.rar') PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1407 - PTF RO70579 Details

Release	Service	Details
3.0	RO70579	<p>RO70579 M.C.S. ENTRIES = ++PTF (RO70579)</p> <p>AUTO-CONFIGURATION SUPPORT FOR PLATFORM VERSION IDENTIFIER</p> <p>PROBLEM DESCRIPTION: CA Chorus does not contain a version identifier that is recognized by the auto-configuration process. Each version of CA Chorus must contain an identifier so that auto-configuration can include elements specific to that release and exclude elements specific to other releases.</p> <p>SYMPTOMS: If you are installing a later release than v3.0, while using auto-config, the resulting JCL members may include some 3.0 specific features or omit features available in the later release.</p> <p>IMPACT: You cannot use auto-configuration to define a runtime environment where CA Chorus (Platform) and Disciplines are at different releases.</p> <p>CIRCUMVENTION: None</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 739</p> <p>Copyright (C) 2014 CA. All rights reserved. R00296-ETJ030-SP1</p> <p>DESC(AUTO-CONFIGURATION SUPPORT FOR PLATFORM VERSION IDENTIFIER). ++VER (Z038) FMID (CETJ300) PRE (R056228 R056915 R058809 R059056 R059807 R060500 R062086 R065280 R065710 R067606 R067899) SUP (TR60222 TR61213 TR61981 TR70579) ++HOLD (RO70579) SYSTEM FMID(CETJ300) REASON (ACTION) DATE (14154) COMMENT (</p> <pre> +-----+ CA Chorus Release 3.0 +-----+ SEQUENCE Before and after applying update +-----+ PURPOSE Preservation of configured files +-----+ USERS If you have used ETJICUST job in CETJJCL library for AFFECTED Auto-Configuration +-----+ KNOWLEDGE z/OS or ISPF copy commands REQUIRED +-----+ ACCESS Read access to CETJJCL library REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** Before Applying Update: ===== If you have used Auto-Configuration (ETJICUST job in CETJJCL) to create output configuration datasets,copy the sequential dataset (Configuration_ds as indicated in the job) to another location. After Applying Update: ===== If you have used Auto-Config, rerun the ETJICUST job. This creates the new configuration dataset. Review with the backed-up dataset from the previous run and modify the newly created Configuration_ds dataset and rerun ETJICUST job to bring the changes into effect. This re-creates the output configuration libraries.). </pre>

CA Chorus 3.0
CA RS 1407 - PTF RO70581 Details

Release	Service	Details
3.0	RO70581	<p>RO70581 M.C.S. ENTRIES = ++PTF (RO70581)</p> <p>GETTING ERROR WHILE SELECTING OBJECTS FOR POLICIES</p> <p>PROBLEM DESCRIPTION: The CA Chorus Policy creation process will fail if you select an object that you reached by using a Navigation Action from another object type in the Policy Object Picker tree.</p> <p>SYMPTOMS: When you select a row or all rows from an Object Picker grid that is for a different object type than what you originally selected from the object picker tree, an error such as the following is shown and the policy creation process hangs.</p> <p>CAEU9124E: Db2tools: Required 'dsSystem' or 'dsGroup' parameter is missing Or NOCODE An unknown error has occurred: java.lang.IllegalStateException</p> <p>IMPACT: You cannot create the policy.</p> <p>CIRCUMVENTION: When creating policies, always select the object type from the tree that will be used in the policy. Do not attempt to navigate from one object type to another using the Navigation Action.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 736</p> <p>IMPROVE COMPATIBILITY</p> <p>PROBLEM DESCRIPTION: CA Chorus version 3.0 is not compatible with discipline PTFs that provide compatibility with a release of the CA Chorus Platform later than version 3.0</p> <p>SYMPTOMS: After installing a discipline PTF, the tree in the CA Chorus Investigator does not load and keeps showing loading message.</p> <p>IMPACT: You cannot view data for a discipline in the Investigator.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: Release 3.0 CA Chorus Star Problem(s): CHRPLT 740</p> <p>Copyright (C) 2014 CA. All rights reserved. R00297-ETJ030-SP1</p> <p>DESC(GETTING ERROR WHILE SELECTING OBJECTS FOR POLICIES). ++VER (Z038) FMID (CETJ300) PRE (RO55792 RO56007 RO56096 RO56215 RO56254 RO56305 RO56355 RO56586 RO56645 RO56758 RO56817 RO56895 RO56941 RO56949 RO57040 RO57107 RO57168 RO57247 RO57354 RO58019 RO58088 RO58199 RO58244 RO58384 RO58548 RO58626 RO58753 RO58854 RO58968 RO59150 RO59208 RO59285 RO59296 RO59741 RO65952 RO68264) SUP (AR68806 RO60284 RO60327 RO60778 RO61000 RO61504 RO61985 RO62510 RO63070 RO63072 RO63220 RO63470 RO63471 RO63835 RO63836 RO64244 RO64245 RO64570 RO64571 RO65382 RO65533 RO66255 RO67324 RO67788 RO68178 RO68542 RO68806 RO69398 RO69808 RO70065 TR60284 TR60327 TR60379 TR60502 TR60542 TR60596 TR60639 TR60708 TR60741 TR60778 TR60913 TR61000 TR61217 TR61269 TR61504 TR61748 TR61985 TR62510 TR63070 TR63071 TR63072 TR63220 TR63470 TR63471 TR63835 TR63836 TR64244 TR64245 TR64569 TR64570 TR64571 TR64925 TR65382 TR65533 TR66255 TR66587 TR66958 TR67324 TR67788 TR68178 TR68542 TR68806 TR69062 TR69253 TR69398 TR69806 TR69808 TR70065 TR70202 TR70581)</p> <p>BINARY LINK('../metadata-property.txt')</p>

CA Chorus 3.0
CA RS 1407 - PTF RO70581 Details

Release	Service	Details
		PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../common-utils-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../chorus-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../h2-datawindow-ds.xml') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../teiid-bootstrap-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../Help.war') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../common-teiid-udf-bridge-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../datapipes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../query-fns-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../knowledge-center-classes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../teiid-translator-tsf-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../chorus-actions-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../teiid-translator-customfunctions-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../common-db-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../chorus-actions-ds.xml') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../common-module.xml.sample') PARM(PATHMODE(0,7,7,5)) SYMLINK('../module.xml') SYMPATH('../config/common-module.xml') . BINARY LINK('../chorus-schema-migrate-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../ui-classes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../Chorus.war') PARM(PATHMODE(0,7,7,5)) .

CA Chorus 3.0
CA RS 1407 - PTF RO70610 Details

Release	Service	Details
3.0	RO70610	<p>RO70610 M.C.S. ENTRIES = ++PTF (RO70610)</p> <p>DBA E3KT006W MESSAGE</p> <p>PROBLEM DESCRIPTION:</p> <p>CA Chorus for DB2 Database Management may display the following warning message in the CA Chorus Investigator:</p> <p>E3KTD006W: Column(s) (<column name>) contain(s) data that could not be properly formatted and will be displayed as blank. This warning message is distracting and may block the view of Investigator grid rows.</p> <p>SYMPTOMS:</p> <p>The following warning message may be displayed:</p> <p>E3KTD006W: Column(s) (<column name>) contain(s) data that could not be properly formatted and will be displayed as blank.</p> <p>IMPACT:</p> <p>This warning message is distracting and may block the view of Investigator grid rows.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Chorus Release 3.0</p> <p>Star Problem(s):</p> <p>CHRPLT 737</p> <p>Copyright (C) 2014 CA. All rights reserved. R00299-ETJ030-SP1</p> <p>DESC(DBA E3KT006W MESSAGE).</p> <p>++VER (Z038)</p> <p>FMID (CETJ300)</p> <p>PRE (R055792 R056007 R056096 R056215 R056254 R056305 R056355 R056586 R056645 R056758 R056817 R056895 R056941 R056949 R057040 R057107 R057168 R057247 R057354 R058019 R058088 R058199 R058244 R058384 R058548 R058626 R058753 R058854 R058968 R059150 R059208 R059285 R059296 R059741 R061406 R067145 R068264 R069809)</p> <p>SUP (R068690 TR68690 TR70610)</p> <p>BINARY</p> <p>LINK('../teiid-translator-coptds-3.0.1-SNAPSHOT.jar')</p> <p>PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1407 - PTF RO70619 Details

Release	Service	Details
3.0	RO70619	<p>RO70619 M.C.S. ENTRIES = ++PTF (RO70619)</p> <p>ETJI0130 RETURNS RC=256 WHEN CORRECT VALUES ARE GIVEN</p> <p>PROBLEM DESCRIPTION: You submit CA Chorus job ETJI0130 configured with the correct values, but it fails with a RC=256.</p> <p>SYMPTOMS: The quicklinks specified by submitting a correctly configured ETJI0130 are not visible in the CA Chorus UI.</p> <p>IMPACT: Your custom quicklinks will not appear in the UI.</p> <p>CIRCUMVENTION: NONE</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 738</p> <p>Copyright (C) 2014 CA. All rights reserved. R00300-ETJ030-SP1</p> <p>DESC(ETJI0130 RETURNS RC=256 WHEN CORRECT VALUES ARE GIVEN). ++VER (Z038) FMID (CETJ300) PRE (RO58027) SUP (RO58519 TR58519 TR70619) TEXT PARM(PATHMODE(0,7,7,5)) SYMLINK('../utilities/validate.sh') SYMPATH('../bin/VALIDATE') .</p>

CA Chorus 3.0
CA RS 1407 - PTF RO70708 Details

Release	Service	Details
3.0	RO70708	<p>RO70708 M.C.S. ENTRIES = ++PTF (RO70708)</p> <p>CHORUS PLATFORM 4.0 COMPATIBILITY</p> <p>PROBLEM DESCRIPTION: Provide compatibility for Chorus IM Release 3.0 that will be installed on a Chorus Release 4.0 Platform.</p> <p>SYMPTOMS: Attempting to start Chorus in a mixed environment consisting of Chorus IM 3.0 and Chorus Platform 4.0 results in the following error: WARN .org.teiid.RUNTIME. (teiid-async-threads - 3) TEIID50036 VDB Chorus.1 model "performance_nm_stack_statusmon" metadata failed to load. Reason: TEIID30386 org.teiid.api.exception.query.QueryParserException: TEIID31100 Parsing error: Encountered ", VERSION varchar *.constraint.*. index(" at line 38, column 41.</p> <p>IMPACT: Chorus IM Release 3.0 is not compatible with the Chorus Platform Release 4.0.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Infrastructure Management for Networks and Systems Release 3.0</p> <p>Star Problem(s): CHRPRF 22</p> <p>Copyright (C) 2014 CA. All rights reserved. R00024-FAW030-SP1</p> <p>DESC(CHORUS PLATFORM 4.0 COMPATIBILITY). ++VER (Z038) FMID (CFAW300) PRE (R059090) SUP (TR55303 TR56048 TR70708) ++IF FMID(CETJ300) REQ(R070579 R070963) . TEXT PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../performance-nm-model.r4') PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1407 - PTF RO70820 Details

Release	Service	Details
3.0	RO70820	<p>RO70820 M.C.S. ENTRIES = ++PTF (RO70820)</p> <p>CANNOT ACCESS CA CHORUS USING INTERNET EXPLORER V 11 PROBLEM DESCRIPTION: CA Chorus fails to identify Internet Explorer version 11 (IE 11) when checking the browser compatibility with CA Chorus. SYMPTOMS: If you use IE 11 to log into CA Chorus, you will see the message: CA Chorus does not support your browser. Click one of the following icons to install a supported browser. IMPACT: You cannot log into CA Chorus using IE 11. CIRCUMVENTION: Use Internet Explorer v 9 or 10, or Firefox v 28. PRODUCT(S) AFFECTED: CA Chorus Release 3.0 Star Problem(s): CHRPLT 743 METRICS PANEL MISSING PROBLEM DESCRIPTION: A serialization issue in the CA Chorus metrics preferences prevents the Metrics panel from displaying in User Interface (UI). SYMPTOMS: When you login to CA Chorus, your Metrics panel is missing. When you try to add new metrics, the message "An error occurred b is null" appears in the CA Chorus UI. IMPACT: You cannot view existing metrics in Metrics panel, and you cannot add new metrics. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Chorus Release 3.0 Star Problem(s): CHRPLT 741 Copyright (C) 2014 CA. All rights reserved. R00302-ETJ030-SP1</p> <p>DESC(CANNOT ACCESS CA CHORUS USING INTERNET EXPLORER V 11). ++VER (Z038) FMID (CETJ300) PRE (R055792 R056007 R056096 R056215 R056254 R056305 R056355 R056586 R056645 R056758 R056817 R056895 R056941 R056949 R057040 R057107 R057168 R057247 R057354 R058019 R058088 R058199 R058244 R058384 R058548 R058626 R058753 R058854 R058968 R059150 R059208 R059285 R059296 R059741 R065952 R068264) SUP (AR68806 R060284 R060327 R060778 R061000 R061504 R061985 R062510 R063070 R063072 R063220 R063470 R063471 R063835 R063836 R064244 R064245 R064570 R064571 R065382 R065533 R066255 R067324 R067788 R068178 R068542 R068806 R069398 R069808 R070065 R070581 TR60284 TR60327 TR60379 TR60502 TR60542 TR60596 TR60639 TR60708 TR60741 TR60778 TR60913 TR61000 TR61217 TR61269 TR61504 TR61748 TR61985 TR62510 TR63070 TR63071 TR63072 TR63220 TR63470 TR63471 TR63835 TR63836 TR64244 TR64245 TR64569 TR64570 TR64571 TR64925 TR65382 TR65533 TR66255 TR66587 TR66958 TR67324 TR67788 TR68178 TR68542 TR68806 TR69062 TR69253 TR69398 TR69806 TR69808 TR70065 TR70202 TR70581 TR70820) BINARY LINK('../metadata-property.txt') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../common-utils-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY</p>

CA Chorus 3.0
CA RS 1407 - PTF RO70820 Details

Release	Service	Details
		LINK(' ../chorus-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../h2-datawindow-ds.xml') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../teiid-bootstrap-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../Help.war') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../common-teiid-udf-bridge-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../datapipes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../query-fns-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../knowledge-center-classes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../teiid-translator-tsf-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../chorus-actions-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../teiid-translator-customfunctions-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../common-db-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../chorus-actions-ds.xml') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../common-module.xml.sample') PARM(PATHMODE(0,7,7,5)) SYMLINK(' ../module.xml') SYMPATH(' ../../../../../../../config/common-module.xml') . BINARY LINK(' ../chorus-schema-migrate-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../ui-classes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../Chorus.war') PARM(PATHMODE(0,7,7,5)) .

CA Chorus 3.0
CA RS 1407 - PTF RO70963 Details

Release	Service	Details
3.0	RO70963	<p>RO70963 M.C.S. ENTRIES = ++PTF (RO70963)</p> <p>SCS MODIFICATIONS FOR NEW CA CHORUS PLATFORM PROFILE</p> <p>PROBLEM DESCRIPTION: CA Chorus does not support the ability to configure Disciplines against different versions of the Platform using CSM SCS. Each version of CA Chorus must be identified by a unique profile occurrence on the CSM system registry.</p> <p>SYMPTOMS: If you are installing a new version of CA Chorus, the existing definition for the Chorus Environment Profile on CSM system registry needs to be deleted and replaced with the values from the new version.</p> <p>IMPACT: You cannot maintain 2 occurrences of the Chorus Platform on a CSM System Registry environment profile for different releases.</p> <p>CIRCUMVENTION: Update the single occurrence of existing Chorus (TM) profile with the new Installation values so that Disciplines can be configured against the new version of the Platform.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 749</p> <p>Copyright (C) 2014 CA. All rights reserved. R00303-ETJ030-SP1</p> <p>DESC(SCS MODIFICATIONS FOR NEW CA CHORUS PLATFORM PROFILE). ++VER (Z038) FMID (CETJ300) PRE (RO59243 RO59811 RO60989 RO63472 RO65280 RO65710 RO67899) SUP (RO68773 TR56490 TR58147 TR58879 TR58931 TR59023 TR59170 TR60363 TR60987 TR68773 TR70963) ++HOLD (RO70963) SYSTEM FMID(CETJ300) REASON (ACTION) DATE (14174) COMMENT (</p> <pre> +-----+ CA Chorus Release 3.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE If using CSM SCS to configure CA Chorus, create a new occurrence for the Chorus Platform Profile under the CSM System Registry +-----+ USERS If you are using CSM SCS to configure CA Chorus Platform AFFECTED and the Disciplines +-----+ KNOWLEDGE Configuring products using CA CSM REQUIRED +-----+ ACCESS Authorization to update System Registry values on CSM REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. APPLY This Maintenance 2. On CSM System Registry tab, go to the "CA Chorus Platform" Profile that supports Repeatable Occurrences. 3. Create a new Platform profile occurrence for VERSION=03000 and enter the same values provided at the time Platform 3.0 configuration was implemented. If this is a new Platform 3.0 configuration, then an update to the System Registry should be made after it has been successfully </pre>

CA Chorus 3.0
CA RS 1407 - PTF RO70963 Details

Release	Service	Details
		<p>implemented and before a Platform Reconfiguration or Discipline Configuration occurs.</p> <p>4. During Discipline Configuration or Platform Reconfiguration, select this new occurrence at the time of Implementation.</p> <p>The CA Chorus Platform profile will be available under CA Products allowing selection of one of its occurrence before proceeding onto Target Settings panel.</p> <p>).</p>

CA Chorus 3.0
CA RS 1407 - PTF RO71148 Details

Release	Service	Details
3.0	RO71148	<p>RO71148 M.C.S. ENTRIES = ++PTF (RO71148)</p> <p>CA CHORUS BOOKSHELF UPDATE</p> <p>PROBLEM DESCRIPTION: CA Technologies has updated and expanded the technical documentation.</p> <p>SYMPTOMS: The guides in the old bookshelf are dated March 2014.</p> <p>IMPACT: By using the March 2014 bookshelf, you are not using the latest.</p> <p>CIRCUMVENTION: You can access the updated documentation by going to CA Support http://support.ca.com, product CA Chorus and select the R3.0 Bookshelf.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 716</p> <p>Copyright (C) 2014 CA. All rights reserved. R00304-ETJ030-SP1</p> <p>DESC(CA CHORUS BOOKSHELF UPDATE). ++VER (Z038) FMID (CETJ300) SUP (RO56952 RO58304 RO58523 RO58887 RO59125 RO59254 RO59941 RO61215 RO65521 RO68326 TR55991 TR56082 TR56132 TR56399 TR56688 TR56952 TR57671 TR57978 TR58304 TR58523 TR58813 TR58887 TR59125 TR59254 TR59941 TR60999 TR61215 TR62153 TR62344 TR62512 TR62869 TR63305 TR63576 TR63622 TR63837 TR63985 TR64283 TR64574 TR64772 TR64864 TR65482 TR65521 TR65792 TR66254 TR66423 TR66883 TR67216 TR67252 TR67474 TR67681 TR67867 TR68073 TR68326 TR68482 TR68728 TR68895 TR69055 TR69255 TR69447 TR69639 TR69867 TR70201 TR70404 TR70582 TR70690 TR71148) BINARY LINK('../ChorusBookshelf.war') PARM(PATHMODE(0,7,7,5)) .</p>