

CA Dispatch 11.7
CA RS 1312 Service List

Release	Service	Description	Hiper
11.7	RO58875	VARIOUS PROBLEMS WITH DSEXLSY(L) JOB	
	RO59609	EXACT PRE-RO21369 LOOK OF SEPARATOR PAGES	
	RO60210	S90A - CADSVMSG WITH DIAG TRAPS	
	RO60649	S806 UCFISPF FAILED - ISPF INTERFACE	
	RO60651	UCFMENU PANEL DISPLAYS OBSOLETE SELECTION	
	RO61342	ISSUE WARNING ABOUT POSSIBLE LARGE REPORT TRUNCATION	
	RO61343	ISSUE WARNING ABOUT POSSIBLE LARGE REPORT TRUNCATION	
The CA RS 1312 service count for this release is 7			

CA Dispatch 11.6
CA RS 1312 Service List

Release	Service	Description	Hiper
11.6	RO60209	S90A - CADSVMSG WITH DIAG TRAPS	
	RO60645	S806 UCFISPF FAILED - ISPF INTERFACE	
	RO60657	UCFMENU PANEL DISPLAYS OBSOLETE SELECTION	
The CA RS 1312 service count for this release is 3			

CA Dispatch
CA RS 1312 Service List for CADSB60

FMID	Service	Description	Hiper
CADSB60	RO60209	S90A - CADSVMSG WITH DIAG TRAPS	
	RO60645	S806 UCFISPF FAILED - ISPF INTERFACE	
	RO60657	UCFMENU PANEL DISPLAYS OBSOLETE SELECTION	
The CA RS 1312 service count for this FMID is 3			

CA Dispatch
CA RS 1312 Service List for CADSB70

FMID	Service	Description	Hiper
CADSB70	RO58875	VARIOUS PROBLEMS WITH DSEXLSY(L) JOB	
	RO59609	EXACT PRE-RO21369 LOOK OF SEPARATOR PAGES	
	RO60210	S90A - CADSVMSG WITH DIAG TRAPS	
	RO60649	S806 UCFISPF FAILED - ISPF INTERFACE	
	RO60651	UCFMENU PANEL DISPLAYS OBSOLETE SELECTION	
	RO61342	ISSUE WARNING ABOUT POSSIBLE LARGE REPORT TRUNCATION	

The CA RS 1312 service count for this FMID is 6

CA Dispatch
CA RS 1312 Service List for CADSB72

FMID	Service	Description	Hiper
CADSB72	RO61343	ISSUE WARNING ABOUT POSSIBLE LARGE REPORT TRUNCATION	
The CA RS 1312 service count for this FMID is 1			

CA Dispatch 11.7
CA RS 1312 - PTF RO58875 Details

Release	Service	Details
11.7	RO58875	<p>RO58875 M.C.S. ENTRIES = ++PTF (RO58875)</p> <p>VARIOUS PROBLEMS WITH DSEXLSY(L) JOB</p> <p>PROBLEM DESCRIPTION: The DSEXOSY(L) and DSEXLSY(L) utilities, used to synchronize the LDS and OV files, can fail or produce incorrect results when the following parm is used: TYPE=LDSSYNC</p> <p>SYMPTOMS:</p> <ol style="list-style-type: none"> 1. SOC2, SOC4, or SOC6abend if any reports are mistakenly left unprocessed in the RIDF RPI, Archive, or Other queues. 2. SOC2, SOC4 or SOC6 abend if the utility receives any other errors or warnings such as: LDS errors, Database errors, CADDSP not Active, or other warnings that would cause the job to end with a non-zero Return Code. 3. MSGCLASS Reports that are listed for Deletion do not have MSGCLASS as the report name in the Deletion Report. 4. Reports may be deleted when they should not be. <p>IMPACT: Unable to effectively synchronize the LDS and OLV files.</p> <p>CIRCUMVENTION: Make sure that there are no unprocessed reports in any of the RIDF queues. Make sure that CADDSP is running and that the Dispatch OV database file is accessible. These steps should help to avoid the abends and deletion of reports that are not out of synch.</p> <p>PRODUCT(S) AFFECTED: CA Dispatch r11.0 CA Dispatch r11.6 CA Dispatch r11.7</p> <p>Star Problem(s): DISPAT 1954</p> <p>Copyright (C) 2013 CA. All rights reserved. R00075-ADS117-SP1</p> <p>DESC(VARIOUS PROBLEMS WITH DSEXLSY(L) JOB) . ++VER (Z038) FMID (CADSB70) SUP (TR58875)</p>

CA Dispatch 11.7
CA RS 1312 - PTF RO59609 Details

Release	Service	Details																																													
11.7	RO59609	<p>RO59609 M.C.S. ENTRIES = ++PTF (RO59609)</p> <p>EXACT PRE-RO21369 LOOK OF SEPARATOR PAGES</p> <p>PROBLEM DESCRIPTION:</p> <p>PTF RO57705 expanded Special Feature #11 with the new value M to restore some pre-RO21369 (11.0) offsets of footer lines on separator pages. However, it did not restore the exact pre-RO21369 look of all the separator pages. Customized user routines scanning these pages do not work properly. Need to restore the exact pre-RO21369 look for all separator pages when FEAT011=M is selected.</p> <p>SYMPTOMS:</p> <p>The following table shows the differences between Dispatch 11.0 prior to the R021369 apply, and Dispatch 11.7, both with FEAT011=6.</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%;">11.0 pre-RO21369</td> <td style="width: 30%; text-align: center;">current 11.7</td> <td style="width: 10%;"></td> </tr> <tr> <td colspan="3">The offset of seven footer lines on the maildrop start page:</td> </tr> <tr> <td>START MAIL DROP</td> <td style="text-align: center;">4</td> <td style="text-align: right;">3</td> </tr> <tr> <td colspan="3">The offset of three information lines in the middle of the recipient start page:</td> </tr> <tr> <td>* SPECIAL INSTRUCTIONS</td> <td style="text-align: center;">13</td> <td style="text-align: right;">12</td> </tr> <tr> <td colspan="3">Blank lines between the block letters and footer lines on the recipient start page:</td> </tr> <tr> <td></td> <td style="text-align: center;">5</td> <td style="text-align: right;">3</td> </tr> <tr> <td colspan="3">The offset of six footer lines on the recipient start page:</td> </tr> <tr> <td><a recipient name></td> <td style="text-align: center;">4</td> <td style="text-align: right;">3</td> </tr> <tr> <td colspan="3">The offset of the END block word on the recipient end page:</td> </tr> <tr> <td>the first character E</td> <td style="text-align: center;">12</td> <td style="text-align: right;">40</td> </tr> <tr> <td colspan="3">Blank lines between the block letters and footer lines on the recipient end page:</td> </tr> <tr> <td></td> <td style="text-align: center;">5</td> <td style="text-align: right;">4</td> </tr> <tr> <td colspan="3">The offset of six footer lines on the maildrop end page:</td> </tr> <tr> <td>END MAIL DROP</td> <td style="text-align: center;">4</td> <td style="text-align: right;">3</td> </tr> </table> <p>IMPACT:</p> <p>Customized user routines scanning banner pages do not work properly and pages may not print correctly.</p> <p>CIRCUMVENTION:</p> <p>Adjust the location logic in customized user routine to find the text in the new location.</p> <p>PRODUCT(S) AFFECTED: CA Dispatch r11.6</p> <p>CA Dispatch r11.7</p> <p>Star Problem(s):</p> <p>DISPAT 2039</p> <p>FEATURE 11: RECIPIENT END SEPARATOR PAGE FORMAT</p> <p>PROBLEM DESCRIPTION:</p> <p>Clients upgrading from r11.0 who had applied 11.0 maintenance PTF RO21369 will find four unexpected informational lines on the recipient end page. These lines had been unintentionally removed by R021369:</p> <pre>* REPORT STATUS IS - OK * REPORT ERROR TYPE IS - OK * TOTAL PAGES IN REPORT - x * TOTAL PAGES PRINTED - x</pre> <p>These lines are documented for all Dispatch versions in the CA Dispatch Reference Guide, Chapter 16: Reporting on Report Delivery, but customized user routines scanning banner pages and not expecting these lines to be present on the recipient end separator page will not function properly.</p> <p>Expand Special Feature #11 selections for a new value FEAT011=I to allow alternative formatting on the recipient end separator page.</p> <p>FEAT011 - Print Separator Pages in the 5.1/6.0 Format</p> <p>The options are:</p> <p>N-Default r11 format:</p> <p>Current offsets, Date as mm/dd/yyyy, Informational lines PRINTED on the recipient end page;</p> <p>Y-Modified r11 format:</p> <p>r5.1 offsets, Date as mm/dd/yyyy, Informational lines PRINTED on the recipient end page;</p>	11.0 pre-RO21369	current 11.7		The offset of seven footer lines on the maildrop start page:			START MAIL DROP	4	3	The offset of three information lines in the middle of the recipient start page:			* SPECIAL INSTRUCTIONS	13	12	Blank lines between the block letters and footer lines on the recipient start page:				5	3	The offset of six footer lines on the recipient start page:			<a recipient name>	4	3	The offset of the END block word on the recipient end page:			the first character E	12	40	Blank lines between the block letters and footer lines on the recipient end page:				5	4	The offset of six footer lines on the maildrop end page:			END MAIL DROP	4	3
11.0 pre-RO21369	current 11.7																																														
The offset of seven footer lines on the maildrop start page:																																															
START MAIL DROP	4	3																																													
The offset of three information lines in the middle of the recipient start page:																																															
* SPECIAL INSTRUCTIONS	13	12																																													
Blank lines between the block letters and footer lines on the recipient start page:																																															
	5	3																																													
The offset of six footer lines on the recipient start page:																																															
<a recipient name>	4	3																																													
The offset of the END block word on the recipient end page:																																															
the first character E	12	40																																													
Blank lines between the block letters and footer lines on the recipient end page:																																															
	5	4																																													
The offset of six footer lines on the maildrop end page:																																															
END MAIL DROP	4	3																																													

CA Dispatch 11.7
CA RS 1312 - PTF RO59609 Details

Release	Service	Details
		<p>5-r5.1/r11.0 compatible format: r5.1 offsets, Date as yyddd, Informational lines PRINTED on the recipient end page; 6-r6.0/r11.0 compatible format: Current offsets, Date as yyddd, Informational lines PRINTED on the recipient end page; M-Modified r6.0/r11.0 pre-RO21369 compatible format: pre-RO21369 r11.0 offsets, Date as yyddd, Informational lines PRINTED on the recipient end page; I-Modified r6.0/r11.0 post-RO21369 compatible format: Current offsets, Date as yyddd, Informational lines NOT PRINTED on the recipient end page. SYMPTOMS: Expected page formatting does not occur. IMPACT: Bundles are not processed by automation customized on the expected page formatting. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Dispatch r11.6 CA Dispatch r11.7 Star Problem(s): DISPAT 2042 Copyright (C) 2013 CA. All rights reserved. R00078-ADS117-SP1</p> <p>DESC(EXACT PRE-RO21369 LOOK OF SEPARATOR PAGES) . ++VER (Z038) FMID (CADSB70) PRE (RO43553 RO52108 RO52202 RO52532 RO54329 RO56987 RO57049 RO57705 RO58090 RO59128) SUP (TR59609) ++HOLD (RO59609) SYSTEM FMID(CADSB70) REASON (ENH) DATE (13178) COMMENT (Product: CA DISPATCH Release: 11.7 Sequence: After APPLY Purpose: Activation of special feature Relevance: Relevance: Users printing reports. This enhancement provides value to CA Dispatch customers who desire to use special feature 11. Knowledge required: 1. Customizing CA Dispatch 2. Assembling programs Access required: 1. CA Dispatch target libraries. 2. CA Dispatch CADSJCL and CADSSRC libraries. 3. CA Dispatch Administration Steps to Perform: 1. If you want the default setting of "N", no action is needed. 2. If you do not want the default setting of "N": a. Modify the CADSFPEAT module in CAI.CADSSRC with the desired feature setting. (Make sure you are using your current executing version.) b. Edit member DSINEX07(SMP/E) or ADSJEX07(non-SMP/E) in CAI.CADSJCL with the appropriate library HLQs. c. Execute the desired JCL above to install the CADSFPEAT USERMOD. d. Activate the special feature by recycling the CA Dispatch main task.) ++HOLD (RO59609) SYSTEM FMID(CADSB70) REASON (DOC) DATE (13178)</p>

CA Dispatch 11.7
CA RS 1312 - PTF RO59609 Details

Release	Service	Details
		COMMENT (Product: CA DISPATCH Release: 11.7 See PRODUCT DOCUMENTATION CHANGE (PDC) RI60254 for a description of expanded special feature #11. Publication:).

CA Dispatch 11.7
CA RS 1312 - PTF RO60210 Details

Release	Service	Details
11.7	RO60210	<p>RO60210 M.C.S. ENTRIES = ++PTF (RO60210)</p> <p>S90A - CADSVMSG WITH DIAG TRAPS</p> <p>PROBLEM DESCRIPTION:</p> <p>S90A abend occurs only when the IGVINITGETMAIN and IGVINITFREEMAIN diagnostic traps are in effect on a system. The following maintenance jobs are impacted:</p> <p>DSEXVIEW DSEXPSVW</p> <p>SYMPTOMS:</p> <p>System messages for jobs will display: SYSTEM COMPLETION CODE=90A REASON CODE=00000001 PSW AT TIME OF ERROR 070C1000 81568EA0 ILC 2 INTC 0D NO ACTIVE MODULE FOUND NAME=UNKNOWN</p> <p>DATA AT PSW 01568E9A - 00181610 0A0D18CE 18FB180C AR/GR 0: 00000000/00000000_84000000 1: 00000000/00000000_8490A000 2: FFFFFFFF/FFFFFFF_00000A00 3: 00000000/FFFFFFF_00FDB970 4: FFFFFFFF/FFFFFFF_007D1AE8 5: FFFFFFFF/FFFFFFF_007FF020 6: FFFFFFFF/FFFFFFF_81563858 7: FFFFFFFF/FFFFFFF_00F23280 8: FFFFFFFF/FFFFFFF_00000000 9: FFFFFFFF/FFFFFFF_00001010 A: FFFFFFFF/FFFFFFF_00FFFFFF B: FFFFFFFF/FFFFFFF_7FFDD60 C: FFFFFFFF/FFFFFFF_00000080 D: FFFFFFFF/00000000_0002A1C0 E: 00000000/00000000_00023654 F: 00000000/00000000_00000004</p> <p>END OF SYMPTOM DUMP</p> <p>IMPACT:</p> <p>Using the maintenance jobs to clean up the OV database file can not be completed. Databases may become full and updates to the file will be terminated.</p> <p>CIRCUMVENTION:</p> <p>Disable the IGVINITGETMAIN and IGVINITFREEMAIN Diag Traps.</p> <p>PRODUCT(S) AFFECTED: CA Dispatch r11.6 CA Dispatch r11.7</p> <p>Star Problem(s): DISPAT 2047</p> <p>Copyright (C) 2013 CA. All rights reserved. R00080-ADS117-SP1</p> <p>DESC(S90A - CADSVMSG WITH DIAG TRAPS) . ++VER (Z038) FMID (CADSB70) SUP (RO43998 TR43998 TR60210)</p>

CA Dispatch 11.7
CA RS 1312 - PTF RO60649 Details

Release	Service	Details
11.7	RO60649	<p>RO60649 M.C.S. ENTRIES = ++PTF (RO60649)</p> <p>S806 UCFISPF FAILED - ISPF INTERFACE</p> <p>PROBLEM DESCRIPTION: When using the ISPF interface clist "DSISPF" to invoke Dispatch, an abend S806 will occur and prevent access to Dispatch.</p> <p>SYMPTOMS: An ISPF Dialog Error panel will display:</p> <p>ISPD212 Invalid PGM name Link to 'UCFISPF' failed, abend code = x'00000806'. Current dialog statement: ISPEXEC SELECT PGM(UCFISPF) NEWAPPL(UCF)</p> <p>IMPACT: Users are unable to access Dispatch via the ISPF interface.</p> <p>CIRCUMVENTION: Add the parameter "PASSLIB" to the SELECT statement in the DSISPF clist or allocate the ISPLLIB and ISPLLIB outside the clist.</p> <p>PRODUCT(S) AFFECTED: CA Dispatch r11.6 CA Dispatch r11.7</p> <p>Star Problem(s): DISPAT 2048</p> <p>Copyright (C) 2013 CA. All rights reserved. R00081-ADS117-SP1</p> <p>DESC(S806 UCFISPF FAILED - ISPF INTERFACE) . ++VER (Z038) FMID (CADSB70) SUP (TR60649)</p>

CA Dispatch 11.7
CA RS 1312 - PTF R060651 Details

Release	Service	Details
11.7	R060651	<p>R060651 M.C.S. ENTRIES = ++PTF (R060651)</p> <p>UCFMENU PANEL DISPLAYS OBSOLETE SELECTION</p> <p>PROBLEM DESCRIPTION: When using the ISPF interface panel UCFMENU to invoke Dispatch, the obsolete selection for "NOTEPAD" displays on the menu.</p> <p>SYMPTOMS: Selecting option 2 from the UCFMENU panel as shown: CA-DISPATCH Under ISPF OPTION ==> 0 Define PF Keys 1 Run CA-DISPATCH 2 Access CA-DISPATCH NOTEPAD X Exit</p> <p>will cause the following error to be displayed: IKJ56500I COMMAND NOTEPAD NOT FOUND, followed by</p> <p>*ISPD223 * *Invalid command *Command 'NOTEPAD' not found or contains invalid syntax. *Ignore the selection on the panel.</p> <p>IMPACT: None.</p> <p>CIRCUMVENTION: Ignore the selection on the panel.</p> <p>PRODUCT(S) AFFECTED: CA Dispatch r11.6 CA Dispatch r11.7 Star Problem(s): DISPAT 2049 Copyright (C) 2013 CA. All rights reserved. R00082-ADS117-SP1</p> <p>DESC(UCFMENU PANEL DISPLAYS OBSOLETE SELECTION) . ++VER (Z038) FMID (CADSB70) SUP (TR60651)</p>

CA Dispatch 11.7
CA RS 1312 - PTF RO61342 Details

Release	Service	Details
11.7	RO61342	<p>RO61342 M.C.S. ENTRIES = ++PTF (RO61342)</p> <p>ISSUE WARNING ABOUT POSSIBLE LARGE REPORT TRUNCATION</p> <p>PROBLEM DESCRIPTION: A single report (one sysout) larger than 4.29 billion bytes will be truncated when processed by CA Dispatch.</p> <p>SYMPTOMS: All versions of the report (print, online, archive) will be incomplete and incorrect.</p> <p>IMPACT: The complete report is inaccessible.</p> <p>CIRCUMVENTION: Break the report into 2 or more parts and process these parts separately.</p> <p>PRODUCT(S) AFFECTED: CA DISPATCH Release 11.7</p> <p>Star Problem(s): DISPAT 1995</p> <p>Copyright (C) 2013 CA. All rights reserved. R00083-ADS117-SP1</p> <p>DESC(ISSUE WARNING ABOUT POSSIBLE LARGE REPORT TRUNCATION) . ++VER (Z038) FMID (CADSB70) PRE (RO43825 RO52108 RO52647) SUP (TR61342) ++IF FMID(CADSB72) REQ(RO61343) . ++HOLD (RO61342) SYSTEM FMID(CADSB70) REASON (ACTION) DATE (13268) COMMENT (PRODUCT: CA DISPATCH RELEASE 11.7 SEQUENCE: AFTER APPLY Purpose: Activation of new code Relevance: Prevent truncation of reports (sysouts) larger than 4.29 billion byte Knowledge required: 1. CAIRIM/CAS9 CA Product Initialization Utility 2. Starting the CADDSPx Address Space Access required: Executing started jobs. Steps to Perform: 1. Bring down all active CADDSPx tasks. 2. CAIRIM needs to be run to reload the intercept modules. Use the parms: PRODUCT(CA-DISPATCH) VERSION(DSB7) INIT(DSINIT) PARM(CADDSENT,DELETE) PRODUCT(CA-DISPATCH) VERSION(DSB7) INIT(DSINIT) PARM(CADDSENT,INIT) 3. CADDSPx should be restarted using the cmd: S CADDSPx,,REINIT).</p>

CA Dispatch 11.7
CA RS 1312 - PTF RO61343 Details

Release	Service	Details
11.7	RO61343	<p>RO61343 M.C.S. ENTRIES = ++PTF (RO61343)</p> <p>ISSUE WARNING ABOUT POSSIBLE LARGE REPORT TRUNCATION</p> <p>PROBLEM DESCRIPTION: A single report (one sysout) larger than 4.29 billion bytes will be truncated when processed by CA Dispatch.</p> <p>SYMPTOMS: All versions of the report (print, online, archive) will be incomplete and incorrect.</p> <p>IMPACT: The complete report is inaccessible.</p> <p>CIRCUMVENTION: Break the report into 2 or more parts and process these parts separately.</p> <p>PRODUCT(S) AFFECTED: CA DISPATCH Release 11.7</p> <p>Star Problem(s): DISPAT 1995</p> <p>Copyright (C) 2013 CA. All rights reserved. R00083-ADS117-SP1</p> <p>DESC(ISSUE WARNING ABOUT POSSIBLE LARGE REPORT TRUNCATION) . ++VER (Z038) FMID (CADSB72) PRE (RO33539 RO39059 RO51110) SUP (TR61343) ++IF FMID(CADSB70) REQ(RO61342) . ++HOLD (RO61343) SYSTEM FMID(CADSB72) REASON (ACTION) DATE (13270) COMMENT (PRODUCT: CA DISPATCH RELEASE 11.7 SEQUENCE: AFTER APPLY Purpose: Activation of new code Relevance: Prevent truncation of reports (sysouts) larger than 4.29 billion byte Knowledge required: 1. CAIRIM/CAS9 CA Product Initialization Utility 2. Starting the CADDSPx Address Space Access required: Executing started jobs. Steps to Perform: 1. Bring down all active CADDSPx tasks. 2. CAIRIM needs to be run to reload the intercept modules. Use the parms: PRODUCT(CA-DISPATCH) VERSION(DSB7) INIT(DSINIT) PARM(CADDSENT,DELETE) PRODUCT(CA-DISPATCH) VERSION(DSB7) INIT(DSINIT) PARM(CADDSENT,INIT) 3. CADDSPx should be restarted using the cmd: S CADDSPx,,REINIT).</p>

CA Dispatch 11.6
CA RS 1312 - PTF RO60209 Details

Release	Service	Details
11.6	RO60209	<p>RO60209 M.C.S. ENTRIES = ++PTF (RO60209)</p> <p>S90A - CADSVMSG WITH DIAG TRAPS</p> <p>PROBLEM DESCRIPTION:</p> <p>S90A abend occurs only when the IGVINITGETMAIN and IGVINITFREEMAIN diagnostic traps are in effect on a system. The following maintenance jobs are impacted:</p> <p>DSEXVIEW DSEXPSVW</p> <p>SYMPTOMS:</p> <p>System messages for jobs will display: SYSTEM COMPLETION CODE=90A REASON CODE=00000001 PSW AT TIME OF ERROR 070C1000 81568EA0 ILC 2 INTC 0D NO ACTIVE MODULE FOUND NAME=UNKNOWN</p> <p>DATA AT PSW 01568E9A - 00181610 0A0D18CE 18FB180C AR/GR 0: 00000000/00000000_84000000 1: 00000000/00000000_8490A000 2: FFFFFFFF/FFFFFFF_00000A00 3: 00000000/FFFFFFF_00FDB970 4: FFFFFFFF/FFFFFFF_007D1AE8 5: FFFFFFFF/FFFFFFF_007FF020 6: FFFFFFFF/FFFFFFF_81563858 7: FFFFFFFF/FFFFFFF_00F23280 8: FFFFFFFF/FFFFFFF_00000000 9: FFFFFFFF/FFFFFFF_00001010 A: FFFFFFFF/FFFFFFF_00FFFFFF B: FFFFFFFF/FFFFFFF_7FFDD60 C: FFFFFFFF/FFFFFFF_00000080 D: FFFFFFFF/00000000_0002A1C0 E: 00000000/00000000_00023654 F: 00000000/00000000_00000004</p> <p>END OF SYMPTOM DUMP</p> <p>IMPACT:</p> <p>Using the maintenance jobs to clean up the OV database file can not be completed. Databases may become full and updates to the file will be terminated.</p> <p>CIRCUMVENTION:</p> <p>Disable the IGVINITGETMAIN and IGVINITFREEMAIN Diag Traps.</p> <p>PRODUCT(S) AFFECTED: CA Dispatch r11.6 CA Dispatch r11.7</p> <p>Star Problem(s): DISPAT 2047</p> <p>Copyright (C) 2013 CA. All rights reserved. R00134-ADS116-SP1</p> <p>DESC(S90A - CADSVMSG WITH DIAG TRAPS) . ++VER (Z038) FMID (CADSB60) SUP (RO25734 TR25734 TR60209)</p>

CA Dispatch 11.6
CA RS 1312 - PTF RO60645 Details

Release	Service	Details
11.6	RO60645	<p>RO60645 M.C.S. ENTRIES = ++PTF (RO60645)</p> <p>S806 UCFISPF FAILED - ISPF INTERFACE</p> <p>PROBLEM DESCRIPTION: When using the ISPF interface clist "DSISPF" to invoke Dispatch, an abend S806 will occur and prevent access to Dispatch.</p> <p>SYMPTOMS: An ISPF Dialog Error panel will display:</p> <p>ISPD212 Invalid PGM name Link to 'UCFISPF' failed, abend code = x'00000806'. Current dialog statement: ISPEXEC SELECT PGM(UCFISPF) NEWAPPL(UCF)</p> <p>IMPACT: Users are unable to access Dispatch via the ISPF interface.</p> <p>CIRCUMVENTION: Add the parameter "PASSLIB" to the SELECT statement in the DSISPF clist or allocate the ISPLLIB and ISPLLIB outside the clist.</p> <p>PRODUCT(S) AFFECTED: CA Dispatch r11.6 CA Dispatch r11.7 Star Problem(s): DISPAT 2048 Copyright (C) 2013 CA. All rights reserved. R00135-ADS116-SP1</p> <p>DESC(S806 UCFISPF FAILED - ISPF INTERFACE) . ++VER (Z038) FMID (CADSB60) SUP (TR60645)</p>

CA Dispatch 11.6
CA RS 1312 - PTF R060657 Details

Release	Service	Details
11.6	R060657	<p>R060657 M.C.S. ENTRIES = ++PTF (R060657)</p> <p>UCFMENU PANEL DISPLAYS OBSOLETE SELECTION</p> <p>PROBLEM DESCRIPTION: When using the ISPF interface panel UCFMENU to invoke Dispatch, the obsolete selection for "NOTEPAD" displays on the menu.</p> <p>SYMPTOMS: Selecting option 2 from the UCFMENU panel as shown: CA-DISPATCH Under ISPF</p> <p>OPTION ==></p> <p>0 Define PF Keys 1 Run CA-DISPATCH 2 Access CA-DISPATCH NOTEPAD X Exit</p> <p>will cause the following error to be displayed: IKJ56500I COMMAND NOTEPAD NOT FOUND, followed by</p> <p>*ISPD223 * *Invalid command *Command 'NOTEPAD' not found or contains invalid syntax. *Ignore the selection on the panel.</p> <p>IMPACT: None.</p> <p>CIRCUMVENTION: Ignore the selection on the panel.</p> <p>PRODUCT(S) AFFECTED: CA Dispatch r11.6 CA Dispatch r11.7 Star Problem(s): DISPAT 2049 Copyright (C) 2013 CA. All rights reserved. R00136-ADS116-SP1</p> <p>DESC(UCFMENU PANEL DISPLAYS OBSOLETE SELECTION) . ++VER (Z038) FMID (CADSB60) SUP (TR60657)</p>