

CA Verify Automated Regression Testing for CICS 9.0
CA RS 1312 Service List

Release	Service	Description	Hiper
9.0	RO60759	UPDATE TCADS HLQ CONFIGURATION DESCRIPTION	
	RO60760	TCA2801 AFTER XTCA STOP COMMAND	
The CA RS 1312 service count for this release is 2			

CA Verify Automated Regression Testing for CICS 8.5
CA RS 1312 Service List

Release	Service	Description	Hiper
8.5	NO-SRVC	CA RS 1312 Contains No Service For This Release of This Product.	
The CA RS 1312 service count for this release is 0			

CA Verify Automated Regression Testing for CICS
CA RS 1312 Service List for CATJ900

FMID	Service	Description	Hiper
CATJ900	RO60759	UPDATE TCADS HLQ CONFIGURATION DESCRIPTION	
	RO60760	TCA2801 AFTER XTCA STOP COMMAND	
The CA RS 1312 service count for this FMID is 2			

CA Verify Automated Regression Testing for CICS 9.0
 CA RS 1312 - PTF RO60759 Details

Release	Service	Details
9.0	RO60759	<p>RO60759 M.C.S. ENTRIES = ++PTF (RO60759)</p> <p>UPDATE TCADS HLQ CONFIGURATION DESCRIPTION</p> <p>PROBLEM DESCRIPTION: User is not able to specify an HLQ greater than 28 characters in length for configuration variable TCADSLIBDSN.</p> <p>SYMPTOMS: User can not specify an HLQ for TCADS file to be allocation that is greater than 28 characters.</p> <p>IMPACT: User will have to bypass the operations and manually submit JCL ATJDEFDS batch job.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Verify for CICS Release 9.0 CA Verify for VTAM Release 9.0</p> <p>Star Problem(s): VERIFY 170</p> <p>Copyright (C) 2013 CA. All rights reserved. R00054-ELT090-SP0</p> <p>DESC(UPDATE TCADS HLQ CONFIGURATION DESCRIPTION) . ++VER (Z038) FMID (CATJ900) SUP (RO60319 TR60319 TR60759)</p>

CA Verify Automated Regression Testing for CICS 9.0
 CA RS 1312 - PTF RO60760 Details

Release	Service	Details
9.0	RO60760	<p>RO60760 M.C.S. ENTRIES = ++PTF (RO60760)</p> <p>TCA2801 AFTER XTCA STOP COMMAND</p> <p>PROBLEM DESCRIPTION: When the optional Verify REXX support is not installed, the error message: TCA2801 PROGRAM (LOAD MODULE) \$ IS NOT AVAILABLE appears after entering a XTCA STOP command.</p> <p>SYMPTOMS: TCA2801 error message is displayed out of context when manually stopping a LOG using the XTCA STOP command.</p> <p>IMPACT: LOG terminates correctly, but the error message may could questions or confusion.</p> <p>CIRCUMVENTION: If possible, use a different Log termination method, for example, DISCONNECT.</p> <p>PRODUCT(S) AFFECTED: VTAMVE Release 9.0</p> <p>Star Problem(s): VERIFY 171</p> <p>Copyright (C) 2013 CA. All rights reserved. R00055-ELT090-SP0</p> <p>DESC(TCA2801 AFTER XTCA STOP COMMAND) . ++VER (Z038) FMID (CATJ900) SUP (RO60613 TR60613 TR60760)</p>