

CA XCOM Data Transport for z/OS 11.6  
CA RS 1401 Service List

Release	Service	Description	Hiper
11.6	RO63853	SERVER - S0DC ABEND USING PLEXQ	
	RO65705	SERVER - SOC4 WHEN CANCELING AN ACTIVE REQUEST AFTER RO63853	
The CA RS 1401 service count for this release is 2			

CA XCOM Data Transport for z/OS 11.5  
CA RS 1401 Service List

Release	Service	Description	Hiper
11.5	NO-SRVC	CA RS 1401 Contains No Service For This Release of This Product.	
The CA RS 1401 service count for this release is 0			

CA XCOM Data Transport for z/OS  
CA RS 1401 Service List for CBXGB60

FMID	Service	Description	Hiper
CBXGB60	RO63853	SERVER - S0DC ABEND USING PLEXQ	
	RO65705	SERVER - S0C4 WHEN CANCELING AN ACTIVE REQUEST AFTER RO63853	
The CA RS 1401 service count for this FMID is 2			

CA XCOM Data Transport for z/OS 11.6  
CA RS 1401 - PTF RO63853 Details

Release	Service	Details
11.6	RO63853	<p>RO63853 M.C.S. ENTRIES = ++PTF (RO63853)</p> <p>SERVER - S0DC ABEND USING PLEXQ            PROBLEM DESCRIPTION:            CA XCOM may encounter an S0DC abend when using PLEXQ facility.            S0DC is likely to occur when a large amount of transfers is processed on the system.            SYMPTOMS:            S0DC abend            IMPACT:            XCOM server and jobs hang.            CIRCUMVENTION:            Refrain from use PLEXQ facility.            PRODUCTS AFFECTED:            CA XCOM Data Transfer r11.6            Star Problem(s):            XCMVS 1158            SERVER - HANGS AFTER XCOMM9005E OR XCOMM9004E OCCURS            PROBLEM DESCRIPTION:            The CA XCOM server will hang after a transfer fails due to an invalid userid that was specified for the NOTIFY parameter.            SYMPTOMS:            XCOM server hangs after one of the following error messages occurs:            XCOMM9005E TSO USER-ID SUPPLIED HAS AN INVALID FORMAT.            OR            XCOMM9004E THE 1ST CHARACTER OF THE TSO USER-ID IS NOT ALPHAMERIC A-Z,            OR NATIONAL STANDARD @, #, \$ XCOM            IMPACT:            XCOM Server hangs and must be recycled.            CIRCUMVENTION:            Ensure the userid value specified for the NOTIFY parameter is valid before submitting a transfer.            PRODUCT(S) AFFECTED: CA XCOM Data Transport for z/OS R11.6            Star Problem(s):            XCMVS 1166            Copyright (C) 2013 CA. All rights reserved. R00110-BXG116-SP1</p> <p>DESC(SERVER - S0DC ABEND USING PLEXQ) .            ++VER (Z038)            FMID (CBXGB60)            PRE ( RO50354 RO50360 RO50361 RO50484 RO50683 RO50746            RO51243 RO53287 RO54373 RO55407 RO56104 RO58671            RO58944 RO60150 RO61107 RO61360 RO61884 )            SUP ( RO52697 RO53137 RO56176 RO57233 TR52697 TR53137            TR56176 TR57233 TR63853 )</p>

CA XCOM Data Transport for z/OS 11.6  
 CA RS 1401 - PTF RO65705 Details

Release	Service	Details
11.6	RO65705	<p>RO65705 M.C.S. ENTRIES = ++PTF (RO65705)</p> <p>SERVER - S0C4 WHEN CANCELING AN ACTIVE REQUEST AFTER RO63853</p> <p>PROBLEM DESCRIPTION:            The XCOM server terminates with a S0C4 abend after trying to cancel an active transfer with solution RO63853 applied.</p> <p>SYMPTOMS:            The XCOM server terminates with an abend after trying to cancel an active transfer with message:            XCOMM0053E MAINTASK ABEND S0C4 REASON 00000004 IN MODULE(XCOMXFER), OFFSET(+0000F51A)</p> <p>IMPACT:            XCOM server terminates and must be restarted.</p> <p>CIRCUMVENTION:            None</p> <p>PRODUCTS AFFECTED:            CA XCOM Data Transport for z/OS r11.6</p> <p>Star Problem(s):            XCMVS 1172</p> <p>Copyright (C) 2013 CA. All rights reserved. R00119-BXG116-SP1</p> <p>DESC(SERVER - S0C4 WHEN CANCELING AN ACTIVE REQUEST AFTER RO63853) .            ++VER (Z038)            FMID (CBXGB60)            PRE ( RO50354 RO50360 RO50683 RO50746 RO51243 RO53287            RO55407 RO58671 RO58944 RO61107 RO61360 RO61884            RO63853 )            SUP ( AR63853 RO57233 TR57233 TR65705 )</p>