

CA Chorus 3.0
CA RS 1404 Service List

Release	Service	Description	Hiper
3.0	RO61724	E1MI0010 GIVES RC=0 DESPITE ERRORS IN STDOUT	
	RO62277	ONLINE HELP,COLUMN,COMMAND IN TEST CONDITION	
	RO62832	ETJTS708C TSF RELAY ABEND S0C4	
	RO63863	EXISTING RULE LINE DATA IS NOT PRESERVED WHEN MODIFYING RULE	
	RO64501	GETTING ERRORS TRYING TO UPDATE NON-EDITABLE	
	RO65842	ADD SUPPORT FOR 8-HOUR TSF FEED INTERVAL	
	RO66255	INTERMITTANT ETJGU022E WHEN IDLE	
	RO66381	NULLPOINTEREXCEPTION IN TOPOLOGY VIEWER	
	RO67000	ETJI095A ERROR DUE TO MISSING COMMAND IN FSA SECTION	
	RO67145	CHORUS DBA TRANSLATOR IMPROVEMENTS	
	RO67324	GRID NOT SWITCHING TO LIVE MODE ON PERFORMING ACTION	
	RO67429	HIGH CPU FOR STORAGE ALERTS	
	RO67460	D-28910 AND D-25950	
	RO67606	SUPPLY ETJAPFAD CETJJCL MEMBER	
	RO67764	EDC5149I VALUE OVERFLOW ERROR. (ERRNO2=0XC2290003)	
	RO67788	BROWSER OUT OF MEMORY ERROR	
	RO67838	UNNECESSARY BPX PERMISSIONS FOR CHORADM IN ETJI095 JOBS	
	RO67899	CA CHORUS SCS METADATA CHANGES	
	RO67912	D-28208 - JBOSS CRASH ON BAD WEB SERVICE REQUEST	
	RO68049	ERROR MODIFYING DAY RESTRICTION IN INVESTIGATOR	
	RO68178	UNABLE TO SELECT POLICIES IN OBJECT PICKER	
	RO68264	CHORUS DBA TRANSLATOR GMT TIMESTAMP UPDATE	
	RO68326	CA CHORUS BOOKSHELF UPDATE	
	RO68470	DB2 PERFORMANCE METRIC FILTERING CORRECTIONS	
	RO68483	ETJI0100 JOB WITH INCORRECT GROUP RETURNS RC=0	
	RO68542	DBCM TABS GREYED OUT & MINOR FIXES IN OBJECT MIGRATOR	
The CA RS 1404 service count for this release is 26			

CA Chorus 2.5
CA RS 1404 Service List

Release	Service	Description	Hiper
2.5	NO-SRV2	CA RS 1404 Contains No Service For This Release of This Product.	
The CA RS 1404 service count for this release is 0			

CA Chorus 2.0
CA RS 1404 Service List

Release	Service	Description	Hiper
2.0	NO-SRVC	CA RS 1404 Contains No Service For This Release of This Product.	
The CA RS 1404 service count for this release is 0			

CA Chorus
CA RS 1404 Service List for CC2D750

FMID	Service	Description	Hiper
CC2D750	RO62832	ETJTS708C TSF RELAY ABEND SOC4	
The CA RS 1404 service count for this FMID is 1			

CA Chorus
CA RS 1404 Service List for CETJ300

FMID	Service	Description	Hiper
CETJ300	RO66255	INTERMITTANT ETJGU022E WHEN IDLE	
	RO67000	ETJI095A ERROR DUE TO MISSING COMMAND IN FSA SECTION	
	RO67145	CHORUS DBA TRANSLATOR IMPROVEMENTS	
	RO67324	GRID NOT SWITCHING TO LIVE MODE ON PERFORMING ACTION	
	RO67606	SUPPLY ETJAPFAD CETJJCL MEMBER	
	RO67788	BROWSER OUT OF MEMORY ERROR	
	RO67838	UNNECESSARY BPX PERMISSIONS FOR CHORADM IN ETJI095 JOBS	
	RO67899	CA CHORUS SCS METADATA CHANGES	
	RO67912	D-28208 - JBOSS CRASH ON BAD WEB SERVICE REQUEST	
	RO68178	UNABLE TO SELECT POLICIES IN OBJECT PICKER	
	RO68264	CHORUS DBA TRANSLATOR GMT TIMESTAMP UPDATE	
	RO68326	CA CHORUS BOOKSHELF UPDATE	
	RO68483	ETJI0100 JOB WITH INCORRECT GROUP RETURNS RC=0	
	RO68542	DBCM TABS GREYED OUT & MINOR FIXES IN OBJECT MIGRATOR	
The CA RS 1404 service count for this FMID is 14			

CA Chorus
CA RS 1404 Service List for CETJ301

FMID	Service	Description	Hiper
CETJ301	RO65842	ADD SUPPORT FOR 8-HOUR TSF FEED INTERVAL	
	RO67764	EDC5149I VALUE OVERFLOW ERROR. (ERRNO2=0XC2290003)	
The CA RS 1404 service count for this FMID is 2			

CA Chorus
CA RS 1404 Service List for CE1M300

FMID	Service	Description	Hiper
CE1M300	RO61724	E1MI0010 GIVES RC=0 DESPITE ERRORS IN STDOUT	
	RO62277	ONLINE HELP,COLUMN,COMMAND IN TEST CONDITION	
	RO63863	EXISTING RULE LINE DATA IS NOT PRESERVED WHEN MODIFYING RULE	
	RO64501	GETTING ERRORS TRYING TO UPDATE NON-EDITABLE	
	RO66381	NULLPOINTEREXCEPTION IN TOPOLOGY VIEWER	
	RO67460	D-28910 AND D-25950	
	RO68049	ERROR MODIFYING DAY RESTRICTION IN INVESTIGATOR	
The CA RS 1404 service count for this FMID is 7			

CA Chorus
CA RS 1404 Service List for CE3K300

FMID	Service	Description	Hiper
CE3K300	RO68470	DB2 PERFORMANCE METRIC FILTERING CORRECTIONS	
The CA RS 1404 service count for this FMID is 1			

CA Chorus
CA RS 1404 Service List for CE4H300

FMID	Service	Description	Hiper
CE4H300	RO67429	HIGH CPU FOR STORAGE ALERTS	
The CA RS 1404 service count for this FMID is 1			

CA Chorus 3.0
CA RS 1404 - PTF RO61724 Details

Release	Service	Details
3.0	RO61724	<p>RO61724 M.C.S. ENTRIES = ++PTF (RO61724)</p> <p>E1MI0010 GIVES RC=0 DESPITE ERRORS IN STDOUT PROBLEM DESCRIPTION: When configuring Chorus for Security and Compliance Management, the configuration job E1MI0010 may not reflect errors that occur during execution. SYMPTOMS: Appearance of Java errors in E1MI0010 job output, but having a return code of 0. This may also lead to database issues when using Chorus for Security and Compliance Management if the errors are not noticed. IMPACT: Depending on unacknowledged errors, may cause certain functionality to not work correctly. CIRCUMVENTION: Check and remedy any errors occurring in the E1MI0010 job log. PRODUCT(S) AFFECTED: CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0 Star Problem(s): CHRSEC 98 Copyright (C) 2013 CA. All rights reserved. R00043-SCR030-SP1</p> <p>DESC(E1MI0010 GIVES RC=0 DESPITE ERRORS IN STDOUT) . ++VER (Z038) FMID (CE1M300) SUP (TR56975 RO56975 TR61724) ++HOLD (RO61724) SYSTEM FMID(CE1M300) REASON (ACTION) DATE (13260) COMMENT (Product: CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0 Sequence: If product has not yet been installed and configured, before configuration. If product has been installed and configured already, this APAR will only be necessary before re-configuration. Purpose: Improve job output of E1MI0010 to reflect all errors encountered in the job's return code. Relevance: If performing configuration or re-configuration of Chorus for Security and Compliance Management. Knowledge required: SMP/e Access required: USS directory containing Chorus for Security and Compliance Management Steps to Perform: Run configured E1MI0010. Product: Chorus for Security and Compliance Release 3.0 Sequence: Apply APAR. Purpose: Performing the steps in the holddata will allow you to complete the Chorus Security discipline deployment and configuration and use the user modify/delete functionality in investigator. Relevance: Steps outlined in holddata must always be followed. Knowledge required: SMP/e Product Installation z/OS Systems Programming CSM Access Required: 1. Access to ZFS directory where Chorus is installed. Steps to Perform: 1. Restart Chorus to pick up the new jars.</p>

CA Chorus 3.0
CA RS 1404 - PTF RO61724 Details

Release	Service	Details
). LINK('..../ConfigGenerator.jar') PARM(PATHMODE(0,7,7,5)) .

CA Chorus 3.0
CA RS 1404 - PTF RO62277 Details

Release	Service	Details
3.0	RO62277	<p>RO62277 M.C.S. ENTRIES = ++PTF (RO62277)</p> <p>ONLINE HELP,COLUMN,COMMAND IN TEST CONDITION</p> <p>PROBLEM DESCRIPTION: The links in the online help did not expand. The test conditions for object access events had COLUMN defined in it, but the base component for CMGR did not support it, hence causing issues when being used in Simulate Variable substitution. The Max Length for Command was only 8 bytes, which should be more.</p> <p>SYMPTOMS: The links in the online help did not expand. The test conditions for object access events had COLUMN defined in it, but the base component for CMGR did not support it, hence causing issues when being used in Simulate Variable substitution. COMMAND in test condition could not be completed.</p> <p>IMPACT: Having COLUMN in test condition could result in failure of loading the component if it is used in policy that is attached. Not all links in CMGR Online help were working.Unable to use the complete command in test condition.</p> <p>CIRCUMVENTION: N/A</p> <p>PRODUCT(S) AFFECTED: CA MAINFRAME CHORUS 2.5 FOR SEC/COMP Release 2.5 CA MAINFRAME CHORUS 2.5 FOR SEC/COMP Release 3.0</p> <p>Star Problem(s): CHRSEC 102</p> <p>Copyright (C) 2013 CA. All rights reserved. R00048-SCR030-SP1</p> <p>DESC(ONLINE HELP,COLUMN,COMMAND IN TEST CONDITION) . ++VER (Z038) FMID (CE1M300) PRE (RO57422 RO59752) SUP (RO57756 RO58259 RO58687 RO60087 RO61070 TR57756 TR58259 TR58687 TR60087 TR60728 TR61070 TR62277) ++HOLD (RO62277) SYSTEM FMID(CE1M300) REASON (ACTION) DATE (13238) COMMENT (Product: Chorus for Security and Compliance Release 3.0 Sequence: Apply APAR. Purpose: Performing the steps in the holddata will allow you to complete the Chorus Security discipline deployment and configuration and use the user modify/delete functionality in investigator. Relevance: Steps outlined in holddata must always be followed. Knowledge required: SMP/e Product Installation z/OS Systems Programming CSM Access Required: 1. Access to ZFS directory where Chorus is installed. Steps to Perform: 1. Restart Chorus to pick up the new jars.). LINK('./PolicyAdmin.war') PARM(PATHMODE(0,7,7,5)) SHSCRIPT(POLPDSCR,POST) .</p>

CA Chorus 3.0
CA RS 1404 - PTF RO62832 Details

Release	Service	Details
3.0	RO62832	<p>RO62832 M.C.S. ENTRIES = ++PTF (RO62832)</p> <p>ETJTS708C TSF RELAY ABEND SOC4</p> <p>PROBLEM DESCRIPTION: The Chorus relay region ABENDs with a system-0C4 error while simultaneously queuing and dequeuing request blocks.</p> <p>SYMPTOMS: The following messages appear in the Chorus relay log: CHORTSFR ETJTS708C TSF RELAY ABEND SYSTEM-0C4 CHORTSFR BPXP018I THREAD 2762A10000000000, IN PROCESS 17498707, CHORTSFR WITHOUT BEING UNDUBBED WITH COMPLETION CODE 940C1000 CHORTSFR , AND REASON CODE 00000001. CHORTSFR IEF450I CHORTSFR CHORTSFR - ABEND=SOC4 U0000</p> <p>IMPACT: The Chorus relay region ABENDs. During this time, no data is relayed from the system with the relay to the Chorus console.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Mainframe Chorus r3.0</p> <p>Star Problem(s): CHRPLT 640</p> <p>Copyright (C) 2014 CA. All rights reserved. R00007-NMS075-SP1</p> <p>DESC(ETJTS708C TSF RELAY ABEND SOC4) . ++VER (Z038) FMID (CC2D750) SUP (TR62832)</p>

CA Chorus 3.0
CA RS 1404 - PTF RO63863 Details

Release	Service	Details
3.0	RO63863	<p>RO63863 M.C.S. ENTRIES = ++PTF (RO63863)</p> <p>EXISTING RULE LINE DATA IS NOT PRESERVED WHEN MODIFYING RULE PROBLEM DESCRIPTION: When a user tries to modify some rule line data, only the modified data is saved. Any existing rule line data for the rule line is lost and only the modified data is saved NOTE: This change requires LDAPDV 185 to be installed as well. SYMPTOMS: When the rule line data is modified, the display will show some data that used to be present is now gone. IMPACT: Users lose data for rule lines. CIRCUMVENTION: The user could delete and then reenter all rule line data each time a change was required. PRODUCT(S) AFFECTED: CA MAINFRAME CHORUS 2.5 FOR SEC/COMP Release 2.5 CA MAINFRAME CHORUS 2.5 FOR SEC/COMP Release 3.0 Star Problem(s): CHRSEC 105 Copyright (C) 2013 CA. All rights reserved. R00051-SCR030-SP1</p> <p>DESC(EXISTING RULE LINE DATA IS NOT PRESERVED WHEN MODIFYING RULE) . ++VER (Z038) FMID (CE1M300) PRE (RO57422 RO59752) SUP (TR63863) ++HOLD (RO63863) SYSTEM FMID(CE1M300) REASON (ACTION) DATE (13291) COMMENT (Product: Chorus for Security and Compliance Release 3.0 Sequence: Apply APAR. Purpose: Performing the steps in the holddata will allow you to complete the Chorus Security discipline deployment and configuration and use the user modify/delete functionality in investigator. Relevance: Steps outlined in holddata must always be followed. Knowledge required: SMP/e Product Installation z/OS Systems Programming CSM Access Required: 1. Access to ZFS directory where Chorus is installed. Steps to Perform: 1. Restart Chorus to pick up the new jars.) LINK('..'/SecAdmin.war') PARM(PATHMODE(0,7,7,5)) SHSCRIPT(SECPDSCR,POST) .</p>

CA Chorus 3.0
CA RS 1404 - PTF RO64501 Details

Release	Service	Details
3.0	RO64501	<p>RO64501 M.C.S. ENTRIES = ++PTF (RO64501)</p> <p>GETTING ERRORS TRYING TO UPDATE NON-EDITABLE</p> <p>PROBLEM DESCRIPTION:</p> <p>This fixes chorus problems for.</p> <p>1.) When trying to changing the ACF2 Password Change Date and Logon ID Update Date fields. Get the following Chorus error. ETJDS091E An error occurred in a database: BaseTransaction.rollback</p> <p>2.) When trying to change the TSS Source ID field in Chorus. Get the following Chorus error. NOCODE An unknown error has occurred: org.teiid.translator.TranslatorException: Update of "tssacid=TSSWOLF,tssadmingrp=acids, HOST=DE30_DE29,O=CAI,C=US" failed: [LDAP: error code 80 - LDP2403E Modify unknown error for(srcrecid), value(Name)]</p> <p>3.) When trying to change the ACF2 Last Invalid Password Date and Date of LAS Invalid Password fields in Chorus. Get the following Chorus error.rus NOCODE An unknown error has occurred: org.teiid.translator.TranslatorException: Update of "acf2lid=ACF2WOLF,acf2admingrp=lids, HOST=DE30,O=CAI,C=US" failed: [LDAP: error code 80 - LDP0406E ACF2 error modifying lid(ACF61007 INVALID OPERAND VALUE FOR KEY - PWP-DATE)]</p> <p>4.) Also change ACF2 visible Init Cmd to visible name of Initial Command</p> <p>5.) Last Invalid Password Date should be Last Invalid Password Phrase Date so changed that to.</p> <p>SYMPTOMS: You get the above errors when trying to update those fields. Impact: You shouldn't be able to update these fields. CIRCUMVENTION: N/A PRODUCT(S) AFFECTED: CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0 CHRSEC 3.0 Star Problem(s): CHRSEC 106 Copyright (C) 2014 CA. All rights reserved. R00052-SCR030-SP1</p> <p>DESC(GETTING ERRORS TRYING TO UPDATE NON-EDITABLE) . ++VER (Z038) FMID (CE1M300) PRE (RO58005 RO58041 RO58094 RO58455 RO59207 RO59926 RO62106) SUP (RO60057 RO62657 RO63234 TR60057 TR62657 TR63234 TR64501) ++HOLD (RO64501) SYSTEM FMID(CE1M300) REASON (DYNACT) DATE (14021) COMMENT (-----+ CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0 -----+ SEQUENCE The fix must be applied before performing Chorus Security Discipline deployment and configuration. -----+ -----+ PURPOSE To fix problems with fields when updating a User. Changing some fields to noeditable. -----+ -----+ USERS All Users. AFFECTED -----+ -----+ KNOWLEDGE SMP/E. </p>

CA Chorus 3.0
 CA RS 1404 - PTF RO64501 Details

Release	Service	Details
		<pre> REQUIRED Product Installation. Product Deployment. USS Commands. +-----+-----+ ACCESS Access will be required to the CE1MJCL dataset. REQUIRED Access will be required to <CHORUS_HOME>/roles/security. Access will be required to <CHORUS_HOME>/config. +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Apply APAR. 2. Redeploy Chorus Security Discipline if needed with either CA CSM or using jobs in CE1MJCL. 3. Reconfigure Chorus for Security and Compliance Management manually or using AUTO-CONFIG.). BINARY LINK('./cia-locale.txt') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('./cia-property.txt') PARM(PATHMODE(0,7,7,5)) . </pre>

CA Chorus 3.0
CA RS 1404 - PTF RO65842 Details

Release	Service	Details
3.0	RO65842	<p>RO65842 M.C.S. ENTRIES = ++PTF (RO65842)</p> <p>ADD SUPPORT FOR 8-HOUR TSF FEED INTERVAL</p> <p>PROBLEM DESCRIPTION: The TSF region does not support 8 hour interval values from the DETECTOR discipline.</p> <p>SYMPTOMS: The DETECTOR feed job TDPFEED terminates with cc = -1.</p> <p>IMPACT: TSF cannot receive data from the DETECTOR discipline.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Mainframe Chorus r3.0</p> <p>Star Problem(s): CHRPLT 691</p> <p>Copyright (C) 2014 CA. All rights reserved. R00008-NMS075-SP1</p> <p>DESC(ADD SUPPORT FOR 8-HOUR TSF FEED INTERVAL) . ++VER (Z038) FMID (CETJ301) PRE (RO59242) SUP (TR65842)</p>

CA Chorus 3.0
CA RS 1404 - PTF RO66255 Details

Release	Service	Details
3.0	RO66255	<p>RO66255 M.C.S. ENTRIES = ++PTF (RO66255)</p> <p>INTERMITTANT ETJGU022E WHEN IDLE</p> <p>PROBLEM DESCRIPTION: In CA Chorus, "ETJGU022E The call failed on the server" error message is shown intermittently, when CA Chorus sits idle with a few metrics configured and an Investigator module on the dashboard.</p> <p>SYMPTOMS: You will see "ETJGU022E The call failed on the server" message.</p> <p>IMPACT: CA Chorus continues to function after the error.</p> <p>CIRCUMVENTION: Click on the error dialog's "Close" button, and continue using CA Chorus.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 687</p> <p>Copyright (C) 2013 CA. All rights reserved. R00241-ETJ030-SP1</p> <p>DESC(INTERMITTANT ETJGU022E WHEN IDLE) . ++VER (Z038) FMID (CETJ300) PRE (RO55792 RO56007 RO56096 RO56215 RO56254 RO56305 RO56355 RO56586 RO56645 RO56758 RO56817 RO56895 RO56941 RO56949 RO57040 RO57107 RO57168 RO57247 RO57354 RO58019 RO58088 RO58199 RO58244 RO58384 RO58548 RO58626 RO58753 RO58854 RO58968 RO59150 RO59208 RO59285 RO59296 RO59741 RO65952) SUP (RO60284 RO60327 RO60778 RO61000 RO61504 RO61985 RO62510 RO63070 RO63072 RO63220 RO63470 RO63471 RO63835 RO63836 RO64244 RO64245 RO64570 RO64571 RO65382 RO65533 TR60284 TR60327 TR60379 TR60502 TR60542 TR60596 TR60639 TR60708 TR60741 TR60778 TR60913 TR61000 TR61217 TR61269 TR61504 TR61748 TR61985 TR62510 TR63070 TR63071 TR63072 TR63220 TR63470 TR63471 TR63835 TR63836 TR64244 TR64245 TR64569 TR64570 TR64571 TR64925 TR65382 TR65533 TR66255) BINARY LINK('../metadata-property.txt') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../common-utils-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../chorus-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../h2-datawindow-ds.xml') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../Help.war') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../common-teiid-udf-bridge-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../datapipes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../query-fns-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../knowledge-center-classes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1404 - PTF RO66255 Details

Release	Service	Details
		BINARY LINK(' ../teiid-translator-tsf-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../chorus-actions-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../teiid-translator-customfunctions-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../common-db-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../chorus-actions-ds.xml') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../common-module.xml.sample') PARM(PATHMODE(0,7,7,5)) SYMLINK(' ../module.xml') SYMPATH(' ../../../../../../../config/common-module.xml') . BINARY LINK(' ../chorus-schema-migrate-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../ui-classes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../Chorus.war') PARM(PATHMODE(0,7,7,5)) .

CA Chorus 3.0
CA RS 1404 - PTF RO66381 Details

Release	Service	Details
3.0	RO66381	<pre> RO66381 M.C.S. ENTRIES = ++PTF (RO66381) NULLPOINTEREXCEPTION IN TOPOLOGY VIEWER PROBLEM DESCRIPTION: When you select System, then a row and navigate to all events. Select an event row, add to topology, expand the system or user ... You get a NullPointerException error. SYMPTOMS: NullPointerException error IMPACT: Can't add to topology CIRCUMVENTION: N/A PRODUCT(S) AFFECTED: CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0 CHRSEC 3.0 Star Problem(s): CHRSEC 108 Copyright (C) 2014 CA. All rights reserved. R00054-SCR030-SP1 DESC(NULLPOINTEREXCEPTION IN TOPOLOGY VIEWER) . ++VER (Z038) FMID (CE1M300) PRE (RO58005 RO58041 RO58094 RO58455 RO59207 RO62106 RO64501) SUP (TR60057 RO60057 TR66381) ++HOLD (RO66381) SYSTEM FMID(CE1M300) REASON (DYNACT) DATE (14023) COMMENT (+-----+ +-----+ +-----+ SEQUENCE The fix must be applied before performing Chorus Security Discipline deployment and configuration. +-----+ PURPOSE This will fix the Null Pointer error in Toplogy Viewer. +-----+ USERS All Users. AFFECTED +-----+ KNOWLEDGE SMP/E. REQUIRED Product Installation. Product Deployment. USS Commands. +-----+ ACCESS Access will be required to the CE1MJCL dataset. REQUIRED Access will be required to <CHORUS_HOME>/roles/security. Access will be required to <CHORUS_HOME>/config. +-----+ ***** * STEPS TO PERFORM * ***** 1. Apply APAR. 2. Redeploy Chorus Security Discipline if needed with either CA CSM or using jobs in CE1MJCL. 3. Reconfigure Chorus for Security and Compliance Management manually or using AUTO-CONFIG.). BINARY LINK('./cia-property.txt') PARM(PATHMODE(0,7,7,5)) . </pre>

CA Chorus 3.0
CA RS 1404 - PTF RO67000 Details

Release	Service	Details
3.0	RO67000	<p>RO67000 M.C.S. ENTRIES = ++PTF (RO67000)</p> <p>ETJI095A ERROR DUE TO MISSING COMMAND IN FSA SECTION</p> <p>PROBLEM DESCRIPTION: When using the ETJI095A for CA Chorus, it will complete with an error because the following command is missing in the FSA section: SET C(GSO)</p> <p>SYMPTOMS: The output from ETJI095A contains the message ACF67045 COMMAND OR OPERAND USED IN INCORRECT MODE RESOURCE</p> <p>IMPACT: The FSA resource rules are not updated correctly.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 695</p> <p>Copyright (C) 2014 CA. All rights reserved. R00247-ETJ030-SP1</p> <p>DESC(ETJI095A ERROR DUE TO MISSING COMMAND IN FSA SECTION) . ++VER (Z038) FMID (CETJ300) PRE (RO55955 RO56760 RO56943 RO63060) SUP (TR66465 TR67000)</p>

CA Chorus 3.0
CA RS 1404 - PTF RO67145 Details

Release	Service	Details
3.0	RO67145	<p>RO67145 M.C.S. ENTRIES = ++PTF (RO67145)</p> <p>CHORUS DBA TRANSLATOR IMPROVEMENTS</p> <p>PROBLEM DESCRIPTION:</p> <p>The following improvements have been made to CA Chorus for DB2 Database Management:</p> <ul style="list-style-type: none"> * Reduced loading time for the DB2 for DBA Investigator tree. * Resolved issues that could lead the CA Chorus JBoss server to encounter out of memory conditions. * Reduced the overall heap usage of the DBA discipline within the CA Chorus JBoss server. * Improved info/error messages. <p>SYMPTOMS:</p> <p>None.</p> <p>IMPACT:</p> <p>Enhancements</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Chorus Release 3.0</p> <p>Star Problem(s):</p> <p>CHRPLT 696</p> <p>Copyright (C) 2014 CA. All rights reserved. R00248-ETJ030-SP1</p> <p>DESC(CHORUS DBA TRANSLATOR IMPROVEMENTS) .</p> <p>++VER (Z038)</p> <p>FMID (CETJ300)</p> <p>PRE (R055792 R056007 R056096 R056215 R056254 R056305 R056355 R056586 R056645 R056758 R056817 R056895 R056941 R056949 R057040 R057107 R057168 R057247 R057354 R058019 R058088 R058199 R058244 R058384 R058548 R058626 R058753 R058854 R058968 R059150 R059208 R059285 R059296 R059741)</p> <p>SUP (R060777 R061406 TR60777 TR61406 TR67145)</p> <p>BINARY</p> <p>LINK('..//teiid-translator-db2tools-catalog-3.0.1-SNAPSHOT.jar')</p> <p>PARM(PATHMODE(0,7,7,5)) .</p> <p>BINARY</p> <p>LINK('..//coptds-service-3.0.1-SNAPSHOT.jar')</p> <p>PARM(PATHMODE(0,7,7,5)) .</p> <p>BINARY</p> <p>LINK('..//teiid-translator-dba-performance-loopback-3.0.1-SNAPSHOT.jar')</p> <p>PARM(PATHMODE(0,7,7,5)) .</p> <p>BINARY</p> <p>LINK('..//teiid-translator-coptds-3.0.1-SNAPSHOT.jar')</p> <p>PARM(PATHMODE(0,7,7,5)) .</p> <p>BINARY</p> <p>LINK('..//dba-guice-module-3.0.1-SNAPSHOT.jar')</p> <p>PARM(PATHMODE(0,7,7,5)) .</p> <p>BINARY</p> <p>LINK('..//teiid-connector-coptds-3.0.1-SNAPSHOT.rar')</p> <p>PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1404 - PTF RO67324 Details

Release	Service	Details
3.0	RO67324	<p>RO67324 M.C.S. ENTRIES = ++PTF (RO67324)</p> <p>GRID NOT SWITCHING TO LIVE MODE ON PERFORMING ACTION</p> <p>PROBLEM DESCRIPTION: In the CA Chorus Investigator, once you have selected the 'Grid Row Breadcrumb,' performing an action does not revert to live mode.</p> <p>SYMPTOMS: The Investigator grid remains in historical mode and the display count text shows the old label.</p> <p>IMPACT: The display text shows incorrect information.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 694</p> <p>CHORUS JBOSS CONSUMING HIGH CPU</p> <p>PROBLEM DESCRIPTION: In CA Chorus, when we you execute queries related to TimeSeries, JBoss consumes more CPU.</p> <p>SYMPTOMS: The JBoss job consumes more CPU and response times may be longer.</p> <p>IMPACT: Responses to your actions will be slow.</p> <p>CIRCUMVENTION: NONE.</p> <p>PRODUCTS(S) AFFECTED: CA Chorus Release: 03.0</p> <p>Star Problem(s): CHRPLT 697</p> <p>PERSONAL POLICIES AND TSF QUERIES CONSUME MORE CPU</p> <p>PROBLEM DESCRIPTION: In CA Chorus, running a large number of queries against the TSF and creating personal policies with a large number of objects cause higher CPU consumption</p> <p>SYMPTOMS: When you perform operations executing queries in TSF or create personal policies with large number of objects, it causes higher CPU consumption by CHORJBOS which can be monitored from the Sysview.</p> <p>IMPACT: The application performace might degrade and you may not receive notification such as Email or Alert from the personal policies.</p> <p>CIRCUMVENTION: Avoid performing actions against TSF and creating personal policies with a large number of objects.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 699</p> <p>OBJECT MIGRATOR RESULTS DISPLAY 1 LINE IN IE</p> <p>PROBLEM DESCRIPTION: When the Object Migrator Wizard in CA Chorus for DB2 Database Management is opened in Internet Explorer, the text area of the Result tab displays only 1 line of output.</p> <p>This fix also includes usability enhancement, where, in the Object Migrator Wizard, "NOCODE An unknown error has occurred" error popup is issued for some errors instead of relevant error messages.</p> <p>SYMPTOMS: In the Object Migrator wizard, the Results tab in Analysis displays only 1 line of output, when Internet Explorer is used to open CA Chorus.</p> <p>IMPACT: You will need to scroll more to see the contents of the Result tab without this fix. Also, you will notice NOCODE error, when an error occurs, instead of a proper error message.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s):</p>

CA Chorus 3.0
CA RS 1404 - PTF RO67324 Details

Release	Service	Details
		<p>CHRPLT 700 DB2 MSGS IN CMD MANAGER PROBLEM DESCRIPTION: In CA Chorus for DB2 Database Management, DBA Command Manager for DB2, when submitting a SELECT query with invalid syntax, an SQL error occurs. The error message is displayed in a new window, whereas it should be displayed in the Messages tab. SYMPTOMS: When a SELECT query with invalid syntax is submitted in the DBA Command Manager for DB2, the error message is displayed in a new window instead of being displayed in the Messages tab. IMPACT: There is an inconsistency in the way error messages are displayed. Error messages for a SELECT query are displayed in a new window and those for other queries are displayed in the Messages tab. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Chorus for DB2 Database Management Release 3.0 Star Problem(s): CHRPLT 701 Copyright (C) 2014 CA. All rights reserved. R00251-ETJ030-SP1</p> <p>DESC(GRID NOT SWITCHING TO LIVE MODE ON PERFORMING ACTION) . ++VER (Z038) FMID (CETJ300) PRE (R055792 R056007 R056096 R056215 R056254 R056305 R056355 R056586 R056645 R056758 R056817 R056895 R056941 R056949 R057040 R057107 R057168 R057247 R057354 R058019 R058088 R058199 R058244 R058384 R058548 R058626 R058753 R058854 R058968 R059150 R059208 R059285 R059296 R059741 R065952) SUP (R060284 R060327 R060778 R061000 R061504 R061985 R062510 R063070 R063072 R063220 R063470 R063471 R063835 R063836 R064244 R064245 R064570 R064571 R065382 R065533 R066255 TR60284 TR60327 TR60379 TR60502 TR60542 TR60596 TR60639 TR60708 TR60741 TR60778 TR60913 TR61000 TR61217 TR61269 TR61504 TR61748 TR61985 TR62510 TR63070 TR63071 TR63072 TR63220 TR63470 TR63471 TR63835 TR63836 TR64244 TR64245 TR64569 TR64570 TR64571 TR64925 TR65382 TR65533 TR66255 TR66587 TR66958 TR67324) BINARY LINK('../metadata-property.txt') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../common-utils-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../chorus-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../h2-datawindow-ds.xml') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../Help.war') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../common-teiid-udf-bridge-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../datapipes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../query-fns-3.0.1-SNAPSHOT.jar')</p>

CA Chorus 3.0
CA RS 1404 - PTF RO67324 Details

Release	Service	Details
		<pre> PARAM(PATHMODE(0,7,7,5)) . BINARY LINK('../knowledge-center-classes-3.0.1-SNAPSHOT.jar') PARAM(PATHMODE(0,7,7,5)) . BINARY LINK('../teiid-translator-tsf-3.0.1-SNAPSHOT.jar') PARAM(PATHMODE(0,7,7,5)) . BINARY LINK('../chorus-actions-service-3.0.1-SNAPSHOT.jar') PARAM(PATHMODE(0,7,7,5)) . BINARY LINK('../teiid-translator-customfunctions-3.0.1-SNAPSHOT.jar') PARAM(PATHMODE(0,7,7,5)) . BINARY LINK('../common-db-3.0.1-SNAPSHOT.jar') PARAM(PATHMODE(0,7,7,5)) . BINARY LINK('../chorus-actions-ds.xml') PARAM(PATHMODE(0,7,7,5)) . BINARY LINK('../common-module.xml.sample') PARAM(PATHMODE(0,7,7,5)) SYMLINK('../module.xml') SYMPATH('../..../config/common-module.xml') . BINARY LINK('../chorus-schema-migrate-3.0.1-SNAPSHOT.jar') PARAM(PATHMODE(0,7,7,5)) . BINARY LINK('../ui-classes-3.0.1-SNAPSHOT.jar') PARAM(PATHMODE(0,7,7,5)) . BINARY LINK('../Chorus.war') PARAM(PATHMODE(0,7,7,5)) . </pre>

CA Chorus 3.0
CA RS 1404 - PTF RO67429 Details

Release	Service	Details
3.0	RO67429	<p>RO67429 M.C.S. ENTRIES = ++PTF (RO67429)</p> <p>HIGH CPU FOR STORAGE ALERTS</p> <p>PROBLEM DESCRIPTION: When several thousand (or more) Storage Alerts are generated, high CPU consumption is seen with the Chorus JBOSS task.</p> <p>SYMPTOMS: High CPU consumption.</p> <p>IMPACT: You will see slow system performance.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus (TM) for Storage Management Release 3.0 Star Problem(s): CHRSTO 99</p> <p>Copyright (C) 2014 CA. All rights reserved. R00052-E4H030-SP1</p> <p>DESC(HIGH CPU FOR STORAGE ALERTS) . ++VER (Z038) FMID (CE4H300) SUP (TR67429) BINARY LINK('./storage-alerts-model.xml') PARM(PATHMODE(0,7,7,5)) SYMLINK('./../../../../jboss/standalone/chorus/vdbs/Chorus/storage-alerts-model.xml') SYMPATH('./../../../../roles/storage/storage-alerts-model.xml') .</p>

CA Chorus 3.0
CA RS 1404 - PTF RO67460 Details

Release	Service	Details
3.0	RO67460	<p>RO67460 M.C.S. ENTRIES = ++PTF (RO67460)</p> <p>D-28910 AND D-25950 PROBLEM DESCRIPTION: In CA Chorus for Security and Compliance UI,high CPU was being consumed by Alerts. There were wrong relational objects such as TSOOPTS, TYPE etc, being shown under column configuration dialog (Wrench Option on UI). SYMPTOMS: High CPU consumption. Unnecessary fields in the configuration option. IMPACT: You will see slow system performance. CIRCUMVENTION: N/A PRODUCT(S) AFFECTED: CA Chorus for Security and Compliance Release:3.0 Star Problem(s): CHRSEC 110 Copyright (C) 2014 CA. All rights reserved. R00057-SCR030-SP1</p> <p>DESC(D-28910 AND D-25950) . ++VER (Z038) FMID (CE1M300) PRE (RO58005 RO58041 RO58094 RO58455 RO59207 RO62106 RO64501) SUP (RO56098 RO60057 RO66381 TR56098 TR60057 TR66381 TR67395 TR67460) ++HOLD (RO67460) SYSTEM FMID(CE1M300) REASON (DYNACT) DATE (14045) COMMENT (</p> <pre> +-----+ +-----+ PRODUCT CA CHORUS FOR SECURITY AND COMPLIANCE MANAGEMENT +-----+ SEQUENCE The fix must be applied before restarting Chorus Security Discipline Jboss Server. +-----+ PURPOSE Implement PTF into JBOSS server. +-----+ USERS All Users. AFFECTED +-----+ KNOWLEDGE SMP/E. REQUIRED Product Installation. USS Commands. +-----+ ACCESS Access will be required to the CE1MJCL dataset. REQUIRED Access will be required to <CHORUS_HOME>/roles/security. Access will be required to <CHORUS_HOME>/config. +-----+ ***** * STEPS TO PERFORM * ***** 1. Apply APAR. 2. Restart JBOSS server.). BINARY LINK('./cia-property.txt') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('./security-dm-objects-model.xml') PARM(PATHMODE(0,7,7,5)) </pre>

CA Chorus 3.0
CA RS 1404 - PTF RO67460 Details

Release	Service	Details
		<pre>SYMLINK(' ../../../../jboss/standalone/chorus/vdbs/Chorus/security-dm-objects-model.xml') SYMPATH(' ../../../../config/security-dm-objects-model.xml') . BINARY LINK('../security-wh-objects-model.xml') PARM(PATHMODE(0,7,7,5)) SYMLINK(' ../../../../jboss/standalone/chorus/vdbs/Chorus/security-wh-objects-model.xml') SYMPATH(' ../../../../config/security-wh-objects-model.xml') . BINARY LINK('../security-model.xml') PARM(PATHMODE(0,7,7,5)) SYMLINK(' ../../../../jboss/standalone/chorus/vdbs/Chorus/security-model.xml') SYMPATH(' ../../../../config/security-model.xml') .</pre>

CA Chorus 3.0
CA RS 1404 - PTF RO67606 Details

Release	Service	Details
3.0	RO67606	<p>RO67606 M.C.S. ENTRIES = ++PTF (RO67606)</p> <p>SUPPLY ETJAPFAD CETJJCL MEMBER</p> <p>PROBLEM DESCRIPTION:</p> <p>CA Chorus started tasks CHORJBOS, CHORTSF, and CHORTSFR must either be program controlled (RACF) or use APF authorized libraries. Immediately after installation, the CA Chorus libraries are not yet included in the permanent APF authorization list. You must temporarily APF authorize the libraries or the started tasks will fail.</p> <p>SYMPTOMS:</p> <p>CHORTSF will abend with the following message: +NSX984 NETMASTER NOT APF AUTHORIZED @N01101 SOLVE ABEND N-266-01 ID=TSF JN=CHORTSF DT=2014049 TM=13382435 @N01102 SRC=AB PRD=SOLVE INTLVL=070500 SP=0000 ABC=N-266-01 @N01103 ALM=NM013 ALO=00003EB4 ACS=NM000266 ACO=00000C94 IEA995I SYMPTOM DUMP OUTPUT 988 USER COMPLETION CODE=4095</p> <p>CHORJBOS and CHORTSFR may also fail to start or report errors indicative of APF authorization issues.</p> <p>IMPACT:</p> <p>The CA Chorus started tasks will not start unless these datasets have been APF authorized.</p> <p>CIRCUMVENTION:</p> <p>Manually APF authorize the required datasets.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Chorus Release 3.0</p> <p>Star Problem(s):</p> <p>CHRPLT 702</p> <p>Copyright (C) 2014 CA. All rights reserved. R00255-ETJ030-SP1</p> <p>DESC(SUPPLY ETJAPFAD CETJJCL MEMBER) . ++VER (Z038) FMID (CETJ300) PRE (RO56228 RO56915 RO58809 RO59056 RO59807 RO60500 RO62086 RO65280 RO65710) SUP (TR60222 TR61213 TR61981 TR67459 TR67606) ++HOLD (RO67606) SYSTEM FMID(CETJ300) REASON (ACTION) DATE (14049) COMMENT (</p> <pre> +-----+ CA Chorus Release 3.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE NEW ETJAPFAD JCL FOR TEMPORARILY AUTHORIZING CA CHORUS LIBRARIES CC2DLOAD, CETJPLD, AND CETJLOAD THROUGH CA SYSVIEW. +-----+ USERS USERS THAT WISH TO TEMPORARILY AUTHORIZE CA CHORUS AFFECTED LIBRARIES CC2DLOAD, CETJPLD, AND CETJLOAD THROUGH CA SYSVIEW. +-----+ KNOWLEDGE CA CHORUS PRODUCT ADMINISTRATION REQUIRED +-----+ ACCESS ACCESS TO CA CHORUS PRODUCT DATA SETS. REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. RENAME YOUR CURRENT CONFIG.DATA DATASET. FOR EXAMPLE, RENAME YOUR CONFIG.DATA TO CONFIG.DATA.BACKUP. 2. RUN THE ETJICUST JCL FOR THE FIRST TIME. </pre>

CA Chorus 3.0
CA RS 1404 - PTF RO67606 Details

Release	Service	Details
		<p>NOTE: THIS STEP WILL CREATE A FRESH VERSION OF THE CONFIG.DATA DATASET.</p> <p>3. REVIEW AND EDIT THE NEW CONFIG.DATA DATASET USING YOUR RENAMED COPY AS A REFERENCE.</p> <p>NOTE: YOU MUST NOT COPY THE OLDER CONFIG.DATA INTO THE NEWER DATASET BECAUSE THE FORMAT OF THE FILE HAS CHANGED.</p> <p>4. RUN ETJICUST FOR THE SECOND TIME.</p> <p>5. THE NEW MEMBER IN THE CETJJCL LIBRARY, ETJAPFAD, CAN BE USED TO TEMPORARILY APF AUTHORIZE THE LIBRARIES USED BY CHORUS.</p> <p>).</p>

CA Chorus 3.0
CA RS 1404 - PTF RO67788 Details

Release	Service	Details
3.0	RO67788	<p>RO67788 M.C.S. ENTRIES = ++PTF (RO67788)</p> <p>BROWSER OUT OF MEMORY ERROR PROBLEM DESCRIPTION: While accessing CA Chorus , the browser fails due to an out of memory condition. SYMPTOMS: When you use a dashboard configured with more than 47 policy status light and metrics for a long time , the browser show an out of memory exception. IMPACT: You cannot proceed with any operation on the dashboard and the browser becomes unresponsive. CIRCUMVENTION: Close the browser and relogin to Chorus. PRODUCT(S) AFFECTED: CA Chorus Release 3.0 Star Problem(s): CHRPLT 705 Copyright (C) 2014 CA. All rights reserved. R00257-ETJ030-SP1</p> <p>DESC(BROWSER OUT OF MEMORY ERROR) . ++VER (Z038) FMID (CETJ300) PRE (RO55792 RO56007 RO56096 RO56215 RO56254 RO56305 RO56355 RO56586 RO56645 RO56758 RO56817 RO56895 RO56941 RO56949 RO57040 RO57107 RO57168 RO57247 RO57354 RO58019 RO58088 RO58199 RO58244 RO58384 RO58548 RO58626 RO58753 RO58854 RO58968 RO59150 RO59208 RO59285 RO59296 RO59741 RO65952) SUP (RO60284 RO60327 RO60778 RO61000 RO61504 RO61985 RO62510 RO63070 RO63072 RO63220 RO63470 RO63471 RO63835 RO63836 RO64244 RO64245 RO64570 RO64571 RO65382 RO65533 RO66255 RO67324 TR60284 TR60327 TR60379 TR60502 TR60542 TR60596 TR60639 TR60708 TR60741 TR60778 TR60913 TR61000 TR61217 TR61269 TR61504 TR61748 TR61985 TR62510 TR63070 TR63071 TR63072 TR63220 TR63470 TR63471 TR63835 TR63836 TR64244 TR64245 TR64569 TR64570 TR64571 TR64925 TR65382 TR65533 TR66255 TR66587 TR66958 TR67324 TR67788) BINARY LINK(' ../metadata-property.txt ') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../common-utils-3.0.1-SNAPSHOT.jar ') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../chorus-service-3.0.1-SNAPSHOT.jar ') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../h2-datawindow-ds.xml ') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../Help.war ') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../common-teiid-udf-bridge-3.0.1-SNAPSHOT.jar ') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../datapipes-3.0.1-SNAPSHOT.jar ') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../query-fns-3.0.1-SNAPSHOT.jar ') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../knowledge-center-classes-3.0.1-SNAPSHOT.j</p>

CA Chorus 3.0
CA RS 1404 - PTF RO67788 Details

Release	Service	Details
		<pre> ar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../teiid-translator-tsf-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../chorus-actions-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../teiid-translator-customfunctions-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../common-db-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../chorus-actions-ds.xml') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../common-module.xml.sample') PARM(PATHMODE(0,7,7,5)) SYMLINK('../module.xml') SYMPATH('../config/common-module.xml') . BINARY LINK('../chorus-schema-migrate-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../ui-classes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../Chorus.war') PARM(PATHMODE(0,7,7,5)) . </pre>

CA Chorus 3.0
CA RS 1404 - PTF RO67838 Details

Release	Service	Details
3.0	RO67838	<p>RO67838 M.C.S. ENTRIES = ++PTF (RO67838)</p> <p>UNNECESSARY BPX PERMISSIONS FOR CHORADM IN ETJI095 JOBS</p> <p>PROBLEM DESCRIPTION: In CA Chorus, the BPX permissions given to CHORADM in the following jobs are not all required: ETJI095A, ETJI095R, ETJI095T. CHORADM requires READ access to BPX.SUPERUSER and BPX.DAEMON only when there is a change in the DSI job name.</p> <p>SYMPTOMS: The installation and post-installation configuration of CA Chorus will work without the BPX permissions such as BPX.FILEATTR.APF, BPX.FILEATTR.PROGCTL and BPX.FILEATTR.SHARELIB.</p> <p>IMPACT: CHORADM is given permissions that are not required.</p> <p>CIRCUMVENTION: Revoke the additional permissions that have been given to CHORADM.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s): CHRPLT 706 Copyright (C) 2014 CA. All rights reserved. R00258-ETJ030-SP1</p> <p>DESC(UNNECESSARY BPX PERMISSIONS FOR CHORADM IN ETJI095 JOBS) . ++VER (Z038) FMID (CETJ300) PRE (R055955 R056760 R056943 R057979 R061425 R063060) SUP (R067000 TR62833 TR66465 TR67000 TR67838) ++HOLD (R067838) SYSTEM FMID(CETJ300) REASON (ACTION) DATE (14064) COMMENT (</p> <pre> +-----+ CA Chorus Release 3.0 +-----+ SEQUENCE Both before Apply and after Apply +-----+ PURPOSE Preservation of configured files. +-----+ USERS If you have modified ETJI095T or ETJI095R or ETJI095A AFFECTED member in the CETJJCL library. +-----+ KNOWLEDGE z/OS or ISPF copy commands. REQUIRED +-----+ ACCESS Read access to the CETJJCL library. REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** Before Applying Update: If you have made changes to ETJI095T or ETJI095R or ETJI095A member in the CETJJCL library copy the modified member to another location. After Applying Update: Review the modifications you have made to the earlier version of the member and modify the updated member as needed.). </pre>

CA Chorus 3.0
CA RS 1404 - PTF RO67899 Details

Release	Service	Details
3.0	RO67899	<p>RO67899 M.C.S. ENTRIES = ++PTF (RO67899)</p> <p>CA CHORUS SCS METADATA CHANGES</p> <p>PROBLEM DESCRIPTION:</p> <p>1) During the reconfiguration using CA Chorus CSM, you cannot define variables for the new options that you selected, such as enabling HTTPS, enabling SSL for CA DSI communications, or enabling ARM facility.</p> <p>2) Easytrieve reporting is optional in auto-configuration and SCS configuration of CA Chorus but should be mandatory.</p> <p>SYMPTOMS:</p> <p>1) While performing reconfiguration using CA Chorus CSM, if you select any of the options, such as enabling HTTPS, enabling SSL for CA DSI communications, or enabling ARM facility, an error appears in the user interface during the step "Create Target Settings".</p> <p>2) The option related to easytrieve reporting is commented in CONFIG.DATA SET EZTMASTERPDS='#IJO="\$IJO -Dmaster.pds="@RT_HLQ@.CETJEZTR"'.</p> <p>Impact:</p> <p>You cannot define variables for the new options that you selected during reconfiguration.</p> <p>Circumvention:</p> <p>None</p> <p>Star Problem(s):</p> <p>CHRPLT 707</p> <p>Copyright (C) 2014 CA. All rights reserved. R00260-ETJ030-SP1</p> <p>DESC(CA CHORUS SCS METADATA CHANGES) .</p> <p>++VER (Z038)</p> <p>FMID (CETJ300)</p> <p>PRE (RO56228 RO56776 RO56915 RO58809 RO59056 RO59243 RO59807 RO59811 RO60500 RO60989 RO61413 RO62086 RO62379 RO63472 RO63693 RO65280 RO67606)</p> <p>SUP (RO65710 TR55751 TR55830 TR56490 TR56768 TR58147 TR58879 TR58931 TR59023 TR59170 TR60222 TR60363 TR60987 TR61213 TR61981 TR62280 TR63311 TR65134 TR65710 TR67899)</p> <p>++HOLD (RO67899) SYSTEM FMID(CETJ300)</p> <p>REASON (ACTION) DATE (14062)</p> <p>COMMENT (</p> <pre> +-----+ CA Chorus Release 3.0 +-----+ SEQUENCE Both before Apply and after Apply +-----+ PURPOSE Preservation of configured files +-----+ USERS If you have modified ENVETJ member in CETJOPTN library or AFFECTED have used ETJICUST job in CETJCL library for Auto-Config +-----+ KNOWLEDGE z/OS or ISPF copy commands REQUIRED +-----+ ACCESS Read access to CETJCL or CETJOPTN library REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** Before Applying Update: If you have made modifications in ENVETJ member in CETJOPTN, copy the modified member to another location. or If you have used Auto-Config(ETJICUST job in CETJCL) to create output configuration datasets, copy the sequential dataset </pre>

CA Chorus 3.0
CA RS 1404 - PTF RO67899 Details

Release	Service	Details
		<p>(Configuration_ds as indicated in the job) to another location. After Applying Update: Review the modifications you have made to the earlier version of ENVETJ member and modify the updated member as needed. or If you have used Auto-Config, rerun the ETJICUST job. This creates the new configuration dataset. Review with the backed-up dataset from the previous run and modify the newly created Configuration_ds dataset and rerun ETJICUST job to bring the changes into effect. This re-creates the output configuration libraries.).</p>

CA Chorus 3.0
CA RS 1404 - PTF RO67912 Details

Release	Service	Details
3.0	RO67912	<p>RO67912 M.C.S. ENTRIES = ++PTF (RO67912)</p> <p>D-28208 - JBOSS CRASH ON BAD WEB SERVICE REQUEST PROBLEM DESCRIPTION: JBOSS may crash with dump event "gpf" error if an invalid coptdsjava/CoptDsService request is received via a SOAP debugging tool. This would not happen during normal operation of Chorus. SYMPTOMS: The following message would appear on the JESMSG LG output of the JBOSS server: JVMDUMP039I Processing dump event "gpf", detail "" followed by other messages related to writing dump data, and finally the address space will terminate. IMPACT: The address space would abend and JBOSS would need to be restarted. CIRCUMVENTION: Don't use debugging tools to send SOAP requests to a running JBOSS server for coptdsjava/CoptDsService PRODUCT(S) AFFECTED: CA Chorus Release 3.0 Star Problem(s): CHRPLT 709 Copyright (C) 2014 CA. All rights reserved. R00261-ETJ030-SP1</p> <p>DESC(D-28208 - JBOSS CRASH ON BAD WEB SERVICE REQUEST) . ++VER (Z038) FMID (CETJ300) SUP (RO62045 TR62045 TR67912)</p>

CA Chorus 3.0
CA RS 1404 - PTF RO68049 Details

Release	Service	Details
3.0	RO68049	<p>RO68049 M.C.S. ENTRIES = ++PTF (RO68049)</p> <p>ERROR MODIFYING DAY RESTRICTION IN INVESTIGATOR PROBLEM DESCRIPTION: In the Chorus Security Investigator, if you select an ACF2 user and then select the ACF2 Information tab and try to modify the Day Restriction field, you will get an error. Initial command causes an error when trying to modify this field to. This field (Day Restriction), the Time Restriction and the Intial command fields are being changed so they are not modifiable. SYMPTOMS: Select the ACF2 Information tab and in Edit mode it will let you edit these fields, but will return an error if you try to save the edited values. The error will show: ETJDS091E An error occurred in a database: BaseTransaction.rollback. IMPACT: Very little since this is being changed to not be modifiable. CIRCUMVENTION: N/A PRODUCT(S) AFFECTED: CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0 SCR 3.0 Star Problem(s): CHRSEC 112 Copyright (C) 2014 CA. All rights reserved. R00059-SCR030-SP1</p> <p>DESC(ERROR MODIFYING DAY RESTRICTION IN INVESTIGATOR) . ++VER (Z038) FMID (CE1M300) PRE (RO58005 RO58041 RO58094 RO58455 RO59207 RO60057 RO62106 RO64501 RO66381 RO67460) SUP (TR68049) ++HOLD (RO68049) SYSTEM FMID(CE1M300) REASON (DYNACT) DATE (14066) COMMENT (</p> <pre> +-----+ +-----+ PRODUCT CA CHORUS FOR SECURITY AND COMPLIANCE MANAGEMENT +-----+-----+ SEQUENCE The fix must be applied before restarting Chorus Security Discipline Jboss Server. +-----+-----+ PURPOSE Implement PTF into JBOSS server. +-----+-----+ USERS All Users. AFFECTED +-----+-----+ KNOWLEDGE SMP/E. REQUIRED Product Installation. USS Commands. +-----+-----+ ACCESS Access will be required to the CE1MJCL dataset. REQUIRED Access will be required to <CHORUS_HOME>/roles/security. Access will be required to <CHORUS_HOME>/config. +-----+-----+ +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Apply APAR. 2. Redeploy Chorus Security Discipline if needed with either CA CSM or using jobs in CE1MJCL. 3. Reconfigure Chorus for Security and Compliance Management </pre>

CA Chorus 3.0
CA RS 1404 - PTF RO68049 Details

Release	Service	Details
		manually or using AUTO-CONFIG.). BINARY LINK('../cia-property.txt') PARM(PATHMODE(0,7,7,5)) .

CA Chorus 3.0
CA RS 1404 - PTF RO68178 Details

Release	Service	Details
3.0	RO68178	<p>RO68178 M.C.S. ENTRIES = ++PTF (RO68178)</p> <p>UNABLE TO SELECT POLICIES IN OBJECT PICKER</p> <p>PROBLEM DESCRIPTION: In CA Chorus you cannot select policies in the Object Picker if you apply a "Group By" on the Policy Objects in the grid.</p> <p>SYMPTOMS: If you apply a "Group By" on the Policy Objects in Object Picker's grid, the selection check box beside the grouped objects will not be shown.</p> <p>IMPACT: You cannot add policies to Policy status light.</p> <p>CIRCUMVENTION: Do not apply a Group By on the objects to be selected in Object Picker.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 710</p> <p>FORMAT DBCM NONDB2 ERR MSG</p> <p>PROBLEM DESCRIPTION: In CA Chorus for DB2 Database Management, DBA Command Manager for DB2, when a system error occurs, the message is not easily readable as it is not properly formatted.</p> <p>SYMPTOMS: When a system error occurs in DBA Command Manager for DB2, the error message displayed in a new window is not properly formatted.</p> <p>IMPACT: The error message is not easily readable as it is not properly formatted.</p> <p>CIRCUMVENTION: None</p> <p>PRODUCT(S) AFFECTED: CA Chorus for DB2 Database Management Release 3.0</p> <p>Star Problem(s): CHRPLT 712</p> <p>Copyright (C) 2014 CA. All rights reserved. R00264-ETJ030-SP1</p> <p>DESC(UNABLE TO SELECT POLICIES IN OBJECT PICKER) . ++VER (Z038) FMID (CETJ300) PRE (R055792 R056007 R056096 R056215 R056254 R056305 R056355 R056586 R056645 R056758 R056817 R056895 R056941 R056949 R057040 R057107 R057168 R057247 R057354 R058019 R058088 R058199 R058244 R058384 R058548 R058626 R058753 R058854 R058968 R059150 R059208 R059285 R059296 R059741 R065952) SUP (R060284 R060327 R060778 R061000 R061504 R061985 R062510 R063070 R063072 R063220 R063470 R063471 R063835 R063836 R064244 R064245 R064570 R064571 R065382 R065533 R066255 R067324 R067788 TR60284 TR60327 TR60379 TR60502 TR60542 TR60596 TR60639 TR60708 TR60741 TR60778 TR60913 TR61000 TR61217 TR61269 TR61504 TR61748 TR61985 TR62510 TR63070 TR63071 TR63072 TR63220 TR63470 TR63471 TR63835 TR63836 TR64244 TR64245 TR64569 TR64570 TR64571 TR64925 TR65382 TR65533 TR66255 TR66587 TR66958 TR67324 TR67788 TR68178)</p> <p>BINARY LINK('./metadata-property.txt') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('./common-utils-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('./chorus-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('./h2-datawindow-ds.xml') PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1404 - PTF RO68178 Details

Release	Service	Details
		BINARY LINK(' ../Help.war') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../common-teiid-udf-bridge-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../datapipes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../query-fns-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../knowledge-center-classes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../teiid-translator-tsf-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../chorus-actions-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../teiid-translator-customfunctions-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../common-db-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../chorus-actions-ds.xml') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../common-module.xml.sample') PARM(PATHMODE(0,7,7,5)) SYMLINK(' ../module.xml') SYMPATH(' ../../../../../../../../../../config/common-module.xml') . BINARY LINK(' ../chorus-schema-migrate-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../ui-classes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../Chorus.war') PARM(PATHMODE(0,7,7,5)) .

CA Chorus 3.0
CA RS 1404 - PTF RO68264 Details

Release	Service	Details
3.0	RO68264	<p>RO68264 M.C.S. ENTRIES = ++PTF (RO68264)</p> <p>CHORUS DBA TRANSLATOR GMT TIMESTAMP UPDATE</p> <p>PROBLEM DESCRIPTION: CA Chorus for DB2 Database Management Teiid translator produces an error when attempting to acquire the GMT offset value from the Xnet for z/OS server.</p> <p>SYMPTOMS: The Application Performance and Subsystem Performance requests will produce the following error message. E3KTD007E: The GMT offset value could not be retrieved from the Xnet for z/OS server.</p> <p>IMPACT: The Application Performance and Subsystem Performance requests cannot be used to access the desired data.</p> <p>CIRCUMVENTION: Apply the following Xnet for z/OS maintenance: - For Version 15.0, install Xnet PTF RO67071. - For Version 16.0, install Xnet PTF RO66696. - For Version 17.0, install Xnet PTF RO63074.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 711</p> <p>CHORUS DBA INSIGHT MISSING TREE NODES</p> <p>PROBLEM DESCRIPTION: The following nodes, which provide data from CA Insight DPM for DB2 for z/OS, do not display in the CA Chorus for DB2 Database Management Investigator tree under DB2 data sharing group members:</p> <p>Application Performance: Active Threads Active Threads by Connection Current Lock Contentions Locks Currently Held Plan Suspension Summary Subsystem Performance: Current Alerts Overview Snapshot System Parameters System Statistics DB2 Address Space Messages Deadlocks/Timeouts Detail Dynamic SQL Cache Remote Locations Buffer Pool List Buffer Pool Attributes Group Buffer Pool List Group Buffer Pool Attributes Storage Utilization Datasets Allocated Log Allocations Logging Status IFI Destination Statistics IFCID Activity History System Statistics History Remote Locations History Buffer Pool History Group Buffer Pool History IFI Destination History IFCID Activity History</p> <p>This problem occurs only if you are running Version 16.0 of CA Insight DPM.</p> <p>SYMPTOMS: CA Insight DPM for DB2 for z/OS tree nodes under</p>

CA Chorus 3.0
CA RS 1404 - PTF RO68264 Details

Release	Service	Details
		<p>Application Performance and Subsystem Performance are not displayed. IMPACT: CA Insight DPM for DB2 for z/OS Investigator requests under Application Performance and Subsystem Performance are not accessible. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Chorus Release 3.0 Star Problem(s): CHRPLT 713 Copyright (C) 2014 CA. All rights reserved. R00265-ETJ030-SP1</p> <p>DESC(CHORUS DBA TRANSLATOR GMT TIMESTAMP UPDATE) . ++VER (Z038) FMID (CETJ300) PRE (R055792 R056007 R056096 R056215 R056254 R056305 R056355 R056586 R056645 R056758 R056817 R056895 R056941 R056949 R057040 R057107 R057168 R057247 R057354 R058019 R058088 R058199 R058244 R058384 R058548 R058626 R058753 R058854 R058968 R059150 R059208 R059285 R059296 R059741) SUP (R060777 R061406 R067145 TR60777 TR61406 TR67145 TR68072 TR68264) ++HOLD (R068264) SYSTEM FMID(CETJ300) REASON (ACTION) DATE (14071) COMMENT (</p> <pre> +-----+ CA Chorus Release 3.0 +-----+ SEQUENCE Before Apply +-----+ PURPOSE Install required CA Xnet for z/OS update +-----+ USERS Users of CA Chorus for DB2 Database Management 3.0 AFFECTED +-----+ KNOWLEDGE Install/Apply SMP/E maintenance REQUIRED +-----+ ACCESS Install/APPLY CA Database Management Solutions for DB2 REQUIRED for z/OS maintenance +-----+ ***** * STEPS TO PERFORM * ***** Perform one of the following steps based on the version of the CA Database Management Solutions for DB2 for z/OS that you have running at your site: . For Version 15.0, install Xnet PTF R067071. . For Version 16.0, install Xnet PTF R066696. . For Version 17.0, install Xnet PTF R063074.). BINARY LINK('..\\teiid-translator-db2tools-catalog-3.0.1-S NAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..\\coptds-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..\\teiid-translator-dba-performance-loopback -3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY </pre>

CA Chorus 3.0
CA RS 1404 - PTF RO68264 Details

Release	Service	Details
		LINK(' ../teiid-translator-coptds-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../dba-guice-module-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../teiid-connector-coptds-3.0.1-SNAPSHOT.rar') PARM(PATHMODE(0,7,7,5)) .

CA Chorus 3.0
CA RS 1404 - PTF RO68326 Details

Release	Service	Details
3.0	RO68326	<p>RO68326 M.C.S. ENTRIES = ++PTF (RO68326)</p> <p>CA CHORUS BOOKSHELF UPDATE</p> <p>PROBLEM DESCRIPTION: CA Technologies has updated and expanded the technical documentation</p> <p>SYMPTOMS: The guides in the old bookshelf are dated November 2013.</p> <p>IMPACT: By using the November 2013 bookshelf, you are not using the latest</p> <p>CIRCUMVENTION: You can access the updated documentation by going to CA Support http://support.ca.com, product CA Chorus and select the R3.0 Bookshelf.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 692</p> <p>Copyright (C) 2014 CA. All rights reserved. R00266-ETJ030-SP1</p> <p>DESC(CA CHORUS BOOKSHELF UPDATE) . ++VER (Z038) FMID (CETJ300) SUP (RO56952 RO58304 RO58523 RO58887 RO59125 RO59254 RO59941 RO61215 RO65521 TR55991 TR56082 TR56132 TR56399 TR56688 TR56952 TR57671 TR57978 TR58304 TR58523 TR58813 TR58887 TR59125 TR59254 TR59941 TR60999 TR61215 TR62153 TR62344 TR62512 TR62869 TR63305 TR63576 TR63622 TR63837 TR63985 TR64283 TR64574 TR64772 TR64864 TR65482 TR65521 TR65792 TR66254 TR66423 TR66883 TR67216 TR67252 TR67474 TR67681 TR67867 TR68073 TR68326)</p> <p>BINARY LINK('.. /ChorusBookshelf.war') PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1404 - PTF RO68470 Details

Release	Service	Details
3.0	RO68470	<p>RO68470 M.C.S. ENTRIES = ++PTF (RO68470)</p> <p>DB2 PERFORMANCE METRIC FILTERING CORRECTIONS</p> <p>PROBLEM DESCRIPTION:</p> <p>CA Chorus for DB2 Database Management performance metrics are not always displayed correctly.</p> <ul style="list-style-type: none"> - Several elapsed time metrics do not support the proper filtering operations within the CA Chorus Investigator. - Timestamp metrics are not processed or displayed with the proper GMT offset values. <p>SYMPTOMS:</p> <ul style="list-style-type: none"> - Elapsed time metrics can only be filtered using string comparison operators instead of numeric operators. - Timestamps are not displayed with the local browser GMT offset displayed. <p>IMPACT:</p> <ul style="list-style-type: none"> - CA Insight Elapsed time metrics cannot be used to properly sort and filter using the CA Chorus Investigator or policy picker. - The display of timestamps is confusing because the GMT offset value is not displayed in the data. <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Chorus for DB2 Database Management Release 3.0</p> <p>Star Problem(s):</p> <p>CHRDMD 37</p> <p>Copyright (C) 2014 CA. All rights reserved. R00020-DM030-SP1</p> <p>DESC(DB2 PERFORMANCE METRIC FILTERING CORRECTIONS) .</p> <p>++VER (Z038)</p> <p>FMID (CE3K300)</p> <p>PRE (R056052 R056589 R057924 R058554 R059624 R061248 R063719 R065125)</p> <p>SUP (R061444 R065685 TR61444 TR65685 TR68470)</p> <p>++IF FMID(CETJ300) REQ(R067899) .</p> <p>BINARY</p> <p>LINK('../DBMzDB2-locale.txt')</p> <p>PARM(PATHMODE(0,7,7,5)) .</p> <p>BINARY</p> <p>LINK('../DBMzDB2-property.txt')</p> <p>PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1404 - PTF RO68483 Details

Release	Service	Details
3.0	RO68483	<p>RO68483 M.C.S. ENTRIES = ++PTF (RO68483)</p> <p>ETJIO100 JOB WITH INCORRECT GROUP RETURNS RC=0</p> <p>PROBLEM DESCRIPTION: During CA Chorus configuration, if you use an invalid group name for CHORUS_GROUP in the ETJIO100 job, the job completes with RC=0 instead of an RC that indicates an error.</p> <p>SYMPTOMS: The group assignment of CA Chorus USS files and directories is not changed.</p> <p>IMPACT: The group assignment of CA Chorus USS files and directories is not changed.</p> <p>CIRCUMVENTION: Correct the group name in ETJIO100 and resubmit the job.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 714</p> <p>Copyright (C) 2014 CA. All rights reserved. R00269-ETJ030-SP1</p> <p>DESC(ETJIO100 JOB WITH INCORRECT GROUP RETURNS RC=0) . ++VER (Z038) FMID (CETJ300) SUP (RO61487 TR61487 TR68328 TR68483) TEXT PARM(PATHMODE(0,7,7,5)) SYMLINK('../utilities/chorus_chown.sh') SYMPATH('../bin/CHOWNTSH') .</p>

CA Chorus 3.0
CA RS 1404 - PTF RO68542 Details

Release	Service	Details
3.0	RO68542	<p>RO68542 M.C.S. ENTRIES = ++PTF (RO68542)</p> <p>DBCM TABS GREYED OUT & MINOR FIXES IN OBJECT MIGRATOR</p> <p>PROBLEM DESCRIPTION:</p> <p>When using the DBA Command Manager in CA Chorus for DB2 Database Management, the Result or Message tab is greyed out when some queries are submitted. The following Object Migrator Wizard related issues are also resolved:</p> <ol style="list-style-type: none"> 1) Migration Progress Information does not display properly. 2) Clicking Edit in the Results tab of the Migration Control Statements area displays a warning message containing extra blank lines. 3) Clicking Cancel in the following steps displays two confirmation messages instead of one: <ul style="list-style-type: none"> - View Analysis Status - Migration Control Statements 4) Clicking on the Migration Status link displays an error message. <p>SYMPTOMS:</p> <p>The Result or Message tab is greyed out in the DBA Command Manager for DB2.</p> <p>IMPACT:</p> <p>Contents of the Result or Message tab in the DBA Command Manager for DB2 may become unreadable for some queries.</p> <p>CIRCUMVENTION:</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Chorus for DB2 Database Management Release 3.0</p> <p>Star Problem(s):</p> <p>CHRPLT 715</p> <p>Copyright (C) 2014 CA. All rights reserved. R00270-ETJ030-SP1</p> <p>DESC(DBCM TABS GREYED OUT & MINOR FIXES IN OBJECT MIGRATOR) . ++VER (Z038) FMID (CETJ300) PRE (R055792 R056007 R056096 R056215 R056254 R056305 R056355 R056586 R056645 R056758 R056817 R056895 R056941 R056949 R057040 R057107 R057168 R057247 R057354 R058019 R058088 R058199 R058244 R058384 R058548 R058626 R058753 R058854 R058968 R059150 R059208 R059285 R059296 R059741 R065952) SUP (R060284 R060327 R060778 R061000 R061504 R061985 R062510 R063070 R063072 R063220 R063470 R063471 R063835 R063836 R064244 R064245 R064570 R064571 R065382 R065533 R066255 R067324 R067788 R068178 TR60284 TR60327 TR60379 TR60502 TR60542 TR60596 TR60639 TR60708 TR60741 TR60778 TR60913 TR61000 TR61217 TR61269 TR61504 TR61748 TR61985 TR62510 TR63070 TR63071 TR63072 TR63220 TR63470 TR63471 TR63835 TR63836 TR64244 TR64245 TR64569 TR64570 TR64571 TR64925 TR65382 TR65533 TR66255 TR66587 TR66958 TR67324 TR67788 TR68178 TR68542) BINARY LINK('./metadata-property.txt') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('./common-utils-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('./chorus-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('./h2-datawindow-ds.xml') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('./Help.war') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('./common-teiid-udf-bridge-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1404 - PTF RO68542 Details

Release	Service	Details
		BINARY LINK(' ../datapipes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../query-fns-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../knowledge-center-classes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../teiid-translator-tsf-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../chorus-actions-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../teiid-translator-customfunctions-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../common-db-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../chorus-actions-ds.xml') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../common-module.xml.sample') PARM(PATHMODE(0,7,7,5)) SYMLINK(' ../module.xml') SYMPATH(' ../../../../../../../config/common-module.xml') . BINARY LINK(' ../chorus-schema-migrate-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../ui-classes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../Chorus.war') PARM(PATHMODE(0,7,7,5)) .