

CA Easytrieve Report Generator 11.6
CA RS 1404 Service List

Release	Service	Description	Hiper
11.6	RO64716	EZT R11 AND IDMS 10.2	
	RO65725	EZTC0125E ERROR USING THRU KEYWORD ON RETRIEVE STATEMENT	
	RO65889	EZTC0102E ERROR DEFINING AN EXTENDED REPORTING PRINTER	
	RO66608	LABELS WRITTEN TO NON-SYSPRINT FILE COME OUT 1-UP	
	RO66665	LOOP DURING ABNORMAL TERMINATION WITH ENVIRONMENT COBOL	
	RO67007	EDIT MASK FOR PAGE-NUMBER DOES NOT USE SEPOTTH OPTION	
	RO68271	USE COBOL RETURN-CODE AS EASYTRIEVE RETURN CODE	
The CA RS 1404 service count for this release is 7			

CA Easytrieve Report Generator 11.5
CA RS 1404 Service List

Release	Service	Description	Hiper
11.5	RO68379	EZT 11.5 PGM REPORT SHOWING NEGATIVE ZERO (0.00-)	
The CA RS 1404 service count for this release is 1			

CA Easytrieve Report Generator
CA RS 1404 Service List for CA03B60

FMID	Service	Description	Hiper
CA03B60	R065725	EZTC0125E ERROR USING THRU KEYWORD ON RETRIEVE STATEMENT	
	R065889	EZTC0102E ERROR DEFINING AN EXTENDED REPORTING PRINTER	
	R067007	EDIT MASK FOR PAGE-NUMBER DOES NOT USE SEPOTTH OPTION	
The CA RS 1404 service count for this FMID is 3			

CA Easytrieve Report Generator
CA RS 1404 Service List for CBAAB60

FMID	Service	Description	Hiper
CBAAB60	RO64716	EZT R11 AND IDMS 10.2	
	RO66608	LABELS WRITTEN TO NON-SYSPRINT FILE COME OUT 1-UP	
	RO68271	USE COBOL RETURN-CODE AS EASYTRIEVE RETURN CODE	
The CA RS 1404 service count for this FMID is 3			

CA Easytrieve Report Generator
CA RS 1404 Service List for CCL2B60

FMID	Service	Description	Hiper
CCL2B60	RO66665	LOOP DURING ABNORMAL TERMINATION WITH ENVIRONMENT COBOL	
The CA RS 1404 service count for this FMID is 1			

CA Easytrieve Report Generator
CA RS 1404 Service List for CI6B500

FMID	Service	Description	Hiper
CI6B500	RO68379	EZT 11.5 PGM REPORT SHOWING NEGATIVE ZERO (0.00-)	
The CA RS 1404 service count for this FMID is 1			

CA Easytrieve Report Generator 11.6
 CA RS 1404 - PTF RO64716 Details

Release	Service	Details
11.6	RO64716	RO64716 M.C.S. ENTRIES = ++PTF (RO64716) EZT R11 AND IDMS 10.2 PROBLEM DESCRIPTION: Unable to statically link the IDMS 10.2 stub into an Easytrieve Runtime module as with release 6.4. SYMPTOMS: IDMS stub is dynamically loaded at execution-time. IMPACT: IDMS stub usage is determined by load-library search order. CIRCUMVENTION: Order the load libraries to get the desired IDMS stub routine. PRODUCT(S) AFFECTED: CA Easytrieve Runtime Release 11.6 Star Problem(s): EZTRVE 483 Copyright (C) 2013 CA. All rights reserved. R00066-EZT116-SP1 DESC(EZT R11 AND IDMS 10.2) . ++VER (Z038) FMID (CBAAB60) SUP (RO43432 RO63910 TR43432 TR63910 TR64716)

CA Easytrieve Report Generator 11.6
 CA RS 1404 - PTF RO65725 Details

Release	Service	Details
11.6	RO65725	<p>RO65725 M.C.S. ENTRIES = ++PTF (RO65725)</p> <p>EZTC0125E ERROR USING THRU KEYWORD ON RETRIEVE STATEMENT PROBLEM DESCRIPTION: EZTC0125E error using THRU keyword on RETRIEVE statement. SYMPTOMS: When coding a THRU test in the SELECT clause of a RETRIEVE statement, the Easytrieve compiler flags the keyword THRU with a EZTC0125E "invalid field name" error. IMPACT: Program execution fails in the compile step. CIRCUMVENTION: The program must be recoded to remove the offending THRU keyword. PRODUCT(S) AFFECTED: CA Easytrieve Compiler Release 11.6 Star Problem(s): EZTRVE 487 Copyright (C) 2014 CA. All rights reserved. R00074-EZT116-SP1</p> <p>DESC(EZTC0125E ERROR USING THRU KEYWORD ON RETRIEVE STATEMENT) . ++VER (Z038) FMID (CA03B60) SUP (TR65725)</p>

CA Easytrieve Report Generator 11.6
 CA RS 1404 - PTF RO65889 Details

Release	Service	Details
11.6	RO65889	<p>RO65889 M.C.S. ENTRIES = ++PTF (RO65889)</p> <p>EZTC0102E ERROR DEFINING AN EXTENDED REPORTING PRINTER PROBLEM DESCRIPTION: EZTC0102E error defining an extended reporting printer. SYMPTOMS: The message EZTC0102E is received when defining an extended reporting printer. The message is received despite the fact that the printer definition is known to exist in the printer set definition module. The message is received for any printer definition that specifies the DEVICE(DISK,DISK) option in DATASET option of the printer definition. IMPACT: Program execution fails in the compile step. CIRCUMVENTION: The printer definition can be recoded to remove the DEVICE option from the DATASET option since this is not needed on MVS. PRODUCT(S) AFFECTED: CA Easytrieve Compiler Release 11.6 Star Problem(s): EZTRVE 489 Copyright (C) 2014 CA. All rights reserved. R00076-EZT116-SP1</p> <p>DESC(EZTC0102E ERROR DEFINING AN EXTENDED REPORTING PRINTER) . ++VER (Z038) FMID (CA03B60) SUP (TR65889)</p>

CA Easytrieve Report Generator 11.6
 CA RS 1404 - PTF RO66608 Details

Release	Service	Details
11.6	RO66608	<p>RO66608 M.C.S. ENTRIES = ++PTF (RO66608)</p> <p>LABELS WRITTEN TO NON-SYSPRINT FILE COME OUT 1-UP</p> <p>PROBLEM DESCRIPTION: Labels written to non-SYSPRINT printer file come out 1-up when there is a DISPLAY to that same file in the Easytrieve program.</p> <p>SYMPTOMS: Labels are printed 1-across even when REPORT LABELS(ACROSS 2) is specified.</p> <p>IMPACT: Contents of labels is correct, only the print format is incorrect.</p> <p>CIRCUMVENTION: Change the DISPLAY statement to reference a different printer.</p> <p>PRODUCT(S) AFFECTED: CA Easytrieve Runtime Release 11.6</p> <p>Star Problem(s): EZTRVE 492</p> <p>Copyright (C) 2014 CA. All rights reserved. R00080-EZT116-SP1</p> <p>DESC(LABELS WRITTEN TO NON-SYSPRINT FILE COME OUT 1-UP) . ++VER (Z038) FMID (CBAAB60) PRE (RO34537) SUP (TR66608)</p>

CA Easytrieve Report Generator 11.6
 CA RS 1404 - PTF RO66665 Details

Release	Service	Details
11.6	RO66665	<p>RO66665 M.C.S. ENTRIES = ++PTF (RO66665)</p> <p>LOOP DURING ABNORMAL TERMINATION WITH ENVIRONMENT COBOL</p> <p>PROBLEM DESCRIPTION:</p> <p>Loop during abnormal termination with environment COBOL.</p> <p>SYMPTOMS:</p> <p>A loop occurs during termination of an Easytrieve program if environment COBOL is active and the termination is due to a system ABEND. This problem only occurs when running with NEWFUNC(N) and only when the Easytrieve program specifies ABEXIT(NOSNAP).</p> <p>IMPACT:</p> <p>Program loops and must be cancelled to stop execution.</p> <p>CIRCUMVENTION:</p> <p>Change ABEXIT to NO or SNAP.</p> <p>PRODUCT(S) AFFECTED: CA Easytrieve Runtime Release 11.6</p> <p>Star Problem(s):</p> <p>EZTRVE 493</p> <p>Copyright (C) 2014 CA. All rights reserved. R00081-EZT116-SP1</p> <p>DESC(LOOP DURING ABNORMAL TERMINATION WITH ENVIRONMENT COBOL) .</p> <p>++VER (Z038)</p> <p>FMID (CCL2B60)</p> <p>SUP (RO48447 TR48447 TR66665)</p>

CA Easytrieve Report Generator 11.6
 CA RS 1404 - PTF RO67007 Details

Release	Service	Details
11.6	RO67007	<p>RO67007 M.C.S. ENTRIES = ++PTF (RO67007)</p> <p>EDIT MASK FOR PAGE-NUMBER DOES NOT USE SEPOTTH OPTION</p> <p>PROBLEM DESCRIPTION: Edit mask for PAGE-NUMBER does not use the value of the SEPOTTH option for the thousands separator.</p> <p>SYMPTOMS: The edit mask generated for the PAGE-NUMBER field always uses a comma for the thousands separator regardless of the setting of the SEPOTTH option.</p> <p>IMPACT: Page numbers over 999 are not formatted correctly.</p> <p>CIRCUMVENTION: None</p> <p>PRODUCT(S) AFFECTED: CA Easytrieve Compiler Release 11.6</p> <p>Star Problem(s): EZTRVE 495</p> <p>Copyright (C) 2014 CA. All rights reserved. R00082-EZT116-SP1</p> <p>DESC(EDIT MASK FOR PAGE-NUMBER DOES NOT USE SEPOTTH OPTION) . ++VER (Z038) FMID (CA03B60) PRE (RO40503) SUP (TR67007)</p>

CA Easytrieve Report Generator 11.6
 CA RS 1404 - PTF RO68271 Details

Release	Service	Details
11.6	RO68271	<p>RO68271 M.C.S. ENTRIES = ++PTF (RO68271)</p> <p>USE COBOL RETURN-CODE AS EASYTRIEVE RETURN CODE</p> <p>PROBLEM DESCRIPTION:</p> <p>If a COBOL program detects a processing error and needs to terminate the job step with a non-zero return code it would normally set the desired return code in the RETURN-CODE special register and then execute a STOP RUN. If that COBOL program was called from an Easytrieve program the return code is not passed on to the OS.</p> <p>SYMPTOMS:</p> <p>Setting the RETURN-CODE special register and executing a STOP RUN statement in a called COBOL program results in a return code of 0 from the job step.</p> <p>IMPACT:</p> <p>Cannot set return code for job step from a called COBOL routine.</p> <p>CIRCUMVENTION:</p> <p>None</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Easytrieve Runtime Release 11.6</p> <p>Star Problem(s):</p> <p>EZTRVE 498</p> <p>Copyright (C) 2014 CA. All rights reserved. R00084-EZT116-SP1</p> <p>DESC(USE COBOL RETURN-CODE AS EASYTRIEVE RETURN CODE) .</p> <p>++VER (Z038)</p> <p>FMID (CBAAB60)</p> <p>SUP (TR68271)</p>

CA Easytrieve Report Generator 11.5
 CA RS 1404 - PTF RO68379 Details

Release	Service	Details
11.5	RO68379	<pre> RO68379 M.C.S. ENTRIES = ++PTF (RO68379) DESC (EZT 11.5 PGM REPORT SHOWING NEGATIVE ZERO (0.00-)) /*----- PRODUCT: CA Easytrieve Compiler RELEASE: 11.5 DATE: 13 MAR 2014 HYPER: NO STARTRAK PROBLEM PRODUCT NAME: EZTRVE PROBLEM NUMBER: 477 ----- EZT 11.5 PGM REPORT SHOWING NEGATIVE ZERO (0.00-) ----- In report output, the sign symbol is showing in zero values (0.00- instead of 0.00). With release 6.4 and 11.6, the zero shows correctly without a sign. SYMPTOMS: A numeric field whose value is zero is displayed in a detail line with a negative sign. IMPACT: Job runs normally and output values are valid. Only the sign on the zeroes is incorrect. CIRCUMVENTION: Run with NEWFUNC=N or upgrade to release 11.6. PRODUCTS AFFECTED: CA Easytrieve Release: r11 ----- PROBLEM RESOLUTION: Apply the following PTF to the system. Reload any resident modules, or re-IPL if necessary ***NOTE*** Retain the printed output for reference. -----*/. ++VER (Z038) FMID(CI6B500) PRE (R033876) SUP (T193279).</pre>