

CA OPS/MVS WebCenter 12.1  
CA RS 1404 Service List

Release	Service	Description	Hiper
12.1	RO65481	MULTISYSTEM GROUP ALLOWS TCPIP=YES WHEN SOCKETS HAS NO PORT	
The CA RS 1404 service count for this release is 1			

CA OPS/MVS WebCenter  
CA RS 1404 Service List for CC2D781

FMID	Service	Description	Hiper
CC2D781	RO65481	MULTISYSTEM GROUP ALLOWS TCPIP=YES WHEN SOCKETS HAS NO PORT	
The CA RS 1404 service count for this FMID is 1			

CA OPS/MVS WebCenter 12.1  
CA RS 1404 - PTF RO65481 Details

Release	Service	Details
12.1	RO65481	<p>RO65481 M.C.S. ENTRIES = ++PTF (RO65481)</p> <p>MULTISYSTEM GROUP ALLOWS TCPIP=YES WHEN SOCKETS HAS NO PORT PROBLEM DESCRIPTION: The MULTISYSTEM parameter group allows TCPIP to be selected as an access method, even though the SOCKETS parameter group has set IP PORT to NONE. This causes error messages during region startup. SYMPTOMS: The following error messages appear in the Activity Log: DOMAIN REPLACE XXXXXXXX VTAM=YES EPS=YES TCPIP=YES IPPORT=NONE IPADDR=ddd.ddd.dd.dd N29505 INVALID NUMBER. N29549 PARAMETER IN ERROR: IPPORT=NONE IMPACT: Error messages in log create concern. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA OPS/MVS Event Management and Automation Rel 12.1 Star Problem(s): OPSMVS 970 Copyright (C) 2014 CA. All rights reserved. R00012-NMS078-SP1</p> <p>DESC(MULTISYSTEM GROUP ALLOWS TCPIP=YES WHEN SOCKETS HAS NO PORT) . ++VER (Z038) FMID (CC2D781) SUP ( RO63832 RO63972 RO64285 TR63832 TR63972 TR64285 TR65426 TR65481 ) ++HOLD (RO65481) SYSTEM FMID(CC2D781) REASON (ACTION ) DATE (14056) COMMENT (</p> <pre> +-----+        CA Management Services                      Release 7.8        +-----+  SEQUENCE   After Apply.                                       +-----+  PURPOSE    Copy the updated MOD@\$RM from the SMP/E target dataset                         into the product run-time MODSDIS VSAM dataset.                  +-----+  USERS      All users.   AFFECTED  +-----+  KNOWLEDGE  JCL customization.  REQUIRED  +-----+  ACCESS     1. Target libraries.  REQUIRED   2. Product region MODSDIS VSAM dataset.                         +-----+ ***** * STEPS TO PERFORM * ***** 1. Copy the sample JCL below to a dataset. 2. Modify the sample JCL to meet your site's requirements. 3. In the scheduled maintenance window, stop all product regions that reference the MODSDIS VSAM dataset. 4. Submit the modified JCL to update the product region MODSDIS VSAM dataset. 5. Start the product regions that were stopped. //MYUSERV JOB ACCT,CLASS=A,MSGCLASS=X,NOTIFY=&amp;SYSUID //NMVIP EXEC PGM=NMVIP //STEPLIB DD DISP=SHR,DSN=&amp;TGTPREF.CC2DLOAD //MODSIN DD DISP=SHR,DSN=&amp;TGTPREF.CC2DVSMI(MOD@\$RM) //MODSOUT DD DISP=SHR,DSN=&amp;DSNPREF.MODSDIS //SYSPRINT DD SYSOUT=* //SYSIN DD * COPY MODS INDD=MODSIN OUTDD=MODSOUT OPT=INSTALL </pre>

CA OPS/MVS WebCenter 12.1  
 CA RS 1404 - PTF RO65481 Details

Release	Service	Details
		<pre> //* +-----+        CA Management Services                      Release 7.8        +-----+  SEQUENCE     After Apply.   +-----+  PURPOSE      Copy the updated MOD@\$LH from the SMP/E target dataset                    into the product run-time MODSDIS VSAM dataset.           +-----+  USERS        All users.  AFFECTED   +-----+  KNOWLEDGE    JCL customization.  REQUIRED   +-----+  ACCESS       1. Target libraries.  REQUIRED     2. Product region MODSDIS VSAM dataset.                   +-----+ ***** * STEPS     TO     PERFORM * ***** 1. Copy the sample JCL below to a dataset. 2. Modify the sample JCL to meet your site's requirements. 3. In the scheduled maintenance window, stop all product regions that reference the MODSDIS VSAM dataset. 4. Submit the modified JCL to update the product region MODSDIS VSAM dataset. 5. Start the product regions that were stopped. //MYUSERV JOB ACCT,CLASS=A,MSGCLASS=X,NOTIFY=&amp;SYSUID //NMVIP    EXEC  PGM=NMVIP //STEPLIB DD  DISP=SHR,DSN=&amp;TGTPREF.CC2DLOAD //MODSIN   DD  DISP=SHR,DSN=&amp;TGTPREF.CC2DVSMI(MOD@\$LH) //MODSOUT  DD  DISP=SHR,DSN=&amp;DSNPREF.MODSDIS //SYSPRINT DD  SYSOUT=* //SYSIN    DD  * COPY MODS INDD=MODSIN OUTDD=MODSOUT OPT=INSTALL //* +-----+        CA Management Services                      Release 7.8        +-----+  SEQUENCE     After Apply.   +-----+  PURPOSE      Copy the updated MOD@\$AM from the SMP/E target dataset                    into the product run-time MODSDIS VSAM dataset.           +-----+  USERS        All users.  AFFECTED   +-----+  KNOWLEDGE    JCL customization.  REQUIRED   +-----+  ACCESS       1. Target libraries.  REQUIRED     2. Product region MODSDIS VSAM dataset.                   +-----+ ***** * STEPS     TO     PERFORM * ***** 1. Copy the sample JCL below to a dataset. 2. Modify the sample JCL to meet your site's requirements. 3. In the scheduled maintenance window, stop all product regions that reference the MODSDIS VSAM dataset. 4. Submit the modified JCL to update the product region MODSDIS VSAM dataset. </pre>

CA OPS/MVS WebCenter 12.1  
CA RS 1404 - PTF RO65481 Details

Release	Service	Details
		<pre>5. Start the product regions that were stopped. //MYUSERV JOB ACCT,CLASS=A,MSGCLASS=X,NOTIFY=&amp;SYSUID //NMVIP EXEC PGM=NMVIP //STEPLIB DD DISP=SHR,DSN=&amp;TGTPREF.CC2DLOAD //MODSIN DD DISP=SHR,DSN=&amp;TGTPREF.CC2DVSMI(MOD@\$AM) //MODSOUT DD DISP=SHR,DSN=&amp;DSNPREF.MODSDIS //SYSPRINT DD SYSOUT=* //SYSIN DD * COPY MODS INDD=MODSIN OUTDD=MODSOUT OPT=INSTALL //* ).</pre>