

CA Librarian 4.4
CA RS 1405 Service List

| Release | Service | Description | Hiper |
|--|---------|--|-------|
| 4.4 | RO66536 | 4.4 LIBTSO NOKEEPTSO DATASET DELETED,STILL ENQUEUED | |
| | RO67650 | 4.4 CCF BATCHLOGOUT (\$CCFB102) CCF040KS MSG-NDVR RETROFIT | |
| | RO68560 | 4.4 LIBR OPTION 0 CANNOT PF3 WHEN INVALID TERMINAL | |
| | RO68561 | 4.4 LIBR OPTION 0 CANNOT PF3 WHEN INVALID TERMINAL | |
| | RO69438 | RO67650 BUILT W/O SUP OF RO66117 | |
| | RO69463 | CONSTRUCTION ERROR | |
| | RO69599 | INSTUCR SAMPLE NEEDS SYS1.MODGEN | |
| The CA RS 1405 service count for this release is 7 | | | |

CA Librarian
CA RS 1405 Service List for CALJ440

| FMID | Service | Description | Hiper |
|---|---------|----------------------------------|-------|
| CALJ440 | RO69599 | INSTUCR SAMPLE NEEDS SYS1.MODGEN | |
| The CA RS 1405 service count for this FMID is 1 | | | |

CA Librarian
CA RS 1405 Service List for CALJ441

| FMID | Service | Description | Hiper |
|---|---------|--|-------|
| CALJ441 | RO67650 | 4.4 CCF BATCHLOGOUT (\$CCFB102) CCF040KS MSG-NDVR RETROFIT | |
| | RO69438 | RO67650 BUILT W/O SUP OF RO66117 | |
| | RO69463 | CONSTRUCTION ERROR | |
| The CA RS 1405 service count for this FMID is 3 | | | |

CA Librarian
CA RS 1405 Service List for CALU440

| FMID | Service | Description | Hiper |
|---|---------|--|-------|
| CALU440 | RO68560 | 4.4 LIBR OPTION 0 CANNOT PF3 WHEN INVALID TERMINAL | |
| The CA RS 1405 service count for this FMID is 1 | | | |

CA Librarian
CA RS 1405 Service List for CALU442

| FMID | Service | Description | Hiper |
|---|---------|---|-------|
| CALU442 | RO66536 | 4.4 LIBTSO NOKEEPTSO DATASET DELETED,STILL ENQUEUED | |
| The CA RS 1405 service count for this FMID is 1 | | | |

CA Librarian
CA RS 1405 Service List for CALU443

| FMID | Service | Description | Hiper |
|---|---------|--|-------|
| CALU443 | RO68561 | 4.4 LIBR OPTION 0 CANNOT PF3 WHEN INVALID TERMINAL | |
| The CA RS 1405 service count for this FMID is 1 | | | |

CA Librarian 4.4
CA RS 1405 - PTF RO66536 Details

| Release | Service | Details |
|---------|---------|---|
| 4.4 | RO66536 | <p>RO66536 M.C.S. ENTRIES = ++PTF (RO66536)</p> <p>4.4 LIBTSO NOKEEPTSO DATASET DELETED,STILL ENQUEUED</p> <p>PROBLEM DESCRIPTION: During LIBTSO processing, LIBSAVE with NOKEEPTSO specified deleted the dataset used to update CA Librarian masterfile. However, dataset remained enqueued until logoff.</p> <p>SYMPTOMS: Deleted dataset still enqueued and visible via TSO ISRDDN.</p> <p>IMPACT: Low.</p> <p>CIRCUMVENTION: Manually free the enqueued dataset, or logout of the TSO session.</p> <p>PRODUCT(S) AFFECTED: CA-LIBRARIAN-ACCESS METHOD-MVS Release 4.4</p> <p>Star Problem(s): LIBR 2297</p> <p>Copyright (C) 2014 CA. All rights reserved. R00025-LBR044-SP1</p> <p>DESC(4.4 LIBTSO NOKEEPTSO DATASET DELETED,STILL ENQUEUED) . ++VER (Z038) FMID (CALU442) SUP (RO57018 TR63495 TR66376 TR66535 TR66536)</p> |

CA Librarian 4.4
CA RS 1405 - PTF RO67650 Details

| Release | Service | Details |
|---------|---------|--|
| 4.4 | RO67650 | <p>RO67650 M.C.S. ENTRIES = ++PTF (RO67650)</p> <p>4.4 CCF BATCHLOGOUT (\$CCFB102) CCF040KS MSG-NDVR RETROFIT</p> <p>PROBLEM DESCRIPTION: \$CCFB102 was changed prior to the migration of Librarian source code to Endeavor. However, the fix was published after completion of the migration. Need to retrofit this code. See CM-LJ 379...RO66117.</p> <p>SYMPTOMS: Old source code on Endeavor (which is currently being used to build Librarian 4.4 fixes going forward). Potential for regressing code.</p> <p>IMPACT: Currently low, since we can use the old source code library.</p> <p>CIRCUMVENTION: Build fixes for \$CCFB102 using the old source code library on Librarian masterfile.</p> <p>PRODUCTS AFFECTED: CA Librarian 4.4.</p> <p>PRODUCT(S) AFFECTED: CA-LIBRARIAN BASE-MVS Release 4.4</p> <p>Star Problem(s): CM-LJ 409</p> <p>Copyright (C) 2014 CA. All rights reserved. R00028-LBR044-SP1</p> <p>DESC(4.4 CCF BATCHLOGOUT (\$CCFB102) CCF040KS MSG-NDVR RETROFIT) . ++VER (Z038) FMID (CALJ441) SUP (TR67650)</p> |

CA Librarian 4.4
CA RS 1405 - PTF RO68560 Details

| Release | Service | Details |
|---------|---------|--|
| 4.4 | RO68560 | <p>RO68560 M.C.S. ENTRIES = ++PTF (RO68560)</p> <p>4.4 LIBR OPTION 0 CANNOT PF3 WHEN INVALID TERMINAL</p> <p>PROBLEM DESCRIPTION: If a terminal type specified on ISPF Option 0 which is not: 3277, 3277A, 3278, 3278A, 3278T, 3278CF, 3277KN, 3278KN, or 3290A, ISPF Option 0 displays "Invalid value" message, and will not allow exit via pfkey or command. This is because the path to display "Invalid value" from the panel is executed every time a pfkey or <ENTER> is pressed.</p> <p>SYMPTOMS: ISPF Option 0 displays "Invalid value" message, and will not allow exit via pfkey or command.</p> <p>IMPACT: Low.</p> <p>CIRCUMVENTION: Use one of the "accepted" terminal types, or delete the terminal type check from the panels (LIBRLK3A, LIBRLK3B, LIBRLK3D, and LIBRLK3E). If the terminal type specified via ISPF Option 0 is not in the list of valid types for the panel, change "TERMINAL TYPE ==>" to a valid type (to facilitate exitting the panel).</p> <p>PRODUCTS AFFECTED: CA Librarian 4.4 Any ISPF functionality dependent on using a terminal type which is not listed above.</p> <p>PRODUCT(S) AFFECTED: CA-LIBRARIAN-ACCESS METHOD-MVS Release 4.4</p> <p>Star Problem(s): LIBR 2305</p> <p>Copyright (C) 2014 CA. All rights reserved. R00030-LBR044-SP1</p> <p>DESC(4.4 LIBR OPTION 0 CANNOT PF3 WHEN INVALID TERMINAL) . ++VER (Z038) FMID (CALU440) SUP (TR68560) ++IF FMID(CALU443) REQ(RO68561) .</p> |

CA Librarian 4.4
CA RS 1405 - PTF RO68561 Details

| Release | Service | Details |
|---------|---------|---|
| 4.4 | RO68561 | <p>RO68561 M.C.S. ENTRIES = ++PTF (RO68561)</p> <p>4.4 LIBR OPTION 0 CANNOT PF3 WHEN INVALID TERMINAL</p> <p>PROBLEM DESCRIPTION: If a terminal type specified on ISPF Option 0 which is not: 3277, 3277A, 3278, 3278A, 3278T, 3278CF, 3277KN, 3278KN, or 3290A, ISPF Option 0 displays "Invalid value" message, and will not allow exit via pfkey or command. This is because the path to display "Invalid value" from the panel is executed every time a pfkey or <ENTER> is pressed.</p> <p>SYMPTOMS: ISPF Option 0 displays "Invalid value" message, and will not allow exit via pfkey or command.</p> <p>IMPACT: Low.</p> <p>CIRCUMVENTION: Use one of the "accepted" terminal types, or delete the terminal type check from the panels (LIBRLK3A, LIBRLK3B, LIBRLK3D, and LIBRLK3E). If the terminal type specified via ISPF Option 0 is not in the list of valid types for the panel, change "TERMINAL TYPE ==>" to a valid type (to facilitate exitting the panel).</p> <p>PRODUCTS AFFECTED: CA Librarian 4.4</p> <p>Any ISPF functionality dependent on using a terminal type which is not listed above.</p> <p>PRODUCT(S) AFFECTED: CA-LIBRARIAN-ACCESS METHOD-MVS Release 4.4</p> <p>Star Problem(s): LIBR 2305</p> <p>Copyright (C) 2014 CA. All rights reserved. R00030-LBR044-SP1</p> <p>DESC(4.4 LIBR OPTION 0 CANNOT PF3 WHEN INVALID TERMINAL) . ++VER (Z038) FMID (CALU443) PRE (RO45761) SUP (TR68561) ++IF FMID(CALU440) REQ(RO68560) .</p> |

CA Librarian 4.4
CA RS 1405 - PTF RO69438 Details

| Release | Service | Details |
|---------|---------|--|
| 4.4 | RO69438 | <p>RO69438 M.C.S. ENTRIES = ++PTF (RO69438)</p> <p>RO67650 BUILT W/O SUP OF RO66117</p> <p>PROBLEM DESCRIPTION:</p> <p>RO67650 WAS CONSTRUCTED WITHOUT SUP OF RO66117.</p> <p>SYMPTOMS:</p> <p>APPLY OF RO67650 GIVES SMP ERROR DUE TO LACK OF SUP FOR RO66117.</p> <p>IMPACT:</p> <p>MEDIUM.</p> <p>CIRCUMVENTION:</p> <p>MANUALLY ADD SUP OF RO66117.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA-LIBRARIAN BASE-MVS Release 4.4</p> <p>Star Problem(s):</p> <p>CM-LJ 412</p> <p>Copyright (C) 2014 CA. All rights reserved. R00033-LBR044-SP1</p> <p>DESC(RO67650 BUILT W/O SUP OF RO66117) .</p> <p>++VER (Z038)</p> <p>FMID (CALJ441)</p> <p>SUP (AR67650 RO67650 TR67650 TR69438)</p> |

CA Librarian 4.4
CA RS 1405 - PTF RO69463 Details

| Release | Service | Details |
|---------|---------|---|
| 4.4 | RO69463 | <p>RO69463 M.C.S. ENTRIES = ++PTF (RO69463)</p> <p>CONSTRUCTION ERROR PROBLEM DESCRIPTION: RO67650 WAS CONSTRUCTED WITHOUT SUP OF RO66117. SYMPTOMS: APPLY OF RO67650 GIVES SMP ERROR DUE TO LACK OF SUP FOR RO66117. IMPACT: MEDIUM. CIRCUMVENTION: MANUALLY ADD SUP OF RO66117. PRODUCT(S) AFFECTED: CA-LIBRARIAN BASE-MVS CA-LIBRARIAN BASE-MVS Star Problem(s): CM-LJ 413 Copyright (C) 2014 CA. All rights reserved. R00034-LBR044-SP1</p> <p>DESC(CONSTRUCTION ERROR) . ++VER (Z038) FMID (CALJ441) SUP (AR67650 AR69438 RO66117 RO67650 RO69438 TR67650 TR69438 TR69463)</p> <p style="text-align: right;">Release 4.4</p> |

CA Librarian 4.4
CA RS 1405 - PTF RO69599 Details

| Release | Service | Details |
|---------|---------|---|
| 4.4 | RO69599 | <p>RO69599 M.C.S. ENTRIES = ++PTF (RO69599)</p> <p>INSTUCR SAMPLE NEEDS SYS1.MODGEN</p> <p>PROBLEM DESCRIPTION: The CAI.CALJSAMP member INSTUCR, which is used for installation of Librarian User Contributed Routines, should include SYS1.MODGEN/SYS1.AMODGEN in the SYSLIB concatenation.</p> <p>SYMPTOMS: Depending on the member you are attempting to install, could get an assembly error due to a missing macro (if the member being installed references a macro in a missing macro library).</p> <p>IMPACT: Low, as User Contributed Routines are optional, and this situation has a workaround.</p> <p>CIRCUMVENTION: Alter the SYSLIB concatenation to include SYS1.MODGEN and SYS1.AMODGEN.</p> <p>PRODUCTS AFFECTED: CA Librarian 4.4.</p> <p>PRODUCT(S) AFFECTED: CA-LIBRARIAN BASE-MVS Release 4.4.</p> <p>Star Problem(s): CM-LJ 407</p> <p>Copyright (C) 2014 CA. All rights reserved. R00035-LBR044-SP1</p> <p>DESC(INSTUCR SAMPLE NEEDS SYS1.MODGEN) . ++VER (Z038) FMID (CALJ440) SUP (TR69599)</p> |