

CA ACF2 15.0
CA RS 1407 Service List

Release	Service	Description	Type
15.0	RO69511	ACF0A051 MESSAGE % UTILIZED MAY BE ERRONEOUS	PTF
	RO69999	CAS2206I OMVS SECTRACE MSG HAS INVALID USER	PTF
	RO70661	IBM SUPERSESSION IMS LOGIN FAILING MSG KLIQM004	PTF
	RO71075	SPORATIC ACF73200 MESSAGE DOING A MODEL INTO COMMAND	PTF
	RO71103	CICS: SUPPORT CICS TS (CTS) REL 5.2 FOR Z/OS	PTF
The CA RS 1407 service count for this release is 5			

CA ACF2 14.0
CA RS 1407 Service List

Release	Service	Description	Type
14.0	RO70595	STORAGE INTEGRITY	**HIPER**
The CA RS 1407 service count for this release is 1			

CA ACF2
CA RS 1407 Service List for CAX1F00

FMID	Service	Description	Type
CAX1F00	RO69511	ACF0A051 MESSAGE % UTILIZED MAY BE ERRONEOUS	PTF
	RO69999	CAS2206I OMVS SECTRACE MSG HAS INVALID USER	PTF
	RO71075	SPORATIC ACF73200 MESSAGE DOING A MODEL INTO COMMAND	PTF
The CA RS 1407 service count for this FMID is 3			

CA ACF2
CA RS 1407 Service List for CAX1F03

FMID	Service	Description	Type
CAX1F03	RO71103	CICS: SUPPORT CICS TS (CTS) REL 5.2 FOR Z/OS	PTF
The CA RS 1407 service count for this FMID is 1			

CA ACF2
CA RS 1407 Service List for CAX1F04

FMID	Service	Description	Type
CAX1F04	RO70661	IBM SUPERSESSION IMS LOGIN FAILING MSG KLIQM004	PTF
The CA RS 1407 service count for this FMID is 1			

CA ACF2
CA RS 1407 Service List for CX1E000

FMID	Service	Description	Type
CX1E000	RO70595	STORAGE INTEGRITY	**HIPER**
The CA RS 1407 service count for this FMID is 1			

CA ACF2 15.0
CA RS 1407 - PTF RO69511 Details

Release	Service	Details
15.0	RO69511	<p>RO69511 M.C.S. ENTRIES = ++PTF (RO69511)</p> <p>ACF0A051 MESSAGE % UTILIZED MAY BE ERRONEOUS</p> <p>PROBLEM DESCRIPTION: With RO54826 applied, the "% UTILIZED" value in message ACF0A051 may be incorrect. RO54826 included changes for problem 9345 that allow X(SGP), X(RGP) and X(ROL) records to be up to 16K in length. The calculations for message ACF0A051 incorrectly use 16K as the divisor to determine the "% UTILIZED" value, resulting in an incorrect percentage when INFO database records smaller than 16K are used.</p> <p>SYMPTOMS: When X(SGP), X(RGP) and X(ROL) records are listed the percentage shown in message ACF0A051 may be too low: ACF0A051 TOTAL RECORD LENGTH= xxx BYTES, n PERCENT UTILIZED</p> <p>IMPACT: Security administrators may not be aware that X(SGP), X(RGP), and X(ROL) records are near the maximum size threshold.</p> <p>CIRCUMVENTION: Divide the number of bytes shown in message ACF0A051 by the INFO database record length.</p> <p>PRODUCT(S) AFFECTED: CA-ACF2-MVS Release 15.0</p> <p>Star Problem(s): ACF2MS 9641</p> <p>Copyright (C) 2014 CA. All rights reserved. R01064-ACF150-SP1</p> <p>DESC(ACF0A051 MESSAGE % UTILIZED MAY BE ERRONEOUS). ++VER (Z038) FMID (CAX1F00) PRE (RO25852 RO26856 RO42623 RO42626 RO54826 RO61511 RO61513 RO62767 RO67639) SUP (TR17134 TR34271 TR34561 TR36993 TR36998 TR37278 RO34271 RO34561 RO36998 RO37278 TR36549 TR43056 TR44280 RO44280 TR45951 RO45951 RO65150 TR57872 TR57882 TR65150 TR69511) ++HOLD (RO69511) SYSTEM FMID(CAX1F00) REASON (DYNACT) DATE (14139) COMMENT (</p> <pre> +-----+ CA-ACF2-MVS Release 15.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE Activate change without IPL +-----+ USERS Users with INFO database max record length under 16K AFFECTED +-----+ KNOWLEDGE Operator commands REQUIRED +-----+ ACCESS z/OS Operator console REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. LLA Refresh 2. F ACF2,NEWMOD(ACF00SVA)). </pre>

CA ACF2 15.0
CA RS 1407 - PTF RO69999 Details

Release	Service	Details
15.0	RO69999	<p>RO69999 M.C.S. ENTRIES = ++PTF (RO69999)</p> <p>CAS2206I OMVS SECTRACE MSG HAS INVALID USER PROBLEM DESCRIPTION: OMVS SECTRACE processing does not validate the length of the input userid when tracing initACEE calls. This may lead to garbage and/or overlaid data in the CAS2206I message text. SYMPTOMS: Garbage and/or overlaid text in message CAS2206I when an OMVS SECTRACE is active IMPACT: OMVS SECTRACE message CAS2206I user is invalid or overlays subsequent message text: CAS2206I OPENMVS USER= CIRCUMVENTION: None PRODUCT(S) AFFECTED: CA-ACF2-MVS Release 15.0 Star Problem(s): ACF2MS 9650 Copyright (C) 2014 CA. All rights reserved. R01078-ACF150-SP1</p> <p>DESC(CAS2206I OMVS SECTRACE MSG HAS INVALID USER). ++VER (Z038) FMID (CAX1F00) PRE (RO25852 RO32871 RO35100 RO35876 RO36913 RO45571 RO54826 RO60391) SUP (TR26186 RO26186 TR54713 RO54713 TR69999) ++HOLD (RO69999) SYSTEM FMID(CAX1F00) REASON (DYNACT) DATE (14150) COMMENT (-----+ CA-ACF2-MVS Release 15.0 -----+ SEQUENCE After Apply -----+ PURPOSE Activate change without IPL -----+ USERS OMVS SECTRACE users AFFECTED -----+ KNOWLEDGE Operator commands REQUIRED -----+ ACCESS z/OS Operator console REQUIRED -----+ ***** * STEPS TO PERFORM * ***** 1. LLA Refresh 2. F ACF2,NEWMOD(SAFOETRC)).</p>

CA ACF2 15.0
CA RS 1407 - PTF RO70661 Details

Release	Service	Details
15.0	RO70661	<p>RO70661 M.C.S. ENTRIES = ++PTF (RO70661)</p> <p>IBM SUPERSESSION IMS LOGIN FAILING MSG KLIQM004</p> <p>PROBLEM DESCRIPTION:</p> <p>During migration from ACF2/IMS release 14.0 to release 15.0 the clients signon attempt for the MTO session using Automatic Terminal Signon OPTION=AUTOSIGN, IBM SUPERSESSION failed with SUPERSESSION message: KLIQM004 INVALID LOGON RESPONSE FROM IMS: IMS(IMSDEQ) APPLID(OKDHSIM1)</p> <p>SYMPTOMS:</p> <p>MTO SIGNON failed in IBM SUPERSESSION</p> <p>IMPACT:</p> <p>Client cannot sign the MTO session.</p> <p>CIRCUMVENTION:</p> <p>None</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA-ACF2-MVS Release 15.0</p> <p>Star Problem(s):</p> <p>ACF2MS 9661</p> <p>Copyright (C) 2014 CA. All rights reserved. R01097-ACF150-SP1</p> <p>DESC(IBM SUPERSESSION IMS LOGIN FAILING MSG KLIQM004).</p> <p>++VER (Z038)</p> <p>FMID (CAX1F04)</p> <p>PRE (R037222 RO62260)</p> <p>SUP (TR70661)</p>

CA ACF2 15.0
CA RS 1407 - PTF RO71075 Details

Release	Service	Details
15.0	RO71075	<p>RO71075 M.C.S. ENTRIES = ++PTF (RO71075)</p> <p>SPORATIC ACF73200 MESSAGE DOING A MODEL INTO COMMAND PROBLEM DESCRIPTION: There is a possibility of getting error message ACF73200 when doing the MODEL command and specifying the INTO parm to send the output to a dataset. SYMPTOMS: ACF73200 INVALID DCB PARAMETERS IMPACT: The MODEL command fails. CIRCUMVENTION: None PRODUCT(S) AFFECTED: CA-ACF2-MVS Release 15.0 Star Problem(s): ACF2MS 9663 Copyright (C) 2014 CA. All rights reserved. R01101-ACF150-SP1</p> <p>DESC(SPORATIC ACF73200 MESSAGE DOING A MODEL INTO COMMAND). ++VER (Z038) FMID (CAX1F00) PRE (RO38736 RO49693 RO52017 RO54834 RO54949) SUP (TR17548 TR17903 TR36080 RO36080 TR51308 TR51357 TR51471 RO51471 TR71075) ++HOLD (RO71075) SYSTEM FMID(CAX1F00) REASON (DYNACT) DATE (14175) COMMENT (</p> <pre> +-----+ CA-ACF2-MVS Release 15.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE Activate change without IPL +-----+ USERS All users of the MODEL command AFFECTED +-----+ KNOWLEDGE Operator commands REQUIRED +-----+ ACCESS z/OS Operator console REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. LLA Refresh). </pre>

CA ACF2 15.0
CA RS 1407 - PTF RO71103 Details

Release	Service	Details
15.0	RO71103	<p>RO71103 M.C.S. ENTRIES = ++PTF (RO71103)</p> <p>CICS: SUPPORT CICS TS (CTS) REL 5.2 FOR Z/OS</p> <p>PROBLEM DESCRIPTION:</p> <p>Product updates are required to support the new release of CICS TS 5.2. In addition to recognizing the new release, The following new Category 1 transaction codes are recognized:</p> <p>CPCT</p> <p>SYMPTOMS:</p> <p>Message "ACFAE046 Security Initialization Error" displays at region startup.</p> <p>IMPACT:</p> <p>You are Unable to use ACF2 CICS with CICS TS 5.2.</p> <p>CIRCUMVENTION:</p> <p>none.</p> <p>Star Problem(s):</p> <p>ACF2MS 9543</p> <p>Copyright (C) 2014 CA. All rights reserved. R01103-ACF150-SP1</p> <p>DESC(CICS: SUPPORT CICS TS (CTS) REL 5.2 FOR Z/OS). ++VER (Z038) FMID (CAX1F03) PRE (RO32495 RO46083 RO53745) SUP (TR33255 TR33256 TR54980 TR56316 TR56371 RO33256 RO56371 TR69901 TR71066 TR71103) ++HOLD (RO71103) SYSTEM FMID(CAX1F03) REASON (ACTION) DATE (14170) COMMENT (</p> <pre> +-----+ CA-ACF2-MVS CICS Release 15.0 +-----+ SEQUENCE Before Restart +-----+ PURPOSE Complete CTS 5.2 Support Make new code available +-----+ USERS All users AFFECTED +-----+ KNOWLEDGE Linklist contents (optional) REQUIRED Console commands +-----+ ACCESS Master console REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. Perform an LLA REFRESH (if applicable) 2. Ensure the following ENF SYSMODs are installed: Release 14.0: PTF RO64920 or APAR TR64920 Release 14.1: PTF RO64919 or APAR TR64919). </pre>

CA ACF2 14.0
 CA RS 1407 - PTF RO70595 Details

Release	Service	Details
14.0	RO70595	<pre> RO70595 M.C.S. ENTRIES = ++PTF(RO70595) /* CA ACF2 RELEASE 14.0 TA9655B TA9655B STARTRAK PROBLEM: 9655 TA9655B ABSTRACT: STORAGE INTEGRITY TA9655B PROBLEM DESCRIPTION: STORAGE INTEGRITY SYMPTOMS: Potential unpredictable 8 byte storage overlay. IMPACT: Unknown. CIRCUMVENTION: None. */ TA9655B DESC(STORAGE INTEGRITY) . TA9655B ++VER(Z038) FMID(CX1E000) /* CA ACF2 R14 */ TA9655B PRE(RO24877 TA9655B)) SUP(TA9655B) . /* Original Test APAR */ TA9655B ++HOLD(RO70595) FMID(CX1E000) SYSTEM REASON(ACTION) TA9655B COMMENT(SMP APPLY and IPL with CLPA required to install this fix TA9655B).) TA9655B </pre>