

CA Ideal for Datacom 14.0
CA RS 1407 Service List

Release	Service	Description	Type
14.0	R062114	\$INQU2/\$INQU3 DO NOT RETURN PROGRAMM DATA	PTF
	R065771	RESOURCE EDITOR VERSION INVALID	PTF
	R069068	DB2 - SOC4 IN @ICMAS	PTF
	R069833	DB2 GENERATE PLAN DUPLICATE HOST#VAR NAME	PTF
	R070058	DB SQL PGMS DEFINE AUTH ABENDS	PTF
The CA RS 1407 service count for this release is 5			

CA Ideal for Datacom
CA RS 1407 Service List for CAILE00

FMID	Service	Description	Type
CAILE00	R062114	\$INQU2/\$INQU3 DO NOT RETURN PROGRAMM DATA	PTF
	R065771	RESOURCE EDITOR VERSION INVALID	PTF
	R069068	DB2 - SOC4 IN @ICMAS	PTF
The CA RS 1407 service count for this FMID is 3			

CA Ideal for Datacom
CA RS 1407 Service List for CAIOE00

FMID	Service	Description	Type
CAIOE00	RO69833	DB2 GENERATE PLAN DUPLICATE HOST#VAR NAME	PTF
The CA RS 1407 service count for this FMID is 1			

CA Ideal for Datacom
CA RS 1407 Service List for CAI4E00

FMID	Service	Description	Type
CAI4E00	RO70058	DB SQL PGMS DEFINE AUTH ABENDS	PTF
The CA RS 1407 service count for this FMID is 1			

CA Ideal for Datacom 14.0
CA RS 1407 - PTF RO62114 Details

Release	Service	Details
14.0	RO62114	<p>RO62114 M.C.S. ENTRIES = ++PTF (RO62114)</p> <p>\$INQU2/\$INQU3 DO NOT RETURN PROGRAMM DATA</p> <p>PROBLEM DESCRIPTION:</p> <p>Utility subprograms @I\$INQU2 and @I\$INQU3 do not correctly locate the Run Control Block (RCB).</p> <p>SYMPTOMS:</p> <p>Calls to @I\$INQU2 and @I\$INQU3 do not return any program data.</p> <p>IMPACT:</p> <p>CA Ideal applications calling @I\$INQU2 and @I\$INQU3 fail to execute correctly.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED: CA Ideal Release 14.0</p> <p>Star Problem(s):</p> <p>IDEAL 3149</p> <p>Copyright (C) 2013 CA. All rights reserved. R00051-IDL140-SP1</p> <p>DESC(\$INQU2/\$INQU3 DO NOT RETURN PROGRAMM DATA).</p> <p>++VER (Z038)</p> <p>FMID (CAILE00)</p> <p>SUP (RO52557 TR52557 TR62114)</p>

CA Ideal for Datacom 14.0
CA RS 1407 - PTF RO65771 Details

Release	Service	Details
14.0	RO65771	<p>RO65771 M.C.S. ENTRIES = ++PTF (RO65771)</p> <p>RESOURCE EDITOR VERSION INVALID</p> <p>PROBLEM DESCRIPTION: Subprograms entered in the Program Resource Definition without the full number of leading zeros in the version are incorrectly flagged as invalid.</p> <p>SYMPTOMS: The user sees message "1-IDAREDRP03E - Invalid version".</p> <p>IMPACT: Application development is most likely to be impacted by this problem.</p> <p>CIRCUMVENTION: Use EOF key or SPACE key to blank out the version and take the default value or enter full 3 digits with leading zeros for the version.</p> <p>PRODUCT(S) AFFECTED: CA Ideal for CA Datacom Release 14.0</p> <p>Star Problem(s): IDEAL 3154</p> <p>Copyright (C) 2014 CA. All rights reserved. R00054-IDL140-SP1</p> <p>DESC(RESOURCE EDITOR VERSION INVALID). ++VER (Z038) FMID (CAILE00) PRE (RO40550) SUP (TR65771)</p>

CA Ideal for Datacom 14.0
CA RS 1407 - PTF RO69068 Details

Release	Service	Details
14.0	RO69068	<p>RO69068 M.C.S. ENTRIES = ++PTF (RO69068)</p> <p>DB2 - S0C4 IN @ICMAS</p> <p>PROBLEM DESCRIPTION: Abend S0C4 occurs on exit from @ICMAS when compiling a DB2 program using a table that has a large number of key fields in an index. An area used to analyze the key is overflowing.</p> <p>SYMPTOMS: A S0C4 abend occurs in module @ICMAS.</p> <p>IMPACT: The program cannot be compiled.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Ideal for CA Datacom Release 14.0</p> <p>Star Problem(s): IDEAL 3164</p> <p>Copyright (C) 2014 CA. All rights reserved. R00057-IDL140-SP1</p> <p>DESC(DB2 - S0C4 IN @ICMAS). ++VER (Z038) FMID (CAILE00) SUP (TR69068)</p>

CA Ideal for Datacom 14.0
CA RS 1407 - PTF RO69833 Details

Release	Service	Details
14.0	RO69833	<p>RO69833 M.C.S. ENTRIES = ++PTF (RO69833)</p> <p>DB2 GENERATE PLAN DUPLICATE HOST#VAR NAME</p> <p>PROBLEM DESCRIPTION: GENERATE PLAN for a CA Ideal for DB2 application may fail due to a duplicate HOST#VAR name in the assembly.</p> <p>SYMPTOMS: A duplicate HOST#VAR name (H0000001) is being generated.</p> <p>IMPACT: CA Ideal for DB2 programs cannot execute statically if the PLAN cannot be GENERATED.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Ideal Option for DB2 Release 14.0</p> <p>Star Problem(s): IDEAL 3165</p> <p>Copyright (C) 2014 CA. All rights reserved. R00060-IDL140-SP1</p> <p>DESC(DB2 GENERATE PLAN DUPLICATE HOST#VAR NAME). ++VER (Z038) FMID (CAIOE00) SUP (TR69833)</p>

CA Ideal for Datacom 14.0
CA RS 1407 - PTF RO70058 Details

Release	Service	Details
14.0	RO70058	<p>RO70058 M.C.S. ENTRIES = ++PTF (RO70058)</p> <p>DB SQL PGMS DEFINE AUTH ABENDS</p> <p>PROBLEM DESCRIPTION: The DEFINE AUTHORIZATION command may abend with a S0C4.</p> <p>SYMPTOMS: A protection exception in module @IADRBNP is possible using the DEF AUTH command.</p> <p>IMPACT: This problem affects sites moving applications accessing CA Datacom SQL into production that require AUTHID changes.</p> <p>CIRCUMVENTION: DDTRSLM may be used as an alternate method to move the application plans for the IDEAL programs into production.</p> <p>PRODUCT(S) AFFECTED: CA Ideal for CA Datacom Release 14.0</p> <p>Star Problem(s): IDEAL 3166</p> <p>Copyright (C) 2014 CA. All rights reserved. R00061-IDL140-SP1</p> <p>DESC(DB SQL PGMS DEFINE AUTH ABENDS). ++VER (Z038) FMID (CAI4E00) SUP (TR70058)</p>