

CA Vantage Storage Resource Manager 12.6
CA RS 1407 Service List

Release	Service	Description	Type
12.6	RO68511	SUMMARY OBJECT FAILS TO USE CAP MODE SOURCE OBJ	PTF
	RO70409	DMSMSG SCRIPT DOES NOT EMAIL ALL RECS	PTF
	RO70647	WRONG DATA IN TS7700 CLUSTER IF NOT DEDICATED MGMT CLASSES	PTF
	RO70717	OC4 ERROR FOR OBJECT OBJ02121	PTF
	RO71022	SUPPRESS LIST TIOC	PTF
The CA RS 1407 service count for this release is 5			

CA Vantage Storage Resource Manager
CA RS 1407 Service List for CCTUC60

FMID	Service	Description	Type
CCTUC60	RO68511	SUMMARY OBJECT FAILS TO USE CAP MODE SOURCE OBJ	PTF
	RO70409	DMSMSG SCRIPT DOES NOT EMAIL ALL RECS	PTF
	RO70647	WRONG DATA IN TS7700 CLUSTER IF NOT DEDICATED MGMT CLASSES	PTF
	RO70717	OC4 ERROR FOR OBJECT OBJ02121	PTF
	RO71022	SUPPRESS LIST TIOC	PTF
The CA RS 1407 service count for this FMID is 5			

CA Vantage Storage Resource Manager 12.6
 CA RS 1407 - PTF RO68511 Details

Release	Service	Details
12.6	RO68511	<p>RO68511 M.C.S. ENTRIES = ++PTF (RO68511)</p> <p>SUMMARY OBJECT FAILS TO USE CAP MODE SOURCE OBJ</p> <p>PROBLEM DESCRIPTION: Summary Objects defined with Mode: CAP - Captured Data in the Source Object panel of the Summary Designer gives 'READ LOG FAILED' message when executed and no summary is returned.</p> <p>SYMPTOMS: 'READ LOG FAILED, RC=7</p> <p>IMPACT: Cannot get Summary Object based in CAP mode</p> <p>CIRCUMVENTION: none</p> <p>PRODUCT(S) AFFECTED: CA Vantage SRM & CA Vantage GMI Release 12.6</p> <p>Star Problem(s): VANT 9553</p> <p>Copyright (C) 2014 CA. All rights reserved. R00114-CTU126-SP1</p> <p>DESC(SUMMARY OBJECT FAILS TO USE CAP MODE SOURCE OBJ). ++VER (Z038) FMID (CCTUC60) PRE (RO29987 RO35937 RO47834 RO53764 RO55198 RO57900 RO59418) SUP (RO31763 RO61267 TR68511)</p>

CA Vantage Storage Resource Manager 12.6
CA RS 1407 - PTF RO70409 Details

Release	Service	Details
12.6	RO70409	<p>RO70409 M.C.S. ENTRIES = ++PTF (RO70409)</p> <p>DMSMSG SCRIPT DOES NOT EMAIL ALL RECS</p> <p>PROBLEM DESCRIPTION: When the spool interface of the z/OS SMTP server is used to send emails, Vantage sends no more than 1000 lines of text for each email. Any lines of text after this limit is reached are omitted.</p> <p>SYMPTOMS: Vantage sends incomplete emails if the content exceeds 1000 lines.</p> <p>IMPACT: Limited use of email in Vantage when the spool interface of the z/OS SMTP server is used.</p> <p>CIRCUMVENTION: Use direct TCP communication with the SMTP interface.</p> <p>PRODUCT(S) AFFECTED: CA Vantage SRM & CA Vantage GMI Release 12.6</p> <p>Star Problem(s): VANT 9577</p> <p>Copyright (C) 2014 CA. All rights reserved. R00143-CTU126-SP1</p> <p>DESC(DMSMSG SCRIPT DOES NOT EMAIL ALL RECS). ++VER (Z038) FMID (CCTUC60) PRE (RO61220) SUP (TR70409) ++HOLD (RO70409) SYSTEM FMID(CCTUC60) REASON (DOC) DATE (14147) COMMENT (</p> <pre> +-----+ CA Vantage SRM & CA Vantage GMI Release 12.6 +-----+ ***** * PUBLICATION * ***** Message Guide ***Chapter 6 / Section General Messages - VANnnnnT / Page 67-242 *** Add new message VAN1584I VAN1584I The Vantage email line limit of %6F has been reached. Email lines after this limit are ignored. Reason: Vantage limits the size of spool data sets that are allocated for emails. This limit prevents spool space shortages when using the spool interface of the z/OS SMTP Server for sending emails. Action: Use direct TCP communication with the SMTP interface instead of the spool interface to send emails. See the SMTPHOST and SMTPPORT VKGPARM parameters.). </pre>

CA Vantage Storage Resource Manager 12.6
CA RS 1407 - PTF RO70647 Details

Release	Service	Details
12.6	RO70647	<p>RO70647 M.C.S. ENTRIES = ++PTF (RO70647)</p> <p>WRONG DATA IN TS7700 CLUSTER IF NOT DEDICATED MGMT CLASSES</p> <p>PROBLEM DESCRIPTION: Without dedicated Management Class(es) associated with each TS7700 cluster, it is difficult to extract the correct data in a TS7700 Grid configuration since separate requests must be issued to each cluster to obtain the response information for all clusters. This PTF provides an alternative method of obtaining correct data when a management class is used for multiple TS7700 clusters. You can now use the VTSMCNAM system parameter to point to a paragraph (input list) in the CONFIG member of the PARMLIB where the Management Class Name, BVIR unit, and BVIR data set name are specified. When you use the VTSMCNAM system parameter, the values of the System Parameters BVIRUNIT and BVIRDSN are ignored. The values in the input list are used instead.</p> <p>SYMPTOMS: IBM TS7700 Physical Media Pools view shows incorrect LibId list</p> <p>IMPACT: Wrong data in TS7700 objects.</p> <p>CIRCUMVENTION: Define a unique Management Class for each TS7700 cluster and list them in the VTSMCNAM system parameter.</p> <p>PRODUCT(S) AFFECTED: CA Vantage SRM & CA Vantage GMI Release 12.6</p> <p>Star Problem(s): VANT 9546</p> <p>Copyright (C) 2014 CA. All rights reserved. R00150-CTU126-SP1</p> <p>DESC(WRONG DATA IN TS7700 CLUSTER IF NOT DEDICATED MGMT CLASSES). ++VER (Z038) FMID (CCTUC60) PRE (R029987 R042950 R045835 R061078 R062514) SUP (TR67789 TR69224 TR70464 TR70647) ++HOLD (RO70647) SYSTEM FMID(CCTUC60) REASON (DOC) DATE (14156) COMMENT (</p> <pre> +-----+ CA Vantage SRM & CA Vantage GMI Release 12.6 +-----+ ***** * PUBLICATION * ***** CONFIGURATION GUIDE VTSMCNAM Specifies the management class names for each IBM TS7700 cluster in one of the following ways: VTSMCNAM (mcname1,mcname2,mcname3) Displays the management class names for the different clusters, separated by commas. VTSMCNAM (<bvirlist>) Points to the management class name input list in the CONFIG member in the PARMLIB. Note: The BVIRUNIT and BVIRDSN system parameter values are ignored. Values from the input list are used instead. Map the management class table in the CONFIG member based on the following guidelines: - 8 character management class name - 8 character BVIR unit name - 44 character BVIR tape dataset name Include one space between each name. Example: <BVIRLIST> MaClass1 BVIRunit1 BVIRDSN1 MaClass2 BVIRunit2 BVIRDSN2 </pre>

CA Vantage Storage Resource Manager 12.6
CA RS 1407 - PTF RO70647 Details

Release	Service	Details
		<p>MaClass3 BVIRuni3 BVIRDSN3 MaClass4 BVIRuni4 BVIRDSN4 In a TS7700 Grid configuration, separate requests must be issued to each cluster to obtain the response information for all clusters. The VTSMCNAM system parameter only applies to the following objects:</p> <ul style="list-style-type: none">- VISIVTCC IBM VTS Cache Contents Information- VISIVTPL IBM VTS Physical to Logical Volume Mapping- VISIVTPM IBM TS7700 Physical Media Pools- VISIVTPV IBM TS7700 Physical Volume Status- VISIVTVS IBM TS7700 Volume Status Information <p>Default: * Indicates no management classes for the cluster.).</p>

CA Vantage Storage Resource Manager 12.6
 CA RS 1407 - PTF RO70717 Details

Release	Service	Details
12.6	RO70717	<p>RO70717 M.C.S. ENTRIES = ++PTF (RO70717)</p> <p>OC4 ERROR FOR OBJECT OBJ02121</p> <p>PROBLEM DESCRIPTION:</p> <p>S0C4 abend in module OBC02121 (object creator for IBM ESS Logical Paths).</p> <p>SYMPTOMS:</p> <p>GENESTAE S0C4 at 0E5E24F8 LMOD OBC02121 CSECT OBC02121 +000450 SAMS</p> <p>OWNER = CA Vantage SRM R12.6</p> <p>MODULE = OBC02121 FMID = CCTUC60 RMID = CCTUC60</p> <p>IMPACT:</p> <p>Cannot use the OBJ02121 object.</p> <p>CIRCUMVENTION:</p> <p>None</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Vantage SRM & CA Vantage GMI Release 12.6</p> <p>Star Problem(s):</p> <p>VANT 9580</p> <p>Copyright (C) 2014 CA. All rights reserved. R00151-CTU126-SP1</p> <p>DESC(OC4 ERROR FOR OBJECT OBJ02121).</p> <p>++VER (Z038)</p> <p>FMID (CCTUC60)</p> <p>PRE (RO46238 RO48595)</p> <p>SUP (TR70415 TR70717)</p>

CA Vantage Storage Resource Manager 12.6
CA RS 1407 - PTF RO71022 Details

Release	Service	Details
12.6	RO71022	<pre> RO71022 M.C.S. ENTRIES = ++PTF (RO71022) SUPPRESS LIST TTOC PROBLEM DESCRIPTION: The 'HSM Valid %' field in Vantage HSM TTOC related objects is not relevant to all users. These users request that the HSM LIST TTOC command is optional. SYMPTOMS: Displaying TTOC related Vantage objects in real-time mode consumes excessive CPU, time and space. IMPACT: Using TTOC related Vantage objects in RT mode impacts performance. CIRCUMVENTION: Use LI mode instead of RT mode. PRODUCT(S) AFFECTED: CA Vantage SRM & CA Vantage GMI Star Problem(s): VANT 9571 Copyright (C) 2014 CA. All rights reserved. R00155-CTU126-SP1 DESC(SUPPRESS LIST TTOC). ++VER (Z038) FMID (CCTUC60) PRE (RO30881 RO37495 RO38545 RO41797 RO50681 RO57327 RO65524) SUP (RO36819 RO40253 RO43138 RO61179 TR69531 TR71022) ++HOLD (RO71022) SYSTEM FMID(CCTUC60) REASON (DOC) DATE (14168) COMMENT (+-----+ CA Vantage SRM & CA Vantage GMI Release 12.6 +-----+ ***** * PUBLICATION * ***** Configuration Guide ***Chapter 15: System Parameters ***Section VKGPARMS Parameter Descriptions ***Add new parameter description: HSMVALPC Indicates if the HSM TTOC related objects (DFSMSHsm OCDS Tape Volumes, DFSMSHsm OCDS Recycle Candidates, and DFSMSHsm OCDS Recycle Cand. in Silo) issue the HSM LIST TTOC command to retrieve values for the 'HSM VALID %' field. Applies to: DFSMSHsm Interface Default: (Y)).</pre>