

CA Chorus 3.0
CA RS 1408 Service List

Release	Service	Description	Type
3.0	RO70521	CHORUS IM 3.0.1 NEW FUNCTIONALITY - SPRINT 2	PTF
	RO70856	AUTO-CONFIG USEROBJ UNCHANGED	PTF
	RO70930	COMPATIBILITY UPDATE FOR USE WITH CHORUS PLATFORM R4.0	PTF
	RO71331	SCS MODIFICATIONS FOR NEW CA CHORUS PLATFORM PROFILE	PTF
	RO71492	UNABLE TO MODIFY OBJECT TYPE OF A POLICY	PTF
	RO71593	ADD MONPORT PARAMETER TO CHORUS TSF RELAY	PTF
	RO71594	ADD MONPORT PARAMETER TO CHORUS TSF RELAY	PTF
	RO71767	REPLACING "CREATE NEW POLICY" LINK TO "CREATE POLICY"	PTF
	RO72041	DB2DBA VIOLATION ON SECURITY POLICY QUERY	PTF
	RO72120	BROWSER SHOWING OUT OF MEMORY ERROR	PTF
The CA RS 1408 service count for this release is 10			

CA Chorus 2.5
CA RS 1408 Service List

Release	Service	Description	Type
2.5	NO-SRV2	CA RS 1408 Contains No Service For This Release of This Product.	PTF
The CA RS 1408 service count for this release is 0			

CA Chorus 2.0
CA RS 1408 Service List

Release	Service	Description	Type
2.0	NO-SRVC	CA RS 1408 Contains No Service For This Release of This Product.	PTF
The CA RS 1408 service count for this release is 0			

CA Chorus
CA RS 1408 Service List for CC2D750

FMID	Service	Description	Type
CC2D750	R071593	ADD MONPORT PARAMETER TO CHORUS TSF RELAY	PTF
The CA RS 1408 service count for this FMID is 1			

CA Chorus
CA RS 1408 Service List for CETJ300

FMID	Service	Description	Type
CETJ300	RO71492	UNABLE TO MODIFY OBJECT TYPE OF A POLICY	PTF
	RO71767	REPLACING "CREATE NEW POLICY" LINK TO "CREATE POLICY"	PTF
	RO72041	DB2DBA VIOLATION ON SECURITY POLICY QUERY	PTF
	RO72120	BROWSER SHOWING OUT OF MEMORY ERROR	PTF

The CA RS 1408 service count for this FMID is 4

CA Chorus
CA RS 1408 Service List for CETJ301

FMID	Service	Description	Type
CETJ301	RO71594	ADD MONPORT PARAMETER TO CHORUS TSF RELAY	PTF
The CA RS 1408 service count for this FMID is 1			

CA Chorus
CA RS 1408 Service List for CE1M300

FMID	Service	Description	Type
CE1M300	RO70856	AUTO-CONFIG USEROBJ UNCHANGED	PTF
	RO70930	COMPATIBILITY UPDATE FOR USE WITH CHORUS PLATFORM R4.0	PTF
The CA RS 1408 service count for this FMID is 2			

CA Chorus
CA RS 1408 Service List for CE4H300

FMID	Service	Description	Type
CE4H300	RO71331	SCS MODIFICATIONS FOR NEW CA CHORUS PLATFORM PROFILE	PTF
The CA RS 1408 service count for this FMID is 1			

CA Chorus
CA RS 1408 Service List for CFAW300

FMID	Service	Description	Type
CFAW300	RO70521	CHORUS IM 3.0.1 NEW FUNCTIONALITY - SPRINT 2	PTF
The CA RS 1408 service count for this FMID is 1			

CA Chorus 3.0
CA RS 1408 - PTF RO70521 Details

Release	Service	Details
3.0	RO70521	<p>RO70521 M.C.S. ENTRIES = ++PTF (RO70521)</p> <p>CHORUS IM 3.0.1 NEW FUNCTIONALITY - SPRINT 2</p> <p>PROBLEM DESCRIPTION: This is the second in a series of PTFs that will deliver new functionality and corrective maintenance to the CA Chorus Infrastructure Management (IM) Discipline.</p> <p>NEW FUNCTIONALITY:</p> <ul style="list-style-type: none"> o IMS policies are now available in the Policy Status Light Module. o IMS alerts are now available in the Alerts Module. o IMS alerts are now available from Investigator. o Added an Investigator tab and navigational link on the IMS Control Regions object to display IMS Exception Alerts. o New WebSphere MQ objects: Page Sets, Queue Performance, and Queue Users. o Added Investigator tabs and navigational links on the WebSphere MQ Queue Managers object for the new Page Sets, Queue Performance, and Queue Users objects. <p>CORRECTIVE MAINTENANCE:</p> <ul style="list-style-type: none"> o Connection start time correction. o Propagate translator errors to notification area/icon. o Not able to expand the Group by column in the GRID. o TCP Connection Start Time of '-' on stack warm start. o Connection start time correction. o Fix for healthstate error message in topology viewer. o Sysplex and System search operators incorrectly appear on a refresh of Investigator objects for z/OS, CICS, WebSphere MQ, and IMS. <p>SYMPTOMS: N/A</p> <p>IMPACT: New functionality.</p> <p>CIRCUMVENTION: N/A</p> <p>ENHANCEMENT DESCRIPTION: PRODUCT(S) AFFECTED: CA Chorus Infrastructure Management for Networks and Systems Release 3.0</p> <p>Star Problem(s): CHRPRF 21</p> <p>Copyright (C) 2014 CA. All rights reserved. R00023-FAW030-SP1</p> <p>DESC(CHORUS IM 3.0.1 NEW FUNCTIONALITY - SPRINT 2). ++VER (Z038) FMID (CFAW300) PRE (RO58416 RO69923) SUP (RO56008 RO56035 RO56542 RO56559 RO56583 RO56807 RO56953 RO56989 RO57167 RO58395 RO58400 RO59093 RO59189 RO60372 RO62069 TR56008 TR56035 TR56542 TR56559 TR56583 TR56807 TR56953 TR56989 TR57167 TR58395 TR58400 TR59019 TR59093 TR59189 TR60372 TR62069 TR70521) BINARY LINK('..../idb2-property.txt') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../performance-nm-model.xml') PARM(PATHMODE(0,7,7,5)) SYMLINK('..../jboss/standalone/chorus/vdbs/Chorus/performance-nm-model.xml') SYMPATH('..../roles/performance/performance-nm-model.xml') . BINARY LINK('..../performance-nm-locale.txt') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../performance-nm-property.txt') PARM(PATHMODE(0,7,7,5)) . BINARY</p>

CA Chorus 3.0
CA RS 1408 - PTF RO70521 Details

Release	Service	Details
		<pre> LINK('../performance-nm-quicklinks.txt') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../gsv-locale.txt') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../gsv-property.txt') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../gsv-treedefinition.txt') PARM(PATHMODE(0,7,7,5)) . LINK('../modules/com/ca/chorus/translators/teiid-t ranslator-netmaster/main/teiid-connector-netmaster-classes-3.0.1-SNAPSHO T.jar') PARM(PATHMODE(0,7,7,5)) . LINK('../modules/com/ca/chorus/translators/teiid-t ranslator-netmaster/main/teiid-connector-netmaster-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . LINK('../modules/com/ca/chorus/translators/teiid-t ranslator-performance-sysview/main/teiid-connector-performance-sysview-c lasses-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . LINK('../modules/com/ca/chorus/translators/teiid-t ranslator-performance-sysview/main/teiid-connector-performance-sysview- 3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . </pre>

CA Chorus 3.0
CA RS 1408 - PTF RO70856 Details

Release	Service	Details
3.0	RO70856	<p>RO70856 M.C.S. ENTRIES = ++PTF (RO70856)</p> <p>AUTO-CONFIG USEROBJ UNCHANGED Used auto-config to generate JCL, ran E1MI011. First step had RC=8 because CIADB01 is not defined in DB. other steps had RC=0, configuration changed @CIADB01@ to the customer's DB name.</p> <p>PROBLEM DESCRIPTION: When using the auto-config to generate the JCL and then running the E1MI011 you get a return code of 8 because CIADB01 is not defined.</p> <p>SYMPTOMS: Return code of 8 when running E1MI011.</p> <p>IMPACT: The database views aren't built correctly.</p> <p>CIRCUMVENTION: Change all the references of CIADB01 to @CIADB01@ in the \$SEROBJ job.</p> <p>PRODUCT(S) AFFECTED: CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0 Star Problem(s): CHRSEC 118 Copyright (C) 2014 CA. All rights reserved. R00062-SCR030-SP1</p> <p>DESC(AUTO-CONFIG USEROBJ UNCHANGED). ++VER (Z038) FMID (CE1M300) PRE (RO56740 RO57704 RO59207) SUP (TR70856) ++HOLD (RO70856) SYSTEM FMID(CE1M300) REASON (DYNACT) DATE (14196) COMMENT (</p> <pre> +-----+ CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0 +-----+ SEQUENCE The fix must be applied before configuring Chorus Security Discipline Server using the Auto-config or SCS. +-----+ PURPOSE Implement the PTF +-----+ USERS For users doing a chorus configuration. AFFECTED +-----+ KNOWLEDGE SMP/E. REQUIRED Product Installation. Product Deployment. USS Commands. +-----+ ACCESS Access will be required to the CE1MJCL dataset. REQUIRED Access will be required to <CHORUS_HOME>/roles/security. Access will be required to <CHORUS_HOME>/config. +-----+ ***** * STEPS TO PERFORM * ***** 1. Apply APAR. 2. Redeploy Chorus Security Discipline if needed with either CA CSM or using jobs in CE1MJCL. 3. Reconfigure Chorus for Security and Compliance Management manually or using AUTO-CONFIG.). </pre>

CA Chorus 3.0
CA RS 1408 - PTF RO70930 Details

Release	Service	Details
3.0	RO70930	<p>RO70930 M.C.S. ENTRIES = ++PTF (RO70930)</p> <p>COMPATIBILITY UPDATE FOR USE WITH CHORUS PLATFORM R4.0</p> <p>PROBLEM DESCRIPTION: Due to environment changes, a compatibility update is required when using CA Chorus for Security and Compliance Management R3.0 with CA Chorus Platform R4.0.</p> <p>SYMPTOMS: Duplicate column exception in CA Chorus JBoss server log.</p> <p>IMPACT: Chorus Investigator functionality will be partially or fully unavailable when attempting to access Security discipline.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0</p> <p>Star Problem(s): CHRSEC 120</p> <p>Copyright (C) 2014 CA. All rights reserved. R00063-SCR030-SP1</p> <p>DESC(COMPATIBILITY UPDATE FOR USE WITH CHORUS PLATFORM R4.0). ++VER (Z038) FMID (CE1M300) PRE (RO57313 RO58094 RO62149 RO67468) SUP (RO59140 RO59277 RO61111 RO68833 TR57423 TR57427 TR59140 TR59277 TR60474 TR61111 TR68833 TR70930) ++IF FMID(CETJ300) REQ(RO70579 RO70963) . ++HOLD (RO70930) SYSTEM FMID(CE1M300) REASON (DYNACT) DATE (14191) COMMENT (</p> <pre> +-----+ CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0 +-----+ SEQUENCE The fix must be applied before starting Chorus Security Discipline Server. +-----+ PURPOSE Implement the PTF +-----+ USERS All Users. AFFECTED +-----+ KNOWLEDGE SMP/E. REQUIRED Product Installation. Product Deployment. USS Commands. +-----+ ACCESS Access will be required to the CE1MJCL dataset. REQUIRED Access will be required to <CHORUS_HOME>/roles/security. Access will be required to <CHORUS_HOME>/config. +-----+ ***** * STEPS TO PERFORM * ***** 1. Apply APAR. 2. Redeploy Chorus Security Discipline if needed with either CA CSM or using jobs in CE1MJCL. 3. Reconfigure Chorus for Security and Compliance Management manually or using AUTO-CONFIG. 4. Run ElMI0010 from the CE1MJCL JCL library. 5. Run ETJI0150 from the CETJJCL JCL library. 6. Restart JBoss. +-----+ CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0 +-----+ </pre>

CA Chorus 3.0
CA RS 1408 - PTF RO70930 Details

Release	Service	Details
		SEQUENCE After SMP/E apply. Before JBOSS restart.
		+-----+
		PURPOSE Implement the PTF
		+-----+
		USERS All Users.
		AFFECTED
		+-----+
		KNOWLEDGE SMP/E.
		REQUIRED Product Installation.
		z/OS Systems Programming
		CSM
		+-----+
		ACCESS Access to ZFS directory where Chorus is installed.
		REQUIRED
		+-----+

		* STEPS TO PERFORM *

		1. Apply APAR.
		2. Restart Jboss to pick up the new Jars.
		+-----+
		+-----+
		+-----+
		CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0
		+-----+
		SEQUENCE The fix must be applied before performing Chorus Security
		Discipline deployment and configuration.
		+-----+
		PURPOSE Implement the PTF
		+-----+
		USERS All Users.
		AFFECTED
		+-----+
		KNOWLEDGE SMP/E.
		REQUIRED Product Installation.
		Product Deployment.
		CA CSM
		Product Configuration
		+-----+
		+-----+
		ACCESS Access will be required to the CE1MJCL dataset.
		REQUIRED Access will be required to <CHORUS_HOME>/roles/security.
		Access will be required to <CHORUS_HOME>/config.
		+-----+

		* STEPS TO PERFORM *

		1. Apply APAR.
		2. Redeploy Chorus Security Discipline if needed with either CA CSM or using jobs in CE1MJCL.
		3. Reconfigure Chorus for Security and Compliance Management manually or using AUTO-CONFIG, or using CA CSM.
		+-----+
		+-----+
		CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0
		+-----+
		SEQUENCE The fix must be applied before starting Chorus Security
		Discipline Server.
		+-----+
		PURPOSE Implement the PTF
		+-----+
		USERS All Users.

CA Chorus 3.0
CA RS 1408 - PTF RO70930 Details

Release	Service	Details
		AFFECTED
		+-----+
		KNOWLEDGE SMP/E.
		REQUIRED Product Installation.
		Product Deployment.
		USS Commands.
		+-----+
		ACCESS Access will be required to the CE1MJCL dataset.
		REQUIRED Access will be required to <CHORUS_HOME>/roles/security.
		Access will be required to <CHORUS_HOME>/config.
		+-----+

		* STEPS TO PERFORM *

		1. Apply APAR.
		2. Redeploy Chorus Security Discipline if needed with either CA CSM or using jobs in CE1MJCL.
		3. Reconfigure Chorus for Security and Compliance Management manually or using AUTO-CONFIG.
		+-----+
		CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0
		+-----+
		SEQUENCE After SMP/E apply. Before JBOSS restart.
		+-----+
		PURPOSE Implement the PTF
		+-----+
		USERS All Users.
		AFFECTED
		+-----+
		KNOWLEDGE SMP/E.
		REQUIRED Product Installation.
		z/OS Systems Programming
		CSM
		+-----+
		ACCESS Access to ZFS directory where Chorus is installed.
		REQUIRED
		+-----+

		* STEPS TO PERFORM *

		1. Apply APAR.
		2. Restart Jboss to pick up the new Jars.
		+-----+
		+-----+
		+-----+
		CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0
		+-----+
		SEQUENCE The fix must be applied before performing Chorus Security
		Discipline deployment and configuration.
		+-----+
		PURPOSE Implement the PTF
		+-----+
		USERS All Users.
		AFFECTED
		+-----+
		KNOWLEDGE SMP/E.
		REQUIRED Product Installation.
		Product Deployment.
		CA CSM
		Product Configuration
		+-----+

CA Chorus 3.0
 CA RS 1408 - PTF RO70930 Details

Release	Service	Details
		<pre> +-----+-----+-----+ ACCESS Access will be required to the CE1MJCL dataset. REQUIRED Access will be required to <CHORUS_HOME>/roles/security. Access will be required to <CHORUS_HOME>/config. +-----+-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Apply APAR. 2. Redeploy Chorus Security Discipline if needed with either CA CSM or using jobs in CE1MJCL. 3. Reconfigure Chorus for Security and Compliance Management manually or using AUTO-CONFIG, or using CA CSM.). BINARY LINK('../statg-locale.txt') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../statg-model.xml') PARM(PATHMODE(0,7,7,5)) SYMLINK('../../../../jboss/standalone/chorus/vdbs/Chorus/statg-model.xml') SYMPATH('../../../../config/statg-model.xml') . BINARY LINK('../statg-property.txt') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../statg-treedefinition.txt') PARM(PATHMODE(0,7,7,5)) . LINK('../teiid-translator-security-ldap-3.0.1-SNAP SHOT.jar') PARM(PATHMODE(0,7,7,5)) . </pre>

CA Chorus 3.0
CA RS 1408 - PTF RO71331 Details

Release	Service	Details
3.0	RO71331	<p>RO71331 M.C.S. ENTRIES = ++PTF (RO71331)</p> <p>SCS MODIFICATIONS FOR NEW CA CHORUS PLATFORM PROFILE SCS Modifications for new CA Chorus R4.0 Platform Profile for Chorus for Storage Management.</p> <p>PROBLEM DESCRIPTION: The CA Chorus Platform now supports the ability to configure Disciplines against different versions of the Platform using CA CSM SCS. Each version of CA Chorus starting with version 3.0 will be identified by a unique profile occurrence on the CA CSM system registry. Also, the allocated runtime size of the CE4HZFS file system was increase from CYL(75 10) to CYL(200 100).</p> <p>SYMPTOMS: If you are installing the 4.0 version of CA Chorus, the the existing definition for Chorus Environment Profile on CSM system registry needs to be deleted and replaced with the values from the newer version.</p> <p>IMPACT: You cannot maintain 2 occurrences of the CA Chorus Platform on a CSM System Registry environment profile for different releases.</p> <p>CIRCUMVENTION: Update the single occurrence of the existing CA Chorus (TM) profile with the newer Install values so that Disciplines can be configured against the newer version of the Platform.</p> <p>PRODUCT(S) AFFECTED: CA Chorus (TM) for Storage Management Release 3.0</p> <p>Star Problem(s): CHRSTO 103</p> <p>Copyright (C) 2014 CA. All rights reserved. R00060-E4H030-SP1</p> <p>DESC(SCS MODIFICATIONS FOR NEW CA CHORUS PLATFORM PROFILE). ++VER (Z038) FMID (CE4H300) PRE (RO59148) SUP (RO59868 TR59868 TR70627 TR71331) BINARY LINK('../chorus-storage-ui-ds.xml.template') PARM(PATHMODE(0,7,7,5)) SYMLINK('.././././jboss/standalone/deployments/chorus-storage-ui-ds.xml') SYMPATH('.././././config/chorus-storage-ui-ds.xml')) . BINARY LINK('../chorus-storage-ui-factory-ds.xml') PARM(PATHMODE(0,7,7,5)) SYMLINK('.././././jboss/standalone/deployments/chorus-storage-ui-factory-ds.xml') SYMPATH('.././././roles/storage/chorus-storage-ui-factory-ds.xml') .</p>

CA Chorus 3.0
CA RS 1408 - PTF RO71492 Details

Release	Service	Details
3.0	RO71492	<p>RO71492 M.C.S. ENTRIES = ++PTF (RO71492)</p> <p>UNABLE TO MODIFY OBJECT TYPE OF A POLICY</p> <p>PROBLEM DESCRIPTION: After you initially specify the object type that is used in a CA Chorus policy, the object type cannot be modified.</p> <p>SYMPTOMS: While updating the object type of a CA Chorus policy, you cannot select objects from a different object type because the Select button will remain disabled.</p> <p>IMPACT: You cannot modify the object type of a policy.</p> <p>CIRCUMVENTION: If you want a policy that uses a different object type, create another policy</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 751</p> <p>UNABLE TO CREATE POLICY ON SEARCHED EMPTY GRID</p> <p>PROBLEM DESCRIPTION: In the CA Chorus Policies Object Picker, if policy search criteria for time based objects returns no rows, you will not be able to create a policy.</p> <p>SYMPTOMS: You will not able to create a policy because the select button is not enabled.</p> <p>IMPACT: You will not be able to create a policy for time based objects where they are dynamic in nature, that is, a policy whose objects are available in the future.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 753</p> <p>INDEX OUT OF BOUND EXCEPTION ON IM ALERT INVESTIGATION</p> <p>PROBLEM DESCRIPTION: In the CA Chorus Alerts module, after configuring Infrastructure Management alerts and on investigating an alert. An Investigator window with the alert under investigation is populating with "Index Out Of Bounds Exceptions" error message.</p> <p>SYMPTOMS: The following message will be displayed: Client side exception: Uncaught Exception Java.lang.IndexOutOfBoundsException : Index: 0, Size: 0.</p> <p>IMPACT: You may not investigate the alert.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 754</p> <p>Copyright (C) 2014 CA. All rights reserved. R00305-ETJ030-SP1</p> <p>DESC(UNABLE TO MODIFY OBJECT TYPE OF A POLICY). ++VER (Z038) FMID (CETJ300) PRE (R055792 R056007 R056096 R056215 R056254 R056305 R056355 R056586 R056645 R056758 R056817 R056895 R056941 R056949 R057040 R057107 R057168 R057247 R057354 R058019 R058088 R058199 R058244 R058384 R058548 R058626 R058753 R058854 R058968 R059150 R059208 R059285 R059296 R059741 R065952 R068264) SUP (AR68806 R060284 R060327 R060778 R061000 R061504 R061985 R062510 R063070 R063072 R063220 R063470 R063471 R063835 R063836 R064244 R064245 R064570 R064571 R065382 R065533 R066255 R067324 R067788</p>

CA Chorus 3.0
CA RS 1408 - PTF RO71492 Details

Release	Service	Details
		RO68178 RO68542 RO68806 RO69398 RO69808 RO70065
		RO70581 RO70820 TR60284 TR60327 TR60379 TR60502
		TR60542 TR60596 TR60639 TR60708 TR60741 TR60778
		TR60913 TR61000 TR61217 TR61269 TR61504 TR61748
		TR61985 TR62510 TR63070 TR63071 TR63072 TR63220
		TR63470 TR63471 TR63835 TR63836 TR64244 TR64245
		TR64569 TR64570 TR64571 TR64925 TR65382 TR65533
		TR66255 TR66587 TR66958 TR67324 TR67788 TR68178
		TR68542 TR68806 TR69062 TR69253 TR69398 TR69806
		TR69808 TR70065 TR70202 TR70581 TR70820 TR71492)
		BINARY
		LINK('..../metadata-property.txt')
		PARM(PATHMODE(0,7,7,5)) .
		BINARY
		LINK('..../common-utils-3.0.1-SNAPSHOT.jar')
		PARM(PATHMODE(0,7,7,5)) .
		BINARY
		LINK('..../chorus-service-3.0.1-SNAPSHOT.jar')
		PARM(PATHMODE(0,7,7,5)) .
		BINARY
		LINK('..../h2-datawindow-ds.xml')
		PARM(PATHMODE(0,7,7,5)) .
		BINARY
		LINK('..../teiid-bootstrap-3.0.1-SNAPSHOT.jar')
		PARM(PATHMODE(0,7,7,5)) .
		BINARY
		LINK('..../Help.war')
		PARM(PATHMODE(0,7,7,5)) .
		BINARY
		LINK('..../common-teiid-udf-bridge-3.0.1-SNAPSHOT.jar')
		PARM(PATHMODE(0,7,7,5)) .
		BINARY
		LINK('..../datapipes-3.0.1-SNAPSHOT.jar')
		PARM(PATHMODE(0,7,7,5)) .
		BINARY
		LINK('..../query-fns-3.0.1-SNAPSHOT.jar')
		PARM(PATHMODE(0,7,7,5)) .
		BINARY
		LINK('..../knowledge-center-classes-3.0.1-SNAPSHOT.jar')
		PARM(PATHMODE(0,7,7,5)) .
		BINARY
		LINK('..../teiid-translator-tsf-3.0.1-SNAPSHOT.jar')
		PARM(PATHMODE(0,7,7,5)) .
		BINARY
		LINK('..../chorus-actions-service-3.0.1-SNAPSHOT.jar')
		PARM(PATHMODE(0,7,7,5)) .
		BINARY
		LINK('..../teiid-translator-customfunctions-3.0.1-SNAPSHOT.jar')
		PARM(PATHMODE(0,7,7,5)) .
		BINARY
		LINK('..../common-db-3.0.1-SNAPSHOT.jar')
		PARM(PATHMODE(0,7,7,5)) .
		BINARY
		LINK('..../chorus-actions-ds.xml')
		PARM(PATHMODE(0,7,7,5)) .
		BINARY
		LINK('..../common-module.xml.sample')
		PARM(PATHMODE(0,7,7,5))
		SYMLINK('..../module.xml')
		SYMPATH('..../config/common-module.xml')
		BINARY

CA Chorus 3.0
CA RS 1408 - PTF RO71492 Details

Release	Service	Details
		LINK(' ../chorus-schema-migrate-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../ui-classes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../Chorus.war') PARM(PATHMODE(0,7,7,5)) .

CA Chorus 3.0
CA RS 1408 - PTF RO71593 Details

Release	Service	Details
3.0	RO71593	<p>RO71593 M.C.S. ENTRIES = ++PTF (RO71593)</p> <p>ADD MONPORT PARAMETER TO CHORUS TSF RELAY</p> <p>PROBLEM DESCRIPTION: Chorus TSF Relay uses a random port number as a monitor. The Chorus TSF Relay opens a random UDP port. If security blocks the port access the sockets interface fails to open. There is no parameter option to specify a reserved port number.</p> <p>SYMPTOMS: Sockets interface fails to open. The following messages are logged: ETJTS717E CONNECTION TO TCP/IP PFS: *CINET FAILED. ERRNO: 111 (EACCES) JR (HEX): 7463735B INFO: BIND ETJTS719I RETRYING CONNECTION TO TCP/IP PFS: *CINET IN 30 SECONDS</p> <p>IMPACT: The Chorus TSF Relay remains in retry state for as long as the security error condition exists.</p> <p>CIRCUMVENTION: Add a security definition to allow access to an undefined port.</p> <p>PRODUCT(S) AFFECTED: CA Mainframe Chorus r3.0 Star Problem(s): CHRPLT 756 Copyright (C) 2014 CA. All rights reserved. R00014-NMS075-SP1</p> <p>DESC(ADD MONPORT PARAMETER TO CHORUS TSF RELAY). ++VER (Z038) FMID (CC2D750) PRE (RO62832) SUP (TR71593) ++IF FMID(CETJ301) REQ(RO71594) .</p>

CA Chorus 3.0
CA RS 1408 - PTF RO71594 Details

Release	Service	Details
3.0	RO71594	<p>RO71594 M.C.S. ENTRIES = ++PTF (RO71594)</p> <p>ADD MONPORT PARAMETER TO CHORUS TSF RELAY</p> <p>PROBLEM DESCRIPTION:</p> <p>Chorus TSF Relay uses a random port number as a monitor. The Chorus TSF Relay opens a random UDP port. If security blocks the port access the sockets interface fails to open. There is no parameter option to specify a reserved port number.</p> <p>SYMPTOMS:</p> <p>Sockets interface fails to open. The following messages are logged: ETJTS717E CONNECTION TO TCP/IP PFS: *CINET FAILED. ERRNO: 111 (EACCES) JR (HEX): 7463735B INFO: BIND ETJTS719I RETRYING CONNECTION TO TCP/IP PFS: *CINET IN 30 SECONDS</p> <p>IMPACT:</p> <p>The Chorus TSF Relay remains in retry state for as long as the security error condition exists.</p> <p>CIRCUMVENTION:</p> <p>Add a security definition to allow access to an undefined port.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Mainframe Chorus r3.0 Star Problem(s): CHRPLT 756 Copyright (C) 2014 CA. All rights reserved. R00014-NMS075-SP1</p> <p>DESC(ADD MONPORT PARAMETER TO CHORUS TSF RELAY). ++VER (Z038) FMID (CETJ301) SUP (TR71594) ++IF FMID(CC2D750) REQ(RO71593) .</p>

CA Chorus 3.0
CA RS 1408 - PTF RO71767 Details

Release	Service	Details
3.0	RO71767	<p>RO71767 M.C.S. ENTRIES = ++PTF (RO71767)</p> <p>REPLACING "CREATE NEW POLICY" LINK TO "CREATE POLICY"</p> <p>PROBLEM DESCRIPTION: When creating a policy in CA Chorus, the Policy Object Picker window displays a 'Create New Policy' link under Policy Actions in the Actions pane. The link name should be 'Create Policy'.</p> <p>SYMPTOMS: The link you see in the Actions pane when creating a CA Chorus Personal Policy will be 'Create New Policy'.</p> <p>IMPACT: None.</p> <p>ENHANCEMENT DESCRIPTION: Link name changed to improve readability.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCTS AFFECTED: CA CHORUS Release: 03.0</p> <p>Star Problem(s): CHRPLT 752</p> <p>INVESTIGATOR CLOSES WHEN QL OPENED</p> <p>PROBLEM DESCRIPTION: While the CA Chorus Investigator is loading, if you return to the Dashboard and open a Quick Link, the window for the Quick Link opens, but the Investigator window closes.</p> <p>SYMPTOMS: When you open a Quick Link while the Investigator is still loading, the Investigator window closes.</p> <p>IMPACT: You must reopen the Investigator window.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCTS(S) AFFECTED: CA Chorus Release: 3.0</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 758</p> <p>JAVASCRIPT EXCEPTION WHILE LAUNCHING SECURITY QUICK LINK</p> <p>PROBLEM DESCRIPTION: In the Quicklinks module in CA Chorus, while launching 'Simulate access attempt' quick link multiple times, a javascript exception occurs.</p> <p>SYMPTOMS: Error box pops up while trying to launch 'Simulate access attempt' quicklink</p> <p>IMPACT: You are not able to launch 'Simulate access attempt' quick link.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 759</p> <p>Copyright (C) 2014 CA. All rights reserved. R00307-ETJ030-SP1</p> <p>DESC(REPLACING "CREATE NEW POLICY" LINK TO "CREATE POLICY"). ++VER (Z038) FMID (CETJ300) PRE (R055792 R056007 R056096 R056215 R056254 R056305 R056355 R056586 R056645 R056758 R056817 R056895 R056941 R056949 R057040 R057107 R057168 R057247 R057354 R058019 R058088 R058199 R058244 R058384 R058548 R058626 R058753 R058854 R058968 R059150 R059208 R059285 R059296 R059741 R065952 R068264) SUP (AR68806 R060284 R060327 R060778 R061000 R061504 R061985 R062510 R063070 R063072 R063220 R063470 R063471 R063835 R063836 R064244 R064245 R064570 R064571 R065382 R065533 R066255 R067324 R067788 R068178 R068542 R068806 R069398 R069808 R070065 R070581 R070820 R071492 TR60284 TR60327 TR60379</p>

CA Chorus 3.0
CA RS 1408 - PTF RO71767 Details

Release	Service	Details
		TR60502 TR60542 TR60596 TR60639 TR60708 TR60741 TR60778 TR60913 TR61000 TR61217 TR61269 TR61504 TR61748 TR61985 TR62510 TR63070 TR63071 TR63072 TR63220 TR63470 TR63471 TR63835 TR63836 TR64244 TR64245 TR64569 TR64570 TR64571 TR64925 TR65382 TR65533 TR66255 TR66587 TR66958 TR67324 TR67788 TR68178 TR68542 TR68806 TR69062 TR69253 TR69398 TR69806 TR69808 TR70065 TR70202 TR70581 TR70820 TR71492 TR71767) BINARY LINK('..../metadata-property.txt') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../common-utils-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../chorus-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../h2-datawindow-ds.xml') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../teiid-bootstrap-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../Help.war') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../common-teiid-udf-bridge-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../datapipes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../query-fns-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../knowledge-center-classes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../teiid-translator-tsf-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../chorus-actions-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../teiid-translator-customfunctions-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../common-db-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../chorus-actions-ds.xml') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../common-module.xml.sample') PARM(PATHMODE(0,7,7,5)) SYMLINK('..../module.xml') SYMPATH('..../config/common-module.xml') . BINARY LINK('..../chorus-schema-migrate-3.0.1-SNAPSHOT.jar')

CA Chorus 3.0
CA RS 1408 - PTF RO71767 Details

Release	Service	Details
) PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..ui-classes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..Chorus.war') PARM(PATHMODE(0,7,7,5)) .

CA Chorus 3.0
CA RS 1408 - PTF RO72041 Details

Release	Service	Details
3.0	RO72041	<p>RO72041 M.C.S. ENTRIES = ++PTF (RO72041)</p> <p>DB2DBA VIOLATION ON SECURITY POLICY QUERY</p> <p>PROBLEM DESCRIPTION: In CA Chorus, violations for CHORUS.ROLE.DB2DBA resource are logged by external security when policies are executed, even though the DBA discipline is not installed. If only the storage discipline is installed, you will see violations for both DB2DBA and SECURITY resources.</p> <p>SYMPTOMS: Violation reports may show failed access attempts for the CHORUS.ROLE.DB2DBA resource if the DBA discipline is not installed and a policy is executed that goes against another discipline that is installed. The policy will execute successfully regardless of the violation. Also, if only the storage discipline is installed, you will see violations for both DB2DBA and SECURITY resources.</p> <p>IMPACT: Violations will show up in security audit reports that do not reflect real access attempts.</p> <p>CIRCUMVENTION: Either ignore the superfluous violations or give read permission for all discipline resources to any users that use policies.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0 Star Problem(s): CHRPLT 761</p> <p>Copyright (C) 2014 CA. All rights reserved. R00310-ETJ030-SP1</p> <p>DESC(DB2DBA VIOLATION ON SECURITY POLICY QUERY). ++VER (Z038) FMID (CETJ300) PRE (R055792 R056007 R056096 R056215 R056254 R056305 R056355 R056586 R056645 R056758 R056817 R056895 R056941 R056949 R057040 R057107 R057168 R057247 R057354 R058019 R058088 R058199 R058244 R058384 R058548 R058626 R058753 R058854 R058968 R059150 R059208 R059285 R059296 R059741) SUP (TR72041) BINARY LINK(' ../common-security-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1408 - PTF RO72120 Details

Release	Service	Details
3.0	RO72120	<p>RO72120 M.C.S. ENTRIES = ++PTF (RO72120)</p> <p>BROWSER SHOWING OUT OF MEMORY ERROR</p> <p>PROBLEM DESCRIPTION: In CA Chorus , the browser displays an out of memory error when there are many policy status lights configured in the dashboard.</p> <p>SYMPTOMS: The browser shows the following out of memory exception when the dashboard is configured with many policy status lights: (Error): Out of memory com.google.gwt.core.client.JavaScriptException: (Error): Out of memory Unknown.XLh(StackTraceCreator.java:168) Unknown.cKh(StackTraceCreator.java:421) Unknown.wqj(Exceptions.java:29) Unknown.m6h(Array.java:194) Unknown.m3j(ArrayList.java:95) Unknown.Wxh(Boolean.java:43) Unknown.Oxh(TableLayout.java:325) Unknown.\$xh(TableLayout.java:267) Unknown.byh(TableLayout</p> <p>IMPACT: You cannot proceed with any operation on the dashboard and, the browser becomes unresponsive.</p> <p>CIRCUMVENTION: Close the browser and log back in to CA Chorus.</p> <p>RODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 757</p> <p>INDEX OUT OF BOUNDS EXCEPTION IN CHORUS LOGS</p> <p>PROBLEM DESCRIPTION: In CA Chorus, An IndexOutOfBoundsExpection is reported in the logs. This exception could have occurred while performing a search in Alerts, Investigator or Object Picker modules.</p> <p>SYMPTOMS: An IndexOutOfBoundsExpection appears in the CA Chorus logs.</p> <p>IMPACT: You cannot perform a search in CA Chorus.</p> <p>CIRCUMVENTION: None</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 762</p> <p>MISSING ITEMS WHEN USING IE11</p> <p>PROBLEM DESCRIPTION: When you access CA Chorus using Internet Explorer (IE) v11, you may experience problems with the User Interface (UI) presentation.</p> <p>SYMPTOMS: Any of the following issues may occur: - When you select a menu in the CA Chorus Policy Status Light module, you will not see a check mark next to the menu item. - In the CA Chorus Investigator, the Public/Private radio buttons are not visible in the Save Path dialog for an incomplete path. - In the CA Chorus Investigator, the Save View menu item is not visible in the Details panel. - Similar Issues may occur in the CA Chorus Knowledge Center.</p> <p>IMPACT: You cannot perform some UI actions.</p> <p>CIRCUMVENTION: Use CA Chorus supported browsers other than IE v11.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 763</p> <p>FIRST SECURITY TREE LOAD TAKES LONG TIME</p> <p>PROBLEM DESCRIPTION: In CA Chorus Investigator, the Security discipline tree takes a long time to load the first time a user logs in. It is observed that it takes about 4 minutes to completely render the tree in the UI. Subsequent loads are quick in the same session. The tree remains fully functional and does not cause any</p>

CA Chorus 3.0
CA RS 1408 - PTF RO72120 Details

Release	Service	Details
		<pre> +-----+-----+-----+ KNOWLEDGE z/OS commands REQUIRED +-----+-----+-----+ ACCESS Read access to CETJJCL library REQUIRED Chorus Installer Privileges to submit post-install jobs +-----+-----+-----+ ***** * STEPS TO PERFORM * ***** 1. APPLY This Maintenance 2. Redeploy the Target CETJZFS0 Data Set After APPLYing the maintenance, you will need to redeploy the target CETJZFS0 data set for the changes to take effect. 3. Configure and submit ETJI0150 from the CETJJCL library. If you have previously configured and submitted ETJI0150, you may simply resubmit it.). BINARY LINK('..../metadata-property.txt') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../common-utils-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../chorus-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../h2-datawindow-ds.xml') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../teiid-bootstrap-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../Help.war') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../standalone-chorus.xml.sample') PARM(PATHMODE(0,7,7,5)) SYMLINK('..../standalone-chorus.xml') SYMPATH('..../..../config/standalone-chorus.xml') . BINARY LINK('..../common-teiid-udf-bridge-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../datapipes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../query-fns-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../knowledge-center-classes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../teiid-translator-tsf-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../chorus-actions-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../teiid-translator-customfunctions-3.0.1-SNAPSHOT.jar') </pre>

CA Chorus 3.0
 CA RS 1408 - PTF RO72120 Details

Release	Service	Details
		<pre> PARAM(PATHMODE(0,7,7,5)) . BINARY LINK('./common-db-3.0.1-SNAPSHOT.jar') PARAM(PATHMODE(0,7,7,5)) . BINARY LINK('./chorus-actions-ds.xml') PARAM(PATHMODE(0,7,7,5)) . BINARY LINK('./common-module.xml.sample') PARAM(PATHMODE(0,7,7,5)) SYMLINK('./module.xml') SYMPATH('./../../../../../../../../config/common-module.xml') . BINARY LINK('./chorus-schema-migrate-3.0.1-SNAPSHOT.jar')) PARAM(PATHMODE(0,7,7,5)) . BINARY LINK('./ui-classes-3.0.1-SNAPSHOT.jar') PARAM(PATHMODE(0,7,7,5)) . BINARY LINK('./Chorus.war') PARAM(PATHMODE(0,7,7,5)) . </pre>