

CA LDAP 15.1
CA RS 1408 Service List

Release	Service	Description	Type
15.1	NO-SRV3	CA RS 1408 Contains No Service For This Release of This Product.	PTF
The CA RS 1408 service count for this release is 0			

CA LDAP 15.0
CA RS 1408 Service List

Release	Service	Description	Type
15.0	RO71535	ABILITY TO PASS LOG,STATUS VALUES ON RESCHECK= FILTER	PTF
The CA RS 1408 service count for this release is 1			

CA LDAP 14.0
CA RS 1408 Service List

Release	Service	Description	Type
14.0	NO-SRVC	CA RS 1408 Contains No Service For This Release of This Product.	PTF
The CA RS 1408 service count for this release is 0			

CA LDAP
CA RS 1408 Service List for CDT9F00

FMID	Service	Description	Type
CDT9F00	RO71535	ABILITY TO PASS LOG,STATUS VALUES ON RESCHECK= FILTER	PTF
The CA RS 1408 service count for this FMID is 1			

CA LDAP 15.0
CA RS 1408 - PTF RO71535 Details

Release	Service	Details
15.0	RO71535	<p>RO71535 M.C.S. ENTRIES = ++PTF (RO71535)</p> <p>ABILITY TO PASS LOG,STATUS VALUES ON RESCHECK= FILTER PROBLEM DESCRIPTION: In CA LDAP Server for z/OS, currently customers cannot pass LOG/NOLOG or status values on RESCHECK= filter for search operations. The default is LOG and this can result in huge volumes of logging. This enhancement is to address this issue and give you ability to pass the LOG, Status values on RESCHECK= filter. SYMPTOMS: Large amounts of logs are collected due to access checking when NOLOG option is not specified. IMPACT: NOLOG option cannot be specified in RESCHECK parms during LDAP search for access checking. CIRCUMVENTION: None PRODUCT(S) AFFECTED: LDAP SERVER FOR Z/OS AND OS/390 Release 15.0 LDAP SERVER FOR Z/OS AND OS/390 Release 15.1 Star Problem(s): LDAPDV 199 Copyright (C) 2014 CA. All rights reserved. R00182-LDP150-SP1</p> <p>DESC(ABILITY TO PASS LOG,STATUS VALUES ON RESCHECK= FILTER). ++VER (Z038) FMID (CDT9F00) PRE (R019668 R029536 R031902 R041879 R041901 R045706 R062129) SUP (AR50435 R018728 R018819 R021632 R025312 R025704 R043555 R044109 R045663 R047801 R048369 R049632 R049742 R050110 R050435 R051090 R053663 R056955 R059188 R060102 R061353 R061824 R062858 R063314 TR17964 TR18356 TR18728 TR18819 TR21632 TR25258 TR25312 TR25704 TR43555 TR44109 TR45663 TR47229 TR47705 TR47708 TR47713 TR47738 TR47801 TR48369 TR49632 TR49742 TR50110 TR50435 TR51090 TR53663 TR56810 TR56955 TR59188 TR60102 TR61353 TR61415 TR61824 TR62858 TR63314 TR66076 TR67426 TR69506 TR71535) ++HOLD (RO71535) SYSTEM FMID(CDT9F00) REASON (DYNACT) DATE (14209) COMMENT (</p> <pre> +-----+ LDAP SERVER FOR Z/OS AND OS/390 Release 15.0 +-----+ SEQUENCE After Apply. prior to LDAP restart. +-----+ PURPOSE Implement PTF in LDAP. +-----+ USERS All Users. AFFECTED +-----+ KNOWLEDGE SMP/E. REQUIRED Product Installation. Product Deployment. USS Commands. +-----+ ACCESS Access to the CDT9JCL dataset. REQUIRED Access to the USS directory where LDAP is installed. Permissions to make changes on the USS directory. +-----+ </pre> <p>***** * STEPS TO PERFORM * *****</p>

CA LDAP 15.0
CA RS 1408 - PTF RO71535 Details

Release	Service	Details
		<pre>1. Restart LDAP). BINARY LINK(' ../back_caacf2_utf.dll') PARM(PATHMODE(0,7,5,5),APF,PROGCTL,NOSHAREAS) . BINARY LINK(' ../back_catss_utf.dll') PARM(PATHMODE(0,7,5,5),APF,PROGCTL,NOSHAREAS) . BINARY LINK(' ../libslapd.dll') PARM(PATHMODE(0,7,5,5),APF,PROGCTL,NOSHAREAS) . BINARY LINK(' ../slapd', ' ../slapadd', ' ../slapcat', ' ../cnvt -sql') PARM(PATHMODE(0,7,5,5),APF,PROGCTL,SHAREAS) .</pre>