

CA TPX Session Management 5.4
CA RS 1408 Service List

Release	Service	Description	Type
5.4	R071425	ONLY USERID AND PASSWORD SENT TO AFFINITY TPX	PTF
	R071806	MARK VT UNAVAILABLE WHEN VTAM ISSUES RC=14-13 SENSE CODE	PTF
	R072148	STORAGE OVERLOAD, U0032 OR SOC4 IN FREECB	PTF
The CA RS 1408 service count for this release is 3			

CA TPX Session Management 5.3
CA RS 1408 Service List

Release	Service	Description	Type
5.3	RO71805	TPX MESSAGE BUFFER SIZE FOR ACF2 MSGS	PTF
The CA RS 1408 service count for this release is 1			

CA TPX Session Management
CA RS 1408 Service List for CB0V530

FMID	Service	Description	Type
CB0V530	RO71805	TPX MESSAGE BUFFER SIZE FOR ACF2 MSGS	PTF
The CA RS 1408 service count for this FMID is 1			

CA TPX Session Management
CA RS 1408 Service List for CB0V540

FMID	Service	Description	Type
CB0V540	R071425	ONLY USERID AND PASSWORD SENT TO AFFINITY TPX	PTF
	R071806	MARK VT UNAVAILABLE WHEN VTAM ISSUES RC=14-13 SENSE CODE	PTF
	R072148	STORAGE OVERLOAD, U0032 OR S0C4 IN FREECB	PTF
The CA RS 1408 service count for this FMID is 3			

CA TPX Session Management 5.4
 CA RS 1408 - PTF RO71425 Details

Release	Service	Details
5.4	RO71425	<pre> RO71425 M.C.S. ENTRIES = ++PTF (RO71425) DESC (ONLY USERID AND PASSWORD SENT TO AFFINITY TPX) /*----- PRODUCT: CA-TPX-Multiple Session Mgr Basic RELEASE: 5.4 DATE: 2 JUL 2014 HYPER: NO STARTRAK PROBLEM PRODUCT NAME: TPX PROBLEM NUMBER: 483 ----- ONLY USERID AND PASSWORD SENT TO AFFINITY TPX ----- Only USERID and password are sent to the affinity TPX in the CLSDST/PASS process. SYMPTOMS: Client needs the fourth userdata parameter (account field) passed when a generic resource TPX passes a user to another TPX instance. IMPACT: The fourth parameter will not be available in the pass-to TPX instance. CIRCUMVENTION: None. PRODUCTS AFFECTED: CA TPX Session Management r5.4 -----*/. ++VER (Z038) FMID(CB0V540) SUP (T54R318).</pre>

CA TPX Session Management 5.4
 CA RS 1408 - PTF RO71806 Details

Release	Service	Details
5.4	RO71806	<pre> RO71806 M.C.S. ENTRIES = ++PTF (RO71806) DESC (MARK VT UNAVAILABLE WHEN VTAM ISSUES RC=14-13 SENSE CODE) /*----- PRODUCT: CA-TPX-Multiple Session Mgr Basic RELEASE: 5.4 DATE: 15 JUL 2014 HYPER: NO STARTRAK PROBLEM PRODUCT NAME: TPX PROBLEM NUMBER: 477 ----- MARK VT UNAVAILABLE WHEN VTAM ISSUES RC=14-13 SENSE CODE ----- A virtual terminal session hang can occur when a return code=14 feedback2=13 'CID INVALID' message is issued from VTAM. An Example: TPXL0085 RPL ERROR MANAGEMENT ROUTINE ENTERED PLU=xxxxxxx SLU=xxxxxxx USER=xxxxxxx REQ=2C 00001024 00800000 TOAPPL TERMSB=2E61CEB8 APPLSB=2E60CE38 EB=1FBB5000 RPL=1FDF4208 RTNCD=14 FDBK2=13 MEANING=CID INVALID SENSE CODE=00000000 MEANING=NO SENSE CODES ACTIONS TO BE TAKEN: CLEANUP SYMPTOMS: A virtual terminal session can hang when VTAM issues a 'CID INVALID' message. This will occur when the VTAM message is followed by a TPXL0085 - 0805000B Session Limit Exceeded TPX log message. IMPACT: A session hang will occur if both messages are issued. CIRCUMVENTION: 1.) The hanging virtual terminal can be made unavailable via TPXOPER. (Example - MOD VT=vtermid,UNAVAIL) 2.) The hanging virtual terminal can be inactivated in VTAM. (Example - v net,inact,id=vtermid) PRODUCTS AFFECTED: CA TPX Session Management for z/OS r5.4 -----*/. ++VER (Z038) FMID(CB0V540) SUP (T54R238).</pre>

CA TPX Session Management 5.4
 CA RS 1408 - PTF RO72148 Details

Release	Service	Details
5.4	RO72148	<pre> RO72148 M.C.S. ENTRIES = ++PTF (RO72148) DESC (STORAGE OVERLOAD, U0032 OR SOC4 IN FREECB) /*----- PRODUCT: CA-TPX-Multiple Session Mgr Basic RELEASE: 5.4 DATE: 24 JUL 2014 HYPER: NO STARTRAK PROBLEM PRODUCT NAME: TPX PROBLEM NUMBER: 482 ----- STORAGE OVERLOAD, U0032 OR SOC4 IN FREECB ----- A storage overload message, U0032 or SOC4 abend can occur following a logon or VTAM LOSTERM. A reply Parameter List or data area is not being freed correctly during a logon or LOSTERM event, a storage overload message, or a U0032 abend. SYMPTOMS: The TPX log will show a VTAM LOSTERM exit being driven for a terminal almost immediately after the terminal had logged on. Shortly afterwards the TPX log will show the following message: TPXL0099 ... TERMSB NOT FREED, EB CHAIN NOT ZERO ... MESSAGE IMPACT: If a storage overload, U0032 or SOC4 abend occurs, TPX will need to be recycled. CIRCUMVENTION: None. PRODUCTS AFFECTED: CA TPX Session Management r5.4 -----*/. ++VER (Z038) FMID(CB0V540) SUP (T54R317).</pre>

CA TPX Session Management 5.3
 CA RS 1408 - PTF RO71805 Details

Release	Service	Details
5.3	RO71805	<pre> RO71805 M.C.S. ENTRIES = ++PTF (RO71805) DESC (TPX MESSAGE BUFFER SIZE FOR ACF2 MSGS) /*----- PRODUCT: CA-TPX-Multiple Session Mgr Basic RELEASE: 5.3 DATE: 15 JUL 2014 HYPER: NO STARTRAK PROBLEM PRODUCT NAME: TPX PROBLEM NUMBER: 487 ----- TPX MESSAGE BUFFER SIZE FOR ACF2 MSGS ----- Using the z/OS facility MMS to shorten or change the text of any ACF2 message can leave garbage in the message display. Symptoms: MMS is a z/OS facility that allows changes in the text of any ACF2 message. Changes are made in the MMSLSTxx member. Making changes to shorten the text of an ACF2 message can result in garbage in the display of the security message due to the size of the TPX buffer. Impact: The display of the new security message can contain garbage text. CIRCUMVENTION: Keeping the length of the ACF2 messages the same will avoid any garbage from being displayed. PRODUCTS AFFECTED: CA TPX Session Management r5.3 -----*/. ++VER (Z038) FMID(CB0V530) SUP (T54R393,RO29294,T5QV198).</pre>