

CA ACF2 15.0
CA RS 1410 Service List

Release	Service	Description	Type
15.0	RO69153	SAFRT101 0C4 IN CIA REAL-TIME RECORDING	PTF
	RO69515	CICS: CTS 5.1 ABEND 2F0/U752 WITH SECVFYFREQ=USRDELAY	PTF
	RO72064	STORAGE CREEP IN SP-252 KEY-0 USING PKCS#12/PKCS#7	** PRP **
	RO72795	CAS4LDAP CAUSED S978-04 ISSUING MSG CAS228AE	PTF
	RO73181	RO42626 DOES NOT SUP AR26856	** PRP **
	RO73370	F ACF2,OMVS(CSFKEYS) GETS ERRONEOUS ACF79462	PTF
	RO73489	ACF01VAL SOC4 WITH BAD ACVALD PLIST	PTF
	RO73626	ACF00178 INVALID CERTIFICATE DATA - FORMAT CERTMAP INSERT	PTF
	RO74086	PE RO73489	*HIP/PRP*
The CA RS 1410 service count for this release is 9			

CA ACF2 14.0
CA RS 1410 Service List

Release	Service	Description	Type
14.0	NO-SRVC	CA RS 1410 Contains No Service For This Release of This Product.	PTF
The CA RS 1410 service count for this release is 0			

CA ACF2
CA RS 1410 Service List for CAX1F00

FMID	Service	Description	Type
CAX1F00	RO69153	SAFRT101 0C4 IN CIA REAL-TIME RECORDING	PTF
	RO72064	STORAGE CREEP IN SP-252 KEY-0 USING PKCS#12/PKCS#7	** PRP **
	RO72795	CAS4LDAP CAUSED S978-04 ISSUING MSG CAS228AE	PTF
	RO73181	RO42626 DOES NOT SUP AR26856	** PRP **
	RO73370	F ACF2,OMVS(CSFKEYS) GETS ERRONEOUS ACF79462	PTF
	RO73489	ACF01VAL S0C4 WITH BAD ACVALD PLIST	PTF
	RO73626	ACF00178 INVALID CERTIFICATE DATA - FORMAT CERTMAP INSERT	PTF
	RO74086	PE RO73489	*HIP/PRP*
The CA RS 1410 service count for this FMID is 8			

CA ACF2
CA RS 1410 Service List for CAX1F03

FMID	Service	Description	Type
CAX1F03	RO69515	CICS: CTS 5.1 ABEND 2F0/U752 WITH SECVFYFREQ=USRDELAY	PTF
The CA RS 1410 service count for this FMID is 1			

CA ACF2 15.0
CA RS 1410 - PTF RO69153 Details

Release	Service	Details
15.0	RO69153	<p>RO69153 M.C.S. ENTRIES = ++PTF (RO69153)</p> <p>SAFRT101 0C4 IN CIA REAL-TIME RECORDING PROBLEM DESCRIPTION: When the GSO CHORUS record specifies CIA it is possible to experience an 0C4 abend in SAFTR101 or ACF79TMR. The problem symptoms are very similar to those addressed in problem 9388 (RO49252) which discusses abends caused when the high-order word of a 64-bit register contains a non-zero value. Symptoms: CCSR021I OWNER = CA SAF R15.0 CCSR022I MODULE = SAFRT101 FMID = CAX1F00 RMID = RO49252 CCSR060I BREAKING EVENT ADDRESS: 00000000 xxxxxxxx CCSR061I PSW: 07041001 80000000 00000000 xxxxx16C CCSR062I ILC: 06 INTERRUPT CODE: 38 REASON CODE: 00000000 CCSR063I TRANSLATION EXCEPTION ADDRESS: FFFFFFFF_xxxxxxxx CCSR064I DATA AT PSW xxxxx166 : 0020A724 0008EB0F 90000024 Impact: CIA real-time recording process fails Circumvention: Change GSO CHORUS record to specify NOCIA PRODUCT(S) AFFECTED: CA-ACF2-MVS Release 15.0 Star Problem(s): ACF2MS 9636 Copyright (C) 2014 CA. All rights reserved. R01058-ACF150-SP1</p> <p>DESC(SAFRT101 0C4 IN CIA REAL-TIME RECORDING). ++VER (Z038) FMID (CAX1F00) PRE (RO36462 RO49252) SUP (TR69153) ++HOLD (RO69153) SYSTEM FMID(CAX1F00) REASON (DYNACT) DATE (14100) COMMENT (</p> <pre> +-----+ CA-ACF2-MVS Release 15.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE Activate change without IPL +-----+ USERS Users with CIA real-time recording enabled AFFECTED +-----+ KNOWLEDGE Operator commands REQUIRED +-----+ ACCESS z/OS Operator console REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. LLA refresh 2. Execute console command 'F ACF2,NEWMOD(SAFRT101)'). </pre>

CA ACF2 15.0
CA RS 1410 - PTF RO69515 Details

Release	Service	Details
15.0	RO69515	<p>RO69515 M.C.S. ENTRIES = ++PTF (RO69515)</p> <p>CICS: CTS 5.1 ABEND 2F0/U752 WITH SECVFYFREQ=USRDELAY PROBLEM DESCRIPTION: Under CICS/TS 5.1 and above, with use of the SIT parm: SECVFYFREQ=USRDELAY, assignment of the non-terminal default LOGONID more than 24 hours after the region started may result in a U2F0/U752, and/or SOC4 abend. SYMPTOMS: An abend is issued, dump taken, and messages displayed: ACFFE001 ACFAESAF DUMP IN PROGRESS ACFFE002 ACFAESAF DUMP COMPLETED ACFAE723 ACF2/CICS Abend in module CAKSALOC at offset 04C2. DUMPID=017 REQUESTED BY JOB (CICF051B) DUMP TITLE=CAS9578E - Product = J161 PSW = 078D1000 A6F14D 12 Completion Code = 02F0 CAS9296E - R0-R3 84000000 840002F0 00000080 00000000 CAS9297E - R4-R7 7F61D000 26F41128 00000000 7F68B000 CAS9298E - R8-RB 27BB062A 257F1CF0 27C58000 26F14850 CAS9299E - RC-RF 7F510074 257F17B8 00000080 00000000 IMPACT: Failure of the effected non-terminal tasks. CIRCUMVENTION: Use of the SIT parm: SECVFYFREQ=NEVER PRODUCTS AFFECTED: CICS/TS Interface for CA ACF2 FOR Z/OS Release 15.0 Star Problem(s): ACF2MS 9620 CICS: NON-TERMINAL DEFAULT NOT USED DURING REGION INIT PROBLEM DESCRIPTION: CICS itself is aware of a single default USERID, specified by the DFLTUSR parm in the SIT. ACF2 CICS overrides the DFLTUSR value with what is specified in the ACF2 CICS parameter: DEFAULT TERMINAL= During CICS Region initialization, non-terminal tasks may get started and intended by CICS to run under the default userid. This type of task would normally get signed on to the ACF2 CICS DEFAULT NONTERMINAL= LOGONID. However, very early in initialization, the CICS environment is unable to process SIGNON requests. In this case, ACF2 CICS lets the task continue under the default LOGONID. This is the way ACF2 CICS has handled these tasks since 1997, but recent releases of CICS TS may be starting tasks earlier. This change will cause those non-terminal tasks running under the default to have resource validations performed against the ACF2 CICS DEFAULT NONTERMINAL= LOGONID. SYMPTOMS: Possible resource violations against the DEFAULT TERMINAL= LOGONID for tasks that should run under the DEFAULT NONTERMINAL= LOGONID. IMPACT: Inconsistent use of the DEFAULT NONTERMINAL= LOGONID may cause unexpected violations. Impact is dependent on what resource violations occur. CIRCUMVENTION: None. PRODUCTS AFFECTED: CICS/TS Interface for CA ACF2 FOR Z/OS Release 15.0 Star Problem(s): ACF2MS 9642 CICS: SOC4 ABEND IN CAKSRD## UNDER TCPIP PROTOCOL(IPIC) PROBLEM DESCRIPTION: After CICS/TS maintenance has been installed, an abend in ACF2 CICS module CAKDRD6x may occur. This is due to possible</p>

CA ACF2 15.0
CA RS 1410 - PTF RO69515 Details

Release	Service	Details
		<pre> residual data in a CICS control block used by ACF2 CICS in error. This problem was reported under CICS/TS Rel 4.1, and AM80715. SYMPTOMS: ACFAE723 ACF2/CICS Abend in module CAKSRD6x at offset aaaa IMPACT: Signons and other User Domain related processing requests may fail. CIRCUMVENTION: None PRODUCTS AFFECTED: CICS/TS Interface for CA ACF2 FOR Z/OS Release 14.0 CICS/TS Interface for CA ACF2 FOR Z/OS Release 15.0 Star Problem(s): ACF2MS 9525 Copyright (C) 2014 CA. All rights reserved. R01065-ACF150-SP1 DESC(CICS: CTS 5.1 ABEND 2F0/U752 WITH SECVFYFREQ=USRDELAY). ++VER (Z038) FMID (CAX1F03) PRE (R026405 R031941 R032495 R044651 R045361 R046083 R049397 R053745 R055435 R066172 R071103) SUP (TR25180 TR27274 R027274 TR31705 AR32495 R025180 TR36415 TR42712 TR42869 TR43245 TR43425 TR43128 TR43173 TR43563 TR44221 R043425 R044221 TR46524 BR44651 R046524 TR55119 TR58084 R031705 R058084 TR59229 AR59229 TR67560 AR67560 R067560 TR68922 R036415 R059229 R068922 TR69515 TR69824) ++HOLD (R069515) SYSTEM FMID(CAX1F03) REASON (DYNACT) DATE (14178) COMMENT (+-----+ CA-ACF2-MVS CICS Release 15.0 +-----+ SEQUENCE Before Restart +-----+ PURPOSE 1. Enable new code 2. Resource validations during INIT may change +-----+ USERS All users AFFECTED +-----+ KNOWLEDGE CICS Region startup workload REQUIRED +-----+ ACCESS Operator Console REQUIRED ACF2 Rule administration +-----+ ***** * STEPS TO PERFORM * ***** 1. Perform an LLA REFRESH (if applicable) 2. Review transactions that run during CICS startup for: - What Resource validations are performed - What LOGONID they are performed against (CICS region, Terminal default, Non-terminal default) -or- 3. Perform a test startup to observe any unexpected violations 4. Make necessary Resource Rule or ACF2 CICS parameter changes IE: SAFELIST, etc. 5. Restart CICS Region). </pre>

CA ACF2 15.0
CA RS 1410 - PTF RO72064 Details

Release	Service	Details
15.0	RO72064	<p>RO72064 M.C.S. ENTRIES = ++PTF (RO72064)</p> <p>STORAGE CREEP IN SP-252 KEY-0 USING PKCS#12/PKCS#7 PROBLEM DESCRIPTION: RO61513 changes introduced a potential subpool 252 storage creep in SAFCR712 processing. The creep occurs when certificate processing (i.e. INSERT, CHKCERT) is done against PKCS#12 and PKCS#7 certificate packages. If an ACFBATCH job issues a large number of INSERT/CHKCERT subcommands it may eventually terminate with an S878 or S80A ABEND. The storage creep shows up in subpool 252 as partially freed blocks of storage that contain the characters 'SAFCR712'. SYMPTOMS: Out of storage conditions such as S878/S80A ABENDS IMPACT: ACFBATCH jobs may ABEND with S878/S80A CIRCUMVENTION: Limit the number of INSERT/CHKCERT subcommands done in batch jobs PRODUCT(S) AFFECTED: ACF2MS Release 15.0 Star Problem(s): ACF2MS 9677 Copyright (C) 2014 CA. All rights reserved. R01118-ACF150-SP1</p> <p>DESC(STORAGE CREEP IN SP-252 KEY-0 USING PKCS#12/PKCS#7). ++VER (Z038) FMID (CAX1F00) PRE (RO25852 RO35100 RO43941 RO54831 RO61513) SUP (AR61513 TR72064) ++HOLD (RO72064) SYSTEM FMID(CAX1F00) REASON (DYNACT) DATE (14245) COMMENT (</p> <pre> +-----+ CA-ACF2-MVS Release 15.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE Activate change without IPL +-----+ USERS All users AFFECTED +-----+ KNOWLEDGE Operator commands REQUIRED +-----+ ACCESS z/OS Operator console REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. LLA Refresh 2. Execute console command 'F ACF2,NEWMOD(SAFCR712)').</pre>

CA ACF2 15.0
CA RS 1410 - PTF RO72795 Details

Release	Service	Details
15.0	RO72795	<p>RO72795 M.C.S. ENTRIES = ++PTF (RO72795)</p> <p>CAS4LDAP CAUSED S978-04 ISSUING MSG CAS228AE</p> <p>PROBLEM DESCRIPTION: LDS processing in CAS4LDAP overlaid a VSMP which subsequently caused a GETMAIN request to return a storage address that was not properly aligned on a doubleword. When that storage was FREEMAIN'ed an S978-04 ABEND was issued due to the fact that the storage was not doubleword aligned. This problem happened due to processing in CAS4LDAP that issued message "CAS228AE LDS request failed. LDAP Node xxxx.xxx deactivated due to a previous error". An attempt is made to write the CAS228AE message to the journal file but the journalling code used a storage area that had been re-used for other LDS processing.</p> <p>SYMPTOMS: S978-04 COMPON=CNZ,COMPID=SC1CK,ISSUER=CNZMIREC,MODULE=CNZS1</p> <p>IMPACT: LDS terminates</p> <p>CIRCUMVENTION: None</p> <p>PRODUCT(S) AFFECTED: CA-ACF2-MVS Release 15.0</p> <p>Star Problem(s): ACF2MS 9672</p> <p>Copyright (C) 2014 CA. All rights reserved. R01124-ACF150-SP1</p> <p>DESC(CAS4LDAP CAUSED S978-04 ISSUING MSG CAS228AE). ++VER (Z038) FMID (CAX1F00) SUP (TR48906 RO48906 TR72795) ++HOLD (RO72795) SYSTEM FMID(CAX1F00) REASON (DYNACT) DATE (14239) COMMENT (</p> <pre> +-----+ CA-ACF2-MVS Release 15.0 +-----+-----+ SEQUENCE After Apply +-----+-----+ PURPOSE Activate change without IPL +-----+-----+ USERS LDS users AFFECTED +-----+-----+ KNOWLEDGE Operator commands REQUIRED +-----+-----+ ACCESS z/OS Operator console REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. LLA refresh 2. F ACF2,LDS(STOP) 3. F ACF2,LDS(START)). </pre>

CA ACF2 15.0
CA RS 1410 - PTF RO73181 Details

Release	Service	Details
15.0	RO73181	<p>RO73181 M.C.S. ENTRIES = ++PTF (RO73181)</p> <p>RO42626 DOES NOT SUP AR26856</p> <p>PROBLEM DESCRIPTION: Client found that RO42626 does not SUP AR26856. RO26858 was PE'd by RO40915 which SUP's the hold error reason AR26856. RO42626 then SUP's RO40915 but does not also SUP AR26856. This can cause ACCEPT errors.</p> <p>SYMPTOMS: GIM30206E ** ACCEPT PROCESSING FAILED FOR SYSMOD RO26856. HOLD REASON IDS WERE NOT RESOLVED. GIM35901I ERROR HOLD AR26856 WAS NOT RESOLVED.</p> <p>IMPACT: ACCEPT processing fails</p> <p>CIRCUMVENTION: 1) Ensure RO40915 is being accepted at the same time with RO42626. 2) ACCEPT RO40915 separately before accepting RO42626.</p> <p>PRODUCT(S) AFFECTED: CA-ACF2-MVS Release 15.0</p> <p>Star Problem(s): ACF2MS 9668</p> <p>Copyright (C) 2014 CA. All rights reserved. R01127-ACF150-SP1</p> <p>DESC(RO42626 DOES NOT SUP AR26856). ++VER (Z038) FMID (CAX1F00) PRE (RO25852 RO26856 RO35100 RO42623 RO42626 RO54826 RO54834 RO61511 RO61513 RO62767 RO65924 RO67639 RO70670) SUP (AR26856 AR42626 RO34271 RO34561 RO36998 RO37278 RO40915 RO44280 RO45951 RO65150 RO69511 TR17134 TR34271 TR34561 TR36549 TR36993 TR36998 TR37278 TR40915 TR43056 TR44280 TR45951 TR57872 TR57882 TR65150 TR69511 TR72192 TR73181) ++HOLD (RO73181) SYSTEM FMID(CAX1F00) REASON (DYNACT) DATE (14240) COMMENT (</p> <pre> +-----+ CA-ACF2-MVS Release 15.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE Activate change without IPL +-----+ USERS Users with INFO database max record length under 16K AFFECTED +-----+ KNOWLEDGE Operator commands. REQUIRED +-----+ ACCESS z/OS Operator console REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. LLA Refresh 2. F ACF2,NEWMOD(ACF00SVA)). </pre>

CA ACF2 15.0
CA RS 1410 - PTF RO73370 Details

Release	Service	Details
15.0	RO73370	<p>RO73370 M.C.S. ENTRIES = ++PTF (RO73370)</p> <p>F ACF2,OMVS(CSFKEYS) GETS ERRONEOUS ACF79462</p> <p>PROBLEM DESCRIPTION: An "F ACF2,OMVS(CSFKEYS)" command erroneously gets message ACF79462 when the command was successful.</p> <p>SYMPTOMS: The following message is issued on an "F ACF2,OMVS(CSFKEYS)" command: ACF79462 NO OMVS USER/GROUP PROFILE RECORDS EXIST</p> <p>IMPACT: The MODIFY command output is misleading.</p> <p>CIRCUMVENTION: Disregard the ACF79462 message.</p> <p>PRODUCT(S) AFFECTED: CA-ACF2-MVS Release 15.0</p> <p>Star Problem(s): ACF2MS 9660</p> <p>Copyright (C) 2014 CA. All rights reserved. R01128-ACF150-SP1</p> <p>DESC(F ACF2,OMVS(CSFKEYS) GETS ERRONEOUS ACF79462). ++VER (Z038) FMID (CAX1F00) PRE (RO21293 RO25852 RO42623 RO54826 RO54831 RO62767 RO67639 RO70670) SUP (TR16952 TR17909 TR34214 RO34214 TR57293 RO57293 TR73370) ++HOLD (RO73370) SYSTEM FMID(CAX1F00) REASON (DYNACT) DATE (14255) COMMENT (</p> <pre> +-----+ CA-ACF2-MVS Release 15.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE Activate change without IPL +-----+ USERS All users AFFECTED +-----+ KNOWLEDGE Operator commands REQUIRED +-----+ ACCESS z/OS Operator console REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. LLA Refresh). </pre>

CA ACF2 15.0
CA RS 1410 - PTF RO73489 Details

Release	Service	Details
15.0	RO73489	<p>RO73489 M.C.S. ENTRIES = ++PTF (RO73489)</p> <p>ACF01VAL S0C4 WITH BAD ACVALD PLIST</p> <p>PROBLEM DESCRIPTION: When issuing an ACVALD LOGON call with an invalid parameter list (i.e. blanks in ACVLID, ACVPSWD and ACVNPSWD) an 0C4 ABEND may occur in ACF01VAL.</p> <p>SYMPTOMS: ACFFE100 SVCARECV S0C4 AT 187E51E6 LMOD ACF00SVA CSECT ACF01VAL +00374E</p> <p>IMPACT: The ACVALD LOGON call ABENDS instead of passing back an error message.</p> <p>CIRCUMVENTION: None</p> <p>PRODUCT(S) AFFECTED: CA-ACF2-MVS Release 14.0 CA-ACF2-MVS Release 15.0</p> <p>Star Problem(s): ACF2MS 9689</p> <p>Copyright (C) 2014 CA. All rights reserved. R01132-ACF150-SP1</p> <p>DESC(ACF01VAL S0C4 WITH BAD ACVALD PLIST). ++VER (Z038) FMID (CAX1F00) PRE (RO36829 RO45722 RO66836) SUP (TR38482 RO38482 TR73489) ++HOLD (RO73489) SYSTEM FMID(CAX1F00) REASON (DYNACT) DATE (14255) COMMENT (</p> <pre> +-----+ CA-ACF2-MVS Release 15.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE Activate change without IPL +-----+ USERS All users AFFECTED +-----+ KNOWLEDGE Operator commands REQUIRED +-----+ ACCESS z/OS Operator console REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. LLA Refresh 2. Execute console command 'F ACF2,NEWMOD(ACF00SVA)'). </pre>

CA ACF2 15.0
CA RS 1410 - PTF RO73626 Details

Release	Service	Details
15.0	RO73626	<p>RO73626 M.C.S. ENTRIES = ++PTF (RO73626)</p> <p>ACF00178 INVALID CERTIFICATE DATA - FORMAT CERTMAP INSERT PROBLEM DESCRIPTION: ACF00178 Invalid certificate data - format on a CERTMAP insert with an input dataset. Also initACEE REGCERT failing with 8,8,36. Both of these "problem" stem from B64 encoded certificates being FTP'd to a PDS with line feed characters. Prior to the new process, the certs would be FTP'd into individual datasets without any line feed characters. Both certificates could still be CHKCERT'd and INSERT'd. The CERTMAP processing and initACEE processing were never updated to remove line feed characters. SYMPTOMS: CERTMAP insert and initACEE REGCERT function fail. IMPACT: CERTMAP records or CERTDATA records do not exist when they should. CIRCUMVENTION: Modify the input certificate datasets manually and remove the line feed characters (x'25' or x'15') PRODUCT(S) AFFECTED: CA-ACF2-MVS Release 15.0 Star Problem(s): ACF2MS 9687 Copyright (C) 2014 CA. All rights reserved. R01134-ACF150-SP1</p> <p>DESC(ACF00178 INVALID CERTIFICATE DATA - FORMAT CERTMAP INSERT). ++VER (Z038) FMID (CAX1F00) PRE (RO25852 RO35100 RO43941 RO54831 RO61513) SUP (AR61513 RO72064 TR72064 TR73626) ++HOLD (RO73626) SYSTEM FMID(CAX1F00) REASON (DYNACT) DATE (14262) COMMENT (</p> <pre> +-----+ CA-ACF2-MVS Release 15.0 +-----+-----+ SEQUENCE After Apply +-----+-----+ PURPOSE Activate change without IPL +-----+-----+ USERS All users AFFECTED +-----+-----+ KNOWLEDGE Operator commands REQUIRED +-----+-----+ ACCESS z/OS Operator console REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. LLA Refresh 2. Execute console command 'F ACF2,NEWMOD(ACF00SVA)' 3. Execute console command 'F ACF2,NEWMOD(ACF9CCER)' 4. Execute console command 'F ACF2,NEWMOD(SAF712)'). </pre>

CA ACF2 15.0
CA RS 1410 - PTF RO74086 Details

Release	Service	Details
15.0	RO74086	<p>RO74086 M.C.S. ENTRIES = ++PTF (RO74086)</p> <p>PE RO73489</p> <p>PROBLEM DESCRIPTION: RO73489 introduced a problem in password processing that may prevent the assignment of a password during logon processing, when the logonid record was not created with a password. Attempts to logon with the logonid (from TSO or batch job submission) fail with message "ACF01020 NEW PASSWORD LESS THAN MINIMUM LENGTH AND OLD PASSWORD EXPIRED".</p> <p>SYMPTOMS: ACF01020 NEW PASSWORD LESS THAN MINIMUM LENGTH AND OLD PASSWORD EXPIRED</p> <p>IMPACT: High</p> <p>CIRCUMVENTION: Assign password manually using the ACF CHANGE subcommand</p> <p>PRODUCT(S) AFFECTED: CA-ACF2-MVS Release 15.0</p> <p>Star Problem(s): ACF2MS 9698</p> <p>Copyright (C) 2014 CA. All rights reserved. R01138-ACF150-SP1</p> <p>DESC(PE RO73489). ++VER (Z038) FMID (CAX1F00) PRE (R036829 R038482 R045722 R066836) SUP (AR73489 RO73489 TR38482 TR73489 TR74086) ++HOLD (RO74086) SYSTEM FMID(CAX1F00) REASON (DYNACT) DATE (14268) COMMENT (</p> <pre> +-----+ CA-ACF2-MVS Release 15.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE Activate change without IPL +-----+ USERS All users AFFECTED +-----+ KNOWLEDGE Operator commands REQUIRED +-----+ ACCESS z/OS Operator console REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. LLA Refresh 2. Execute console command 'F ACF2,NEWMOD(ACF00SVA)').</pre>