

CA Chorus 3.0
CA RS 1410 Service List

Release	Service	Description	Type
3.0	RO69026	UPDATE CONFIG JCL JOB COMMENTS	PTF
	RO71671	AUTO-CONFIG PROBLEMS	PTF
	RO72297	CONFIG GEN UPDATE	PTF
	RO73066	DBA CATALOG ISSUES WHEN FILTERING USING APOSTROPHES	PTF
	RO73264	DATA WITH INCORRECT TIME RANGE IS RETURNED	PTF
	RO73325	UNSPECIFIED ERROR ON INVESTIGATOR LAUNCH	PTF
	RO73548	EVENT LOCAL TIMESTAMP WRONG	PTF
	RO73641	SQLCODE -999 ERROR FROM TSDB102	PTF
	RO73650	UPGRADE DB2 JDBC DRIVER	PTF
	RO73811	UNCHANGED POLICY LIGHT	PTF
	RO73825	CHORUS PLATFORM 4.0 COMPATIBILITY	PTF
	RO74144	METRIC INVESTIGATE MULTI LPAR	PTF
The CA RS 1410 service count for this release is 12			

CA Chorus 2.5
CA RS 1410 Service List

Release	Service	Description	Type
2.5	RO52347	WAREHOUSE VIEW MISSING FROM INITIAL INSTALL	PTF
	RO62254	INVESTIGATOR UNEXPECTED OBJECTS	PTF
The CA RS 1410 service count for this release is 2			

CA Chorus 3.0
CA RS 1410 Service List for Chorus Platform

Type	Release	Service	Description	FMID	Type
Chorus Platform	3.0	RO73066	DBA CATALOG ISSUES WHEN FILTERING USING APOSTROPHES	CETJ300	PTF
		RO73264	DATA WITH INCORRECT TIME RANGE IS RETURNED	CETJ300	PTF
		RO73325	UNSPECIFIED ERROR ON INVESTIGATOR LAUNCH	CETJ300	PTF
		RO73641	SQLCODE -999 ERROR FROM TSDB102	CETJ300	PTF
		RO73650	UPGRADE DB2 JDBC DRIVER	CETJ300	PTF
		RO73811	UNCHANGED POLICY LIGHT	CETJ300	PTF
		RO74144	METRIC INVESTIGATE MULTI LPAR	CETJ300	PTF
The CA RS 1410 service count for this type is 7					

CA Chorus 3.0
CA RS 1410 Service List for IM Discipline

Type	Release	Service	Description	FMID	Type
IM Discipline	3.0	R073825	CHORUS PLATFORM 4.0 COMPATIBILITY	CFAW300	PTF
The CA RS 1410 service count for this type is 1					

CA Chorus 2.5
CA RS 1410 Service List for Security Discipline

Type	Release	Service	Description	F MID	Type
Security Discipline	2.5	RO52347	WAREHOUSE VIEW MISSING FROM INITIAL INSTALL	CE1M250	PTF
		RO62254	INVESTIGATOR UNEXPECTED OBJECTS	CE1M250	PTF
The CA RS 1410 service count for this type is 2					

CA Chorus 3.0
CA RS 1410 Service List for Security Discipline

Type	Release	Service	Description	FMID	Type
Security Discipline	3.0	RO69026	UPDATE CONFIG JCL JOB COMMENTS	CE1M300	PTF
		RO71671	AUTO-CONFIG PROBLEMS	CE1M300	PTF
		RO72297	CONFIG GEN UPDATE	CE1M300	PTF
		RO73548	EVENT LOCAL TIMESTAMP WRONG	CE1M300	PTF

The CA RS 1410 service count for this type is 4

CA Chorus 3.0
CA RS 1410 - PTF RO69026 Details

Release	Service	Details
3.0	RO69026	<p>RO69026 M.C.S. ENTRIES = ++PTF (RO69026)</p> <p>UPDATE CONFIG JCL JOB COMMENTS</p> <p>PROBLEM DESCRIPTION: There are no expected return codes in the ElMI job templates</p> <p>SYMPTOMS: Customers confused when they see an RC other than zero, even if it is not an error</p> <p>IMPACT: Some customers having trouble configuring Chorus</p> <p>CIRCUMVENTION: Ignore RC</p> <p>PRODUCT(S) AFFECTED: CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0</p> <p>Star Problem(s): CHRSEC 116</p> <p>Copyright (C) 2014 CA. All rights reserved. R00061-SCR030-SP1</p> <p>DESC(UPDATE CONFIG JCL JOB COMMENTS). ++VER (Z038) FMID (CE1M300) PRE (RO56440 RO62149) SUP (TR69026) ++HOLD (RO69026) SYSTEM FMID(CE1M300) REASON (DYNACT) DATE (14254) COMMENT (</p> <pre> +-----+ CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0 +-----+-----+ SEQUENCE The fix must be applied before starting Chorus Security Discipline Server. +-----+-----+ PURPOSE Implement the PTF +-----+-----+ USERS All Users. AFFECTED +-----+-----+ KNOWLEDGE SMP/E. REQUIRED Product Installation. Product Deployment. USS Commands. +-----+-----+ ACCESS Access will be required to the CE1MJCL dataset. REQUIRED Access will be required to <CHORUS_HOME>/roles/security. Access will be required to <CHORUS_HOME>/config. +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Apply APAR. 2. If you have already configured Chorus, no need to do anything else 3. If not configured yet: Deploy Chorus Security Discipline if needed CA CSM or using jobs in CE1MJCL. 4. Configure Chorus for Security and Compliance Management manually or using AUTO-CONFIG.). </pre>

CA Chorus 3.0
CA RS 1410 - PTF RO71671 Details

Release	Service	Details
3.0	RO71671	<p>RO71671 M.C.S. ENTRIES = ++PTF (RO71671)</p> <p>AUTO-CONFIG PROBLEMS</p> <p>PROBLEM DESCRIPTION:</p> <p>PROBLEM DESCRIPTION:</p> <p>1.) When using the auto-config to generate the JCL and then running the \$1MI011 does not execute ORGOBJ to build this view for DB2.defined.</p> <p>2.) The compliance manager viewS do not exist. E1MI0017 only builds the data mart views</p> <p>SYMPTOMS:</p> <p>1.) Exception org.teiid.jdbc.TeiidSQLException: Group does not exist: SECURITY_CIA_DB2_DS0G_SACIX2.ORGINFOVIEW occurred on statement Execute query:alter view "SECURITY.ORGINFO" as SELECT sysid, orgid, orgtype, name FROM (SELECT sysid, orgid, orgtype, name FROM SECURITY_CIA_DB2_DS0G_SACIX2.ORGINFOVIEW) AS t with parameters Ý" org.teiid.jdbc.TeiidSQLException: Group does not exist: SECURITY_CIA_DB2_DS0G_SACIX2.ORGINFOVIEW</p> <p>2.) org.teiid.jdbc.TeiidSQLException: Group does not exist: SECURITY_WH_DATACOM_TCP_DEV_R140_SDV27_CMGRQ1.VIEWUSSFILE followed by java.lang.Exception: Unable to run alter view for: SECCM.VIEWUSSFILE</p> <p>IMPACT:</p> <p>The database views aren't built correctly.</p> <p>CIRCUMVENTION:</p> <p>1.) Add ORGOBJ to the \$1MI011 job and run again. //ORGOBJ EXEC SQLQRY1 //QUERY.SYSIN DD DISP=SHR, // DSN=@CE1MJCLDSN@(ORGOBJ)</p> <p>2.) Add following to \$1MI0017 job // DSN=@CE1MJCLDSN@(CWADMACC) // DD DISP=SHR, // DSN=@CE1MJCLDSN@(CWADMMIS) // DD DISP=SHR, // DSN=@CE1MJCLDSN@(CWADMPOL) // DD DISP=SHR, // DSN=@CE1MJCLDSN@(CWOBJACC) // DD DISP=SHR, // DSN=@CE1MJCLDSN@(CWSECCTL) // DD DISP=SHR, // DSN=@CE1MJCLDSN@(CWSYSACC) // DD DISP=SHR, // DSN=@CE1MJCLDSN@(CWUSSFIL) // DD DISP=SHR, // DSN=@CE1MJCLDSN@(CWUSSUSR)</p> <p>CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0</p> <p>Star Problem(s):</p> <p>CHRSEC 121</p> <p>Copyright (C) 2014 CA. All rights reserved. R00064-SCR030-SP1</p> <p>DESC(AUTO-CONFIG PROBLEMS).</p> <p>++VER (Z038)</p> <p>FMID (CE1M300)</p> <p>PRE (RO62149 RO69026)</p> <p>SUP (TR71671)</p> <p>++HOLD (RO71671) SYSTEM FMID(CE1M300)</p> <p>REASON (DYNACT) DATE (14266)</p> <p>COMMENT (</p> <p>-----+-----</p> <p> CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0 </p> <p>-----+-----</p> <p> SEQUENCE The fix must be applied before starting Chorus Security </p> <p> Discipline Server. </p> <p>-----+-----</p> <p> PURPOSE Implement the PTF </p> <p>-----+-----</p>

CA Chorus 3.0
CA RS 1410 - PTF RO71671 Details

Release	Service	Details
		<pre> USERS All Users. AFFECTED +-----+ KNOWLEDGE SMP/E. REQUIRED Product Installation. Product Deployment. USS Commands. +-----+ ACCESS Access will be required to the CE1MJCL dataset. REQUIRED Access will be required to <CHORUS_HOME>/roles/security. Access will be required to <CHORUS_HOME>/config. +-----+ ***** * STEPS TO PERFORM * ***** 1. Apply APAR. 2. Redeploy Chorus Security Discipline if needed with either CA CSM or using jobs in CE1MJCL. 3. Reconfigure Chorus for Security and Compliance Management manually or using AUTO-CONFIG.). </pre>

CA Chorus 3.0
CA RS 1410 - PTF RO72297 Details

Release	Service	Details
3.0	RO72297	<p>RO72297 M.C.S. ENTRIES = ++PTF (RO72297)</p> <p>CONFIG GEN UPDATE</p> <p>PROBLEM DESCRIPTION: Fix LDAP config generator to add CN= to the dn if it is missing</p> <p>SYMPTOMS: Jboss issues if LDAP_ADMIN_DN does not start with CN= during config</p> <p>IMPACT: Configuration issues</p> <p>CIRCUMVENTION: Add CN= to LDAP_ADMIN_DN during configuration</p> <p>PRODUCT(S) AFFECTED: CHRSEC 3.0 CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0</p> <p>Star Problem(s): CHRSEC 123</p> <p>Copyright (C) 2014 CA. All rights reserved. R00068-SCR030-SP1</p> <p>DESC(CONFIG GEN UPDATE). ++VER (Z038) FMID (CE1M300) PRE (RO62149) SUP (TR72293 TR72294 TR72296 TR72297) ++HOLD (RO72297) SYSTEM FMID(CE1M300) REASON (DYNACT) DATE (14254) COMMENT (</p> <pre> +-----+ CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0 +-----+ SEQUENCE The fix must be applied before starting Chorus Security Discipline Server. +-----+ PURPOSE Implement the PTF +-----+ USERS All Users. AFFECTED +-----+ KNOWLEDGE SMP/E. REQUIRED Product Installation. Product Deployment. USS Commands. +-----+ ACCESS Access will be required to the CE1MJCL dataset. REQUIRED Access will be required to <CHORUS_HOME>/roles/security. Access will be required to <CHORUS_HOME>/config. +-----+ ***** * STEPS TO PERFORM * ***** 1. Redeploy Chorus Security Discipline if needed with either CA CSM or using jobs in CE1MJCL. 2. Reconfigure Chorus for Security and Compliance Management manually or using AUTO-CONFIG. </pre> <pre> +-----+ CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0 +-----+ SEQUENCE After SMP/E apply. Before JBOSS restart. +-----+ PURPOSE Implement the PTF +-----+ USERS All Users. AFFECTED +-----+ </pre>

CA Chorus 3.0
 CA RS 1410 - PTF RO72297 Details

Release	Service	Details
		<pre> KNOWLEDGE SMP/E. REQUIRED Product Installation. z/OS Systems Programming CSM +-----+ ACCESS Access to ZFS directory where Chorus is installed. REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. Restart Jboss to pick up the new Jars.). LINK('./LdapConfigGenerator.jar') PARM(PATHMODE(0,7,7,5)) . </pre>

CA Chorus 3.0
CA RS 1410 - PTF RO73066 Details

Release	Service	Details
3.0	RO73066	<p>RO73066 M.C.S. ENTRIES = ++PTF (RO73066)</p> <p>DBA CATALOG ISSUES WHEN FILTERING USING APOSTROPHES</p> <p>PROBLEM DESCRIPTION: The CA Chorus for DB2 Database Management Investigator Generate DDL action fails for all catalog objects that contain apostrophes in their name.</p> <p>SYMPTOMS: The following error message is returned: CAE3K999E The request could not be completed.</p> <p>IMPACT: It is not possible to generate DDL for catalog objects that contain apostrophes in their names.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus for DB2 Database Management Release 3.0 CA Chorus Release 3.0 Star Problem(s): CHRPLT 774 Copyright (C) 2014 CA. All rights reserved. R00324-ETJ030-SP1</p> <p>DESC(DBA CATALOG ISSUES WHEN FILTERING USING APOSTROPHES). ++VER (Z038) FMID (CETJ300)</p> <p>PRE (R055792 R056007 R056096 R056215 R056254 R056305 R056355 R056586 R056645 R056758 R056817 R056895 R056941 R056949 R057040 R057107 R057168 R057247 R057354 R058019 R058088 R058199 R058244 R058384 R058548 R058626 R058753 R058854 R058968 R059150 R059208 R059285 R059296 R059741 R061406 R067145 R068264 R069809) SUP (R068690 R070610 R072586 TR68690 TR70610 TR72586 TR73066) BINARY LINK('..../teiid-translator-coptds-3.0.1-SNAPSHOT.jar' r') PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1410 - PTF RO73264 Details

Release	Service	Details
3.0	RO73264	<p>RO73264 M.C.S. ENTRIES = ++PTF (RO73264)</p> <p>DATA WITH INCORRECT TIME RANGE IS RETURNED</p> <p>PROBLEM DESCRIPTION:</p> <p>In CA Chorus, when using the Investigator to view Events in the Security discipline, if selection filters in addition to the date range are specified and 'OR' is used as the conjunction, the query may return incorrect results.</p> <p>SYMPTOMS:</p> <p>You may see results that do not match all of the selection criteria. The most likely discrepancy is rows with timestamps that do not meet the date range specified.</p> <p>IMPACT:</p> <p>You cannot get the data within the specified date time range.</p> <p>CIRCUMVENTION:</p> <p>When using CA Chorus Investigator for Security Event objects, the OR conjunction used in the Selection Filter must always be placed inside parantheses.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s):</p> <p>CHRPLT 779</p> <p>Copyright (C) 2014 CA. All rights reserved. R00326-ETJ030-SP1</p> <p>DESC(DATA WITH INCORRECT TIME RANGE IS RETURNED).</p> <p>++VER (Z038)</p> <p>F MID (CETJ300)</p> <p>PRE (R055792 R056007 R056096 R056215 R056254 R056305 R056355 R056586 R056645 R056758 R056817 R056895 R056941 R056949 R057040 R057107 R057168 R057247 R057354 R058019 R058088 R058199 R058244 R058384 R058548 R058626 R058753 R058854 R058968 R059150 R059208 R059285 R059296 R059741 R065952 R072120 R072363)</p> <p>SUP (AR68806 R060284 R060327 R060778 R061000 R061504 R061985 R062510 R063070 R063072 R063220 R063470 R063471 R063835 R063836 R064244 R064245 R064570 R064571 R065382 R065533 R066255 R067324 R067788 R068178 R068542 R068806 R069398 R069808 R070065 R070581 R070820 R071492 R071767 R072585 R072631 R072742 R072907 R073013 R073107 TR60284 TR60327 TR60379 TR60502 TR60542 TR60596 TR60639 TR60708 TR60741 TR60778 TR60913 TR61000 TR61217 TR61269 TR61504 TR61748 TR61985 TR62510 TR63070 TR63071 TR63072 TR63220 TR63470 TR63471 TR63835 TR63836 TR64244 TR64245 TR64569 TR64570 TR64571 TR64925 TR65382 TR65533 TR66255 TR66587 TR66958 TR67324 TR67788 TR68178 TR68542 TR68806 TR69062 TR69253 TR69398 TR69806 TR69808 TR70065 TR70202 TR70581 TR70820 TR71492 TR71767 TR72042 TR72585 TR72631 TR72742 TR72907 TR73013 TR73107 TR73264)</p> <p>BINARY</p> <p>LINK('../metadata-property.txt')</p> <p>PARM(PATHMODE(0,7,7,5)) .</p> <p>BINARY</p> <p>LINK('../common-utils-3.0.1-SNAPSHOT.jar')</p> <p>PARM(PATHMODE(0,7,7,5)) .</p> <p>BINARY</p> <p>LINK('../chorus-service-3.0.1-SNAPSHOT.jar')</p> <p>PARM(PATHMODE(0,7,7,5)) .</p> <p>BINARY</p> <p>LINK('../h2-datawindow-ds.xml')</p> <p>PARM(PATHMODE(0,7,7,5)) .</p> <p>BINARY</p> <p>LINK('../teiid-bootstrap-3.0.1-SNAPSHOT.jar')</p> <p>PARM(PATHMODE(0,7,7,5)) .</p> <p>BINARY</p> <p>LINK('../Help.war')</p>

CA Chorus 3.0
CA RS 1410 - PTF RO73264 Details

Release	Service	Details
		PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../common-teiid-udf-bridge-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../datapipes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../query-fns-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../knowledge-center-classes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../teiid-translator-tsf-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../chorus-actions-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../teiid-translator-customfunctions-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../common-db-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../chorus-actions-ds.xml') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../common-module.xml.sample') PARM(PATHMODE(0,7,7,5)) SYMLINK('../module.xml') SYMPATH('../config/common-module.xml') . BINARY LINK('../chorus-schema-migrate-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../ui-classes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../platform-guice-module-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../Chorus.war') PARM(PATHMODE(0,7,7,5)) .

CA Chorus 3.0
CA RS 1410 - PTF RO73325 Details

Release	Service	Details
3.0	RO73325	<p>RO73325 M.C.S. ENTRIES = ++PTF (RO73325)</p> <p>UNSPECIFIED ERROR ON INVESTIGATOR LAUNCH PROBLEM DESCRIPTION: In CA Chorus, you may sometimes get an unspecified error when launching the Investigator through the Investigator Module. SYMPTOMS: You may see the following error message. '(Error): Unspecified error. com.google.gwt.core.client.JavaScriptException: (Error): Unspecified error'. IMPACT: The message does not affect your session. You may close the Error dialog and continue to use CA Chorus and the Investigator. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s): CHRPLT 785 ENTERED TEXT IS MISSING IN TEXT BOX MODULE PROBLEM DESCRIPTION: In CA Chorus, when you enter text in a Text Box module, logout and login, your entered text is missing. SYMPTOMS: In CA Chorus, when you enter text in a Text Box module and logout and login, your entered text is missing. IMPACT: You are not able to view the previously entered text in the Text Box module. CIRCUMVENTION: NONE PRODUCT(S) AFFECTED: CA Chorus Release 3.0 Star Problem(s): CHRPLT 786 PERSONAL POLICIES WITH SPECIAL CHARACTERS CAUSE ERROR PROBLEM DESCRIPTION: In CA Chorus, personal policies result in an error when a column value for the related object contains special characters. The policy evaluation does not complete and the actions defined in the policy are not executed. SYMPTOMS: An exception is printed in the log indicating policy evaluation failure. IMPACT: The actions defined by this policy will not execute, hence email, alert, policy status light, and WTO will not work for this policy. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Chorus Release 3.0 Star Problem(s): CHRPLT 787 FILTERING ON EVENTS SHOWS EVENTS IN BROWSER TIME PROBLEM DESCRIPTION: In CA Chorus Investigator, when you filter on events and statistics of a discipline (e.g Security), the events are filtered based on the time zone of the browser. SYMPTOMS: In CA Chorus Investigator, the events and statistics are shown in the time zone of the browser. The time stamps of the events shown in the browser are different from that of the actual events in the LPAR. IMPACTS: The LPAR timestamps differs from Investigator timestamps. CIRCUMVENTION: None PRODUCT(S) AFFECTED: CA Chorus Release 03.0 Star Problem(s): CHRPLT 788 ETJGU002E MESSAGE APPEARS INTERMITTENTLY ON CHORUS DASHBOARD PROBLEM DESCRIPTION:</p>

CA Chorus 3.0
CA RS 1410 - PTF RO73325 Details

Release	Service	Details
		<p>In CA Chorus, message ETJGU002E appears intermittently on the CA Chorus dashboard while accessing Chorus through VPN.</p> <p>SYMPTOMS: Message ETJGU002E appears intermittently on CA Chorus dashboard, stating that the server or network connection is not available, even for a temporary disturbance in the network. After dismissing the error by clicking the 'X' button on the message box, you can continue working on the application, if the network is restored.</p> <p>IMPACT: Message ETJGU002E appears intermittently on the CA Chorus dashboard, and clicking on the 'Close' button terminates the Chorus session. You have to click on the 'X' button to dismiss this error message in order to continue working on the application</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 789</p> <p>Copyright (C) 2014 CA. All rights reserved. R00327-ETJ030-SP1</p> <p>DESC(UNSPECIFIED ERROR ON INVESTIGATOR LAUNCH). ++VER (Z038) FMID (CETJ300) PRE (RO55792 RO56007 RO56096 RO56215 RO56254 RO56305 RO56355 RO56586 RO56645 RO56758 RO56817 RO56895 RO56941 RO56949 RO57040 RO57107 RO57168 RO57247 RO57354 RO58019 RO58088 RO58199 RO58244 RO58384 RO58548 RO58626 RO58753 RO58854 RO58968 RO59150 RO59208 RO59285 RO59296 RO59741 RO65952 RO68264 RO72120 RO72363) SUP (AR68806 RO60284 RO60327 RO60778 RO61000 RO61504 RO61985 RO62510 RO63070 RO63072 RO63220 RO63470 RO63471 RO63835 RO63836 RO64244 RO64245 RO64570 RO64571 RO65382 RO65533 RO66255 RO67324 RO67788 RO68178 RO68542 RO68806 RO69398 RO69808 RO70065 RO70581 RO70820 RO71492 RO71767 RO72585 RO72631 RO72742 RO72907 RO73013 RO73107 RO73264 TR60284 TR60327 TR60379 TR60502 TR60542 TR60596 TR60639 TR60708 TR60741 TR60778 TR60913 TR61000 TR61217 TR61269 TR61504 TR61748 TR61985 TR62510 TR63070 TR63071 TR63072 TR63220 TR63470 TR63471 TR63835 TR63836 TR64244 TR64245 TR64569 TR64570 TR64571 TR64925 TR65382 TR65533 TR66255 TR66587 TR66958 TR67324 TR67788 TR68178 TR68542 TR68806 TR69062 TR69253 TR69398 TR69806 TR69808 TR70065 TR70202 TR70581 TR70820 TR71492 TR71767 TR72042 TR72585 TR72631 TR72742 TR72907 TR73013 TR73107 TR73264 TR73325) BINARY LINK('../metadata-property.txt') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../common-utils-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../chorus-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../h2-datawindow-ds.xml') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../teiid-bootstrap-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('../Help.war')</p>

CA Chorus 3.0
CA RS 1410 - PTF RO73325 Details

Release	Service	Details
		PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../common-teiid-udf-bridge-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../datapipes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../query-fns-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../knowledge-center-classes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../teiid-translator-tsf-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../chorus-actions-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../teiid-translator-customfunctions-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../common-db-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../chorus-actions-ds.xml') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../common-module.xml.sample') PARM(PATHMODE(0,7,7,5)) SYMLINK('..../module.xml') SYMPATH('..../..../..../..../..../..../config/common-module.xml') . BINARY LINK('..../chorus-schema-migrate-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../ui-classes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../platform-guice-module-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('..../Chorus.war') PARM(PATHMODE(0,7,7,5)) .

CA Chorus 3.0
CA RS 1410 - PTF RO73548 Details

Release	Service	Details
3.0	RO73548	<p>RO73548 M.C.S. ENTRIES = ++PTF (RO73548)</p> <p>EVENT LOCAL TIMESTAMP WRONG</p> <p>If Event Records are displayed in the investigator, the UTC timestamp has the correct time but local timestamp does not. The event record contains 2 timestamp fields - local and UTC.</p> <p>PROBLEM DESCRIPTION:</p> <p>If Event Records are displayed in the investigator, the UTC timestamp has the correct time but local timestamp does not. The event record contains 2 timestamp fields - local and UTC. The problem that local time is incorrect so we are changing the investigator grid to display UTC.</p> <p>SYMPTOMS:</p> <p>In the grid now the local time is displayed which is wrong.</p> <p>IMPACT:</p> <p>Client would like UTC displayed in the grid.</p> <p>CIRCUMVENTION:</p> <p>Use the wrench can be used to change the default grid setting to move local time out and UTC time in.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0</p> <p>Star Problem(s):</p> <p>CHRSEC 125</p> <p>Copyright (C) 2014 CA. All rights reserved. R00069-SCR030-SP1</p> <p>DESC(EVENT LOCAL TIMESTAMP WRONG).</p> <p>++VER (Z038)</p> <p>FMID (CE1M300)</p> <p>SUP (TR73548)</p> <p>++HOLD (RO73548) SYSTEM FMID(CE1M300)</p> <p>REASON (DYNACT) DATE (14254)</p> <p>COMMENT (</p> <pre> +-----+ CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0 +-----+ SEQUENCE The fix must be applied before starting Chorus Security Discipline Server. +-----+ PURPOSE Implement the PTF +-----+ USERS All Users. AFFECTED +-----+ KNOWLEDGE SMP/E. REQUIRED Product Installation. Product Deployment. USS Commands. +-----+ ACCESS Access will be required to the CE1MJCL dataset. REQUIRED Access will be required to <CHORUS_HOME>/roles/security. Access will be required to <CHORUS_HOME>/config. +-----+ ***** * STEPS TO PERFORM * ***** 1. Redeploy Chorus Security Discipline if needed with either CA CSM or using jobs in CE1MJCL. 2. Reconfigure Chorus for Security and Compliance Management manually or using AUTO-CONFIG.). BINARY LINK('../cm-locale.txt') PARM(PATHMODE(0,7,7,5)) . BINARY </pre>

CA Chorus 3.0
CA RS 1410 - PTF RO73548 Details

Release	Service	Details
		LINK('..cm-property.txt') PARM(PATHMODE(0,7,7,5)) .

CA Chorus 3.0
CA RS 1410 - PTF RO73641 Details

Release	Service	Details
3.0	RO73641	<p>RO73641 M.C.S. ENTRIES = ++PTF (RO73641)</p> <p>SQLCODE -999 ERROR FROM TSDB102 PROBLEM DESCRIPTION: In the CA Chorus job CETJJCL(TSDB102), the SQL commands to create, modify, or drop objects in Datacom/AD must include a QUERYNO value. SYMPTOMS: The DBSQLPR step in TSDB102 fails with RC=0999 and the following message for each command: SQLCODE = -999, SQLSTATE=56S19 MESSAGE = INTERNAL ERROR (ddServ.. LINE 0341): STMT NOT ALLOWED IN AD MUF IMPACT: You cannot remove the TSF database. Circumvention: Use the following statements for the SYSIN file for step DBSQLPR in place of CETJDATA(DB400308):</p> <pre> DROP TABLE TSF.METRICDATA2 QUERYNO 954362 ; DROP TABLE TSF.METRICDATA QUERYNO 436218 ; DROP TABLE TSF.REGMET QUERYNO 31700 ; DROP TABLE TSF.ENTITIES QUERYNO 117084 ; DROP TABLE TSF.RGIDALLOC QUERYNO 219500 ; DROP TABLE TSF.REGPROD QUERYNO 57540 ; DROP TABLE TSF.REGID QUERYNO 16580 ; DROP TABLE TSF.REGHLM QUERYNO 30996 ; DROP TABLE TSF.REGHLEV QUERYNO 60244 ; DROP TABLE TSF.REGHIER QUERYNO 58388 ; DROP TABLE TSF.REGENT QUERYNO 31972 ; DROP TABLE TSF.EVIDALLOC QUERYNO 219580 ; </pre> <p>PRODUCT(S) AFFECTED: CA Chorus Star Problem(s): CHRPLT 784 Copyright (C) 2014 CA. All rights reserved. R00328-ETJ030-SP1</p> <p>DESC(SQLCODE -999 ERROR FROM TSDB102). ++VER (Z038) FMID (CETJ300) SUP (TR73641) ++HOLD (RO73641) SYSTEM FMID(CETJ300) REASON (DYNACT) DATE (14265) COMMENT (</p> <pre> +-----+ CA Chorus Release 3.0 +-----+ SEQUENCE Before using Delete TSF Database 'CETJJCL(TSDB102)' +-----+ PURPOSE Datacom/AD maintenance required to execute TSDB102 +-----+ USERS All users. AFFECTED +-----+ KNOWLEDGE SMP/e REQUIRED +-----+ ACCESS Update access to Datacom/AD CSI REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** Apply Datacom/AD component solutions R070910, R070834, and any subsequent solutions that supersede either of these solutions. If these updates are not applied, the DBSQLPR step in TSDB102 will fail with </pre>

Release 3.0

CA Chorus 3.0
CA RS 1410 - PTF RO73641 Details

Release	Service	Details
		SQLCODE = -20, SQLSTATE=42601 MESSAGE = BAD SYNTAX: ...).

CA Chorus 3.0
CA RS 1410 - PTF RO73650 Details

Release	Service	Details
3.0	RO73650	<p>RO73650 M.C.S. ENTRIES = ++PTF (RO73650)</p> <p>UPGRADE DB2 JDBC DRIVER</p> <p>PROBLEM DESCRIPTION: The DB2 jdbc driver provided with CA Chorus may not be compatible with supported DB2 releases. CA Chorus for Security and Compliance Management may not operate properly if it is configured to connect to a DB2 v10 subsystem which is configured to reject connections from older jdbc drivers.</p> <p>SYMPTOMS: The CA Chorus Security discipline fails to complete initialization, or Security data is not visible in the Investigator. You may see the following exception in the JBOSS log: com.ibm.db2.jcc.am.SqlException: 00E30507;00004000;00000001</p> <p>IMPACT: The CA Chorus Security discipline will not be operational if the jdbc driver is unable to connect to the DB2 subsystem</p> <p>CIRCUMVENTION: If DB2 is configured to prevent the V9.7 FP4 driver from connecting, you may remove the restriction temporarily to allow CA Chorus to come up properly.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0 CA Chorus Security Discipline Release 3.0</p> <p>Star Problem(s): CHRPLT 792</p> <p>Copyright (C) 2014 CA. All rights reserved. R00329-ETJ030-SP1</p> <p>DESC(UPGRADE DB2 JDBC DRIVER). ++VER (Z038) FMID (CETJ300) PRE (R055792 R056007 R056096 R056215 R056254 R056305 R056355 R056586 R056645 R056758 R056817 R056895 R056941 R056949 R057040 R057107 R057168 R057247 R057354 R058019 R058088 R058199 R058244 R058384 R058548 R058626 R058753 R058854 R058968 R059150 R059208 R059285 R059296 R059741) SUP (TR73650) ++HOLD (RO73650) SYSTEM FMID(CETJ300) REASON (DOC) DATE (14255) COMMENT (</p> <pre> +-----+ CA Chorus Release 3.0 +-----+ ***** * PUBLICATION * ***** This Product contains Runtime Modules of IBM Data Server Driver for JDBC and SQLJ V9.7 (C) Copyright IBM Corporation 2009. All Rights Reserved.). BINARY LINK('./db2jcc4.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('./db2jcc4.jar') PARM(PATHMODE(0,7,7,5)) . </pre>

CA Chorus 3.0
CA RS 1410 - PTF RO73811 Details

Release	Service	Details
3.0	RO73811	<p>RO73811 M.C.S. ENTRIES = ++PTF (RO73811)</p> <p>UNCHANGED POLICY LIGHT</p> <p>PROBLEM DESCRIPTION: In CA Chorus, when you create a policy with filter criteria that returns a row, the policy is violated, and the policy light color changes. When you update the database to result in no rows against the policy, the policy light color does not return to green.</p> <p>SYMPTOMS: When the policy is evaluated, although no rows match the selection filter, the policy light color will not return to green.</p> <p>IMPACT: You will see the wrong color for the policy status light.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 03.0</p> <p>Star Problem(s): CHRPLT 795</p> <p>WEB APPLICATION MODULE REPLACES CURRENT CHORUS WINDOW</p> <p>PROBLEM DESCRIPTION: When you are using CA Chorus Web Application module, after configuring the website, when you click on hyperlinks inside the configured web page, the CA Chorus page is replaced with the referenced hyperlink url.</p> <p>SYMPTOMS: Clicking on the hyperlinks may replace your current CA Chorus page with the referenced hyperlink url.</p> <p>IMPACT: CA Chorus will not be accessible.</p> <p>CIRCUMVENTION: Instead of clicking the left mouse button, right click on the hyperlink and open the page in new browser tab or window.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>Star Problem(s): CHRPLT 796</p> <p>Copyright (C) 2014 CA. All rights reserved. R00332-ETJ030-SP1</p> <p>DESC(UNCHANGED POLICY LIGHT). ++VER (Z038) FMID (CETJ300) PRE (R055792 R056007 R056096 R056215 R056254 R056305 R056355 R056586 R056645 R056758 R056817 R056895 R056941 R056949 R057040 R057107 R057168 R057247 R057354 R058019 R058088 R058199 R058244 R058384 R058548 R058626 R058753 R058854 R058968 R059150 R059208 R059285 R059296 R059741 R065952 R072120 R072363) SUP (AR68806 R060284 R060327 R060778 R061000 R061504 R061985 R062510 R063070 R063072 R063220 R063470 R063471 R063835 R063836 R064244 R064245 R064570 R064571 R065382 R065533 R066255 R067324 R067788 R068178 R068542 R068806 R069398 R069808 R070065 R070581 R070820 R071492 R071767 R072585 R072631 R072742 R072907 R073013 R073107 R073264 R073325 TR60284 TR60327 TR60379 TR60502 TR60542 TR60596 TR60639 TR60708 TR60741 TR60778 TR60913 TR61000 TR61217 TR61269 TR61504 TR61748 TR61985 TR62510 TR63070 TR63071 TR63072 TR63220 TR63470 TR63471 TR63835 TR63836 TR64244 TR64245 TR64569 TR64570 TR64571 TR64925 TR65382 TR65533 TR66255 TR66587 TR66958 TR67324 TR67788 TR68178 TR68542 TR68806 TR69062 TR69253 TR69398 TR69806 TR69808 TR70065 TR70202 TR70581 TR70820 TR71492 TR71767 TR72042 TR72585 TR72631 TR72742 TR72907 TR73013 TR73107 TR73264 TR73325 TR73811) ++HOLD (RO73811) SYSTEM FMID(CETJ300) REASON (ACTION) DATE (14262)</p>

CA Chorus 3.0
CA RS 1410 - PTF RO73811 Details

Release	Service	Details
		<pre> COMMENT (+-----+ CA Chorus Release 3.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE To follow instructions while configuring the Web Application Module. +-----+ USERS The users of the CA Chorus Web App Module. AFFECTED +-----+ KNOWLEDGE REQUIRED None +-----+ ACCESS REQUIRED None +-----+ ***** * STEPS TO PERFORM * ***** - If you see a pop-up "The page contains both secure and nonsecure items; do you want to display the nonsecure items", click Yes to see the configured web page. - After configuring the Web Application Module with a certain url, if you cannot see the page, it is possibly because the website not allow to render itself in an IFrame. - To prevent the pop-up mentioned in the previous step, configure your browser settings to display "Mixed content". Note: For more information, see your browser documentation. - When you click on a hyperlink within a web page configured in the Web Application Module, if that page tries to replace the main CA Chorus tab/window, the following message is displayed: "This page is asking you to confirm that you want to leave - data you have entered may not be saved."(common for all browsers). You can choose to proceed, or abort the request.). BINARY LINK('./metadata-property.txt') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('./common-utils-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('./chorus-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('./h2-datawindow-ds.xml') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('./teiid-bootstrap-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('./Help.war') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('./common-teiid-udf-bridge-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('./datapipes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('./query-fns-3.0.1-SNAPSHOT.jar') </pre>

CA Chorus 3.0
CA RS 1410 - PTF RO73811 Details

Release	Service	Details
		<pre> PARAM(PATHMODE(0,7,7,5)) . BINARY LINK('../knowledge-center-classes-3.0.1-SNAPSHOT.jar') PARAM(PATHMODE(0,7,7,5)) . BINARY LINK('../teiid-translator-tsf-3.0.1-SNAPSHOT.jar') PARAM(PATHMODE(0,7,7,5)) . BINARY LINK('../chorus-actions-service-3.0.1-SNAPSHOT.jar') PARAM(PATHMODE(0,7,7,5)) . BINARY LINK('../teiid-translator-customfunctions-3.0.1-SNAPSHOT.jar') PARAM(PATHMODE(0,7,7,5)) . BINARY LINK('../common-db-3.0.1-SNAPSHOT.jar') PARAM(PATHMODE(0,7,7,5)) . BINARY LINK('../chorus-actions-ds.xml') PARAM(PATHMODE(0,7,7,5)) . BINARY LINK('../common-module.xml.sample') PARAM(PATHMODE(0,7,7,5)) SYMLINK('../module.xml') SYMPATH('../..../config/common-module.xml') . BINARY LINK('../chorus-schema-migrate-3.0.1-SNAPSHOT.jar') PARAM(PATHMODE(0,7,7,5)) . BINARY LINK('../ui-classes-3.0.1-SNAPSHOT.jar') PARAM(PATHMODE(0,7,7,5)) . BINARY LINK('../platform-guice-module-3.0.1-SNAPSHOT.jar') PARAM(PATHMODE(0,7,7,5)) . BINARY LINK('../Chorus.war') PARAM(PATHMODE(0,7,7,5)) . </pre>

CA Chorus 3.0
CA RS 1410 - PTF RO73825 Details

Release	Service	Details
3.0	RO73825	<p>RO73825 M.C.S. ENTRIES = ++PTF (RO73825)</p> <p>CHORUS PLATFORM 4.0 COMPATIBILITY</p> <p>PROBLEM DESCRIPTION: Provide compatibility for Chorus IM Release 3.0 that will be installed on a Chorus Release 4.0 Platform.</p> <p>SYMPTOMS: Atlas IM role timeouts.</p> <p>IMPACT: Chorus IM Release 3.0 is not compatible with the Chorus Platform Release 4.0.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Infrastructure Management for Networks and Systems Release 3.0</p> <p>Star Problem(s): CHRPRF 24</p> <p>Copyright (C) 2014 CA. All rights reserved. R00026-FAW030-SP1</p> <p>DESC(CHORUS PLATFORM 4.0 COMPATIBILITY). ++VER (Z038) FMID (CFAW300) PRE (R056035 R056542 R056989 R069923 R070521 R071680) SUP (R057167 R058395 TR57167 TR58395 TR73825) LINK('..modules/com/ca/chorus/translators/teiid-t ranslator-performance-sysview/main/teiid-connector-performance-sysview-c lasses-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . LINK('..modules/com/ca/chorus/translators/teiid-t ranslator-performance-sysview/main/teiid-translator-performance-sysview- 3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 3.0
CA RS 1410 - PTF RO74144 Details

Release	Service	Details
3.0	RO74144	<p>RO74144 M.C.S. ENTRIES = ++PTF (RO74144)</p> <p>METRIC INVESTIGATE MULTI LPAR</p> <p>PROBLEM DESCRIPTION: In CA Chorus, if you add a metric group with more than one LPAR and launch the investigator, only the first LPAR in the group is shown in the investigator grid.</p> <p>SYMPTOMS: Add a metric group with more than one LPAR to the metric panel. When you investigate the metrics for any LPAR, the investigator always displays the result of first LPAR.</p> <p>IMPACT: You cannot investigate LPARs other than the first LPAR.</p> <p>CIRCUMVENTION: NONE.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0 CA Chorus Version 4.0</p> <p>Star Problem(s): CHRPLT 807</p> <p>INVALID WORKSPACE MODULE ID</p> <p>PROBLEM DESCRIPTION: In CA Chorus, invalid workspace module id message is shown.</p> <p>SYMPTOMS: The browser shows invalid workspace module id while trying to delete module from the dashboard.</p> <p>IMPACT: You cannot delete the module from the dashboard.</p> <p>IMPACT: CIRCUMVENTION: Close the browser and log in back to Chorus or refresh the browser.</p> <p>RODUCT(S) AFFECTED: CA Chorus Release 3.0</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0 CA Chorus Version 4.0</p> <p>Star Problem(s): CHRPLT 808</p> <p>Copyright (C) 2014 CA. All rights reserved. R00335-ETJ030-SP1</p> <p>DESC(METRIC INVESTIGATE MULTI LPAR). ++VER (Z038) FMID (CETJ300) PRE (RO55792 RO56007 RO56096 RO56215 RO56254 RO56305 RO56355 RO56586 RO56645 RO56758 RO56817 RO56895 RO56941 RO56949 RO57040 RO57107 RO57168 RO57247 RO57354 RO58019 RO58088 RO58199 RO58244 RO58384 RO58548 RO58626 RO58753 RO58854 RO58968 RO59150 RO59208 RO59285 RO59296 RO59741 RO65952 RO68264 RO72120 RO72363 RO73811) SUP (AR68806 RO60284 RO60327 RO60778 RO61000 RO61504 RO61985 RO62510 RO63070 RO63072 RO63220 RO63470 RO63471 RO63835 RO63836 RO64244 RO64245 RO64570 RO64571 RO65382 RO65533 RO66255 RO67324 RO67788 RO68178 RO68542 RO68806 RO69398 RO69808 RO70065 RO70581 RO70820 RO71492 RO71767 RO72585 RO72631 RO72742 RO72907 RO73013 RO73107 RO73264 RO73325 TR60284 TR60327 TR60379 TR60502 TR60542 TR60596 TR60639 TR60708 TR60741 TR60778 TR60913 TR61000 TR61217 TR61269 TR61504 TR61748 TR61985 TR62510 TR63070 TR63071 TR63072 TR63220 TR63470 TR63471 TR63835 TR63836 TR64244 TR64245 TR64569 TR64570 TR64571 TR64925 TR65382 TR65533 TR66255 TR66587 TR66958 TR67324 TR67788 TR68178 TR68542 TR68806 TR69062 TR69253 TR69398 TR69806 TR69808 TR70065 TR70202 TR70581 TR70820 TR71492 TR71767 TR72042 TR72585 TR72631 TR72742 TR72907 TR73013 TR73107</p>

CA Chorus 3.0
CA RS 1410 - PTF RO74144 Details

Release	Service	Details
		<pre> TR73264 TR73325 TR74144) BINARY LINK(' ../metadata-property.txt') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../common-utils-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../chorus-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../h2-datawindow-ds.xml') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../teiid-bootstrap-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../Help.war') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../common-teiid-udf-bridge-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../datapipes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../query-fns-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../knowledge-center-classes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../teiid-translator-tsrf-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../chorus-actions-service-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../teiid-translator-customfunctions-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../common-db-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../chorus-actions-ds.xml') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../common-module.xml.sample') PARM(PATHMODE(0,7,7,5)) SYMLINK(' ../module.xml') SYMPATH(' ../../../../../../../config/common-module.xml') . BINARY LINK(' ../chorus-schema-migrate-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../ui-classes-3.0.1-SNAPSHOT.jar') PARM(PATHMODE(0,7,7,5)) . BINARY LINK(' ../platform-guice-module-3.0.1-SNAPSHOT.jar') </pre>

CA Chorus 3.0
CA RS 1410 - PTF RO74144 Details

Release	Service	Details
		PARM(PATHMODE(0,7,7,5)) . BINARY LINK('.. /Chorus.war') PARM(PATHMODE(0,7,7,5)) .

CA Chorus 2.5
CA RS 1410 - PTF RO52347 Details

Release	Service	Details
2.5	RO52347	<p>RO52347 M.C.S. ENTRIES = ++PTF (RO52347)</p> <p>WAREHOUSE VIEW MISSING FROM INITIAL INSTALL</p> <p>PROBLEM DESCRIPTION: elmivars and updtvars are not set up for CMGRQ1. Must edit elmivars to support D1 and Q1 in a single pass without needing to re-run.</p> <p>SYMPTOMS: IMPACT: CIRCUMVENTION: PRODUCT(S) AFFECTED: CA MAINFRAME CHORUS 2.5 FOR SEC/COMP Release 2.5 Star Problem(s): CHRSEC 59 Copyright (C) 2013 CA. All rights reserved. R00048-SCR025-SP1</p> <p>DESC(WAREHOUSE VIEW MISSING FROM INITIAL INSTALL). ++VER (Z038) FMID (CE1M250) PRE (RO43988) SUP (TR52347)</p>

CA Chorus 2.5
CA RS 1410 - PTF RO62254 Details

Release	Service	Details
2.5	RO62254	<p>RO62254 M.C.S. ENTRIES = ++PTF (RO62254)</p> <p>INVESTIGATOR UNEXPECTED OBJECTS PROBLEM DESCRIPTION: Attempting to join tables in investigator to add the NAME field from CIA to an Object Access Violations report failed and it gave multiple rows with the same NAME. SYMPTOMS: Multiple Rows with the same name displayed in the UI as a result of failing join. IMPACT: Incorrect data being displayed on the violations report. CIRCUMVENTION: Change the JOIN on the SQL, while TEIID works on their problem. PRODUCT(S) AFFECTED: CA MAINFRAME CHORUS 2.5 FOR SEC/COMP Release 2.5 Star Problem(s): CHRSEC 101 Copyright (C) 2013 CA. All rights reserved. R00060-SCR025-SP1</p> <p>DESC(INVESTIGATOR UNEXPECTED OBJECTS). ++VER (Z038) FMID (CE1M250) PRE (RO43988 RO46135) SUP (TR62254) ++HOLD (RO62254) SYSTEM FMID(CE1M250) REASON (DYNACT) DATE (14266) COMMENT (</p> <pre> +-----+ CA MAINFRAME CHORUS 2.5 FOR SEC/COMP MGT Release 2.5 +-----+-----+ SEQUENCE After Apply +-----+-----+ PURPOSE Implement the PTF. +-----+-----+ USERS All Users. AFFECTED +-----+-----+ KNOWLEDGE SMP/E. REQUIRED Product Installation. z/OS Systems Programming CSM +-----+-----+ ACCESS Access to ZFS directory where Chorus is installed. REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * ***** Restart Jboss to pick up the new Jars.). BINARY LINK('./cm-property.txt') PARM(PATHMODE(0,7,7,5)) . </pre>