

CA Ideal for Datacom 14.0
CA RS 1503 Service List

Release	Service	Description	Type
14.0	R075044	DB SQL COMMAND DEF/DEL AUTH FAILURES	PTF
	R075045	DB SQL COMMAND DEF/DEL AUTH FAILURES	PTF
	R076050	DEBUG MAX BRKPTS INTERR: "AERCB "	PTF
	R076595	WEB INTERFACE PASSES BAD STATUS TEXT	PTF
The CA RS 1503 service count for this release is 4			

CA Ideal for Datacom
CA RS 1503 Service List for CAILE00

FMID	Service	Description	Type
CAILE00	R075044	DB SQL COMMAND DEF/DEL AUTH FAILURES	PTF
	R076050	DEBUG MAX BRKPTS INTERR: "AERCB "	PTF
	R076595	WEB INTERFACE PASSES BAD STATUS TEXT	PTF
The CA RS 1503 service count for this FMID is 3			

CA Ideal for Datacom
CA RS 1503 Service List for CAI4E00

FMID	Service	Description	Type
CAI4E00	RO75045	DB SQL COMMAND DEF/DEL AUTH FAILURES	PTF
The CA RS 1503 service count for this FMID is 1			

CA Ideal for Datacom 14.0
CA RS 1503 - PTF RO75044 Details

Release	Service	Details
14.0	RO75044	<p>RO75044 M.C.S. ENTRIES = ++PTF (RO75044)</p> <p>DB SQL COMMAND DEF/DEL AUTH FAILURES</p> <p>PROBLEM DESCRIPTION:</p> <p>A second DEFINE AUTHORIZATION command for a transported program fails with the following message: 1-IDADRBNP23E - Unexpected error in CMDBQP.</p> <p>The DELETE AUTHORIZATION command for VER PROD fails incorrectly with a 1-IDADXDEP08E not found message. The DEL AUTH command requires a specific version number, and VER PROD should fail with a syntax error.</p> <p>SYMPTOMS:</p> <p>The DEFINE fails with the following message:</p> <p>1-IDADRBNP23E - Unexpected error in CMDBQP</p> <p>The DELETE for V PROD fails with message IDADXDEP08E indicating the SQL plan cannot be found.</p> <p>IMPACT:</p> <p>The DB SQL plan is not complete, and the IDEAL application cannot be executed.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Ideal for CA Datacom Release 14.0 CA Ideal for CA Datacom Release 15.0</p> <p>Star Problem(s):</p> <p>IDEAL 3173</p> <p>Copyright (C) 2014 CA. All rights reserved. R00068-IDL140-SP1</p> <p>DESC(DB SQL COMMAND DEF/DEL AUTH FAILURES). ++VER (Z038) FMID (CAILE00) SUP (TR74359 TR74816 TR75044) ++IF FMID(CAI4E00) REQ(RO75045) .</p>

CA Ideal for Datacom 14.0
CA RS 1503 - PTF RO75045 Details

Release	Service	Details
14.0	RO75045	<p>RO75045 M.C.S. ENTRIES = ++PTF (RO75045)</p> <p>DB SQL COMMAND DEF/DEL AUTH FAILURES</p> <p>PROBLEM DESCRIPTION:</p> <p>A second DEFINE AUTHORIZATION command for a transported program fails with the following message: 1-IDADRBNP23E - Unexpected error in CMDBQP.</p> <p>The DELETE AUTHORIZATION command for VER PROD fails incorrectly with a 1-IDADXDEP08E not found message. The DEL AUTH command requires a specific version number, and VER PROD should fail with a syntax error.</p> <p>SYMPTOMS:</p> <p>The DEFINE fails with the following message:</p> <p>1-IDADRBNP23E - Unexpected error in CMDBQP</p> <p>The DELETE for V PROD fails with message IDADXDEP08E indicating the SQL plan cannot be found.</p> <p>IMPACT:</p> <p>The DB SQL plan is not complete, and the IDEAL application cannot be executed.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Ideal for CA Datacom Release 14.0 CA Ideal for CA Datacom Release 15.0</p> <p>Star Problem(s):</p> <p>IDEAL 3173</p> <p>Copyright (C) 2014 CA. All rights reserved. R00068-IDL140-SP1</p> <p>DESC(DB SQL COMMAND DEF/DEL AUTH FAILURES). ++VER (Z038) FMID (CAI4E00) PRE (RO37080) SUP (TR75045) ++IF FMID(CAILE00) REQ(RO75044) .</p>

CA Ideal for Datacom 14.0
CA RS 1503 - PTF RO76050 Details

Release	Service	Details
14.0	RO76050	<p>RO76050 M.C.S. ENTRIES = ++PTF (RO76050)</p> <p>DEBUG MAX BRKPTS INTERR: "AERCB "</p> <p>PROBLEM DESCRIPTION: The maximum number of breakpoints for a DEBUG sessions varies. If the DEBUG session storage for breakpoint management is exhausted, the session ends with an internal error that does not inform the user about why the DEBUG session failed.</p> <p>SYMPTOMS: The following internal error can occur: 1-ICSCERRP86E - INTERR: "AERCB " cannot be "LOCATED" - never "ALLOCATED" SRVC=CVT FUNC=LOCATE RC=016 PGM=ADSVCS CALPGM=SC00CVTPd.. ... ERRID=ADRUNP-1</p> <p>IMPACT: This problem may be misleading for application programmers.</p> <p>CIRCUMVENTION: Use a MEMBER for the DEBUG session that only includes breakpoints for the current application RUN to minimize the amount of storage needed for breakpoint management.</p> <p>PRODUCT(S) AFFECTED: CA Ideal for CA Datacom Release 14.0 CA Ideal for CA Datacom Version 15.0</p> <p>Star Problem(s): IDEAL 3169</p> <p>Copyright (C) 2014 CA. All rights reserved. R00070-IDL140-SP1</p> <p>DESC(DEBUG MAX BRKPTS INTERR: "AERCB "). ++VER (Z038) FMID (CAILE00) SUP (RO42578 TR42578 TR76050)</p>

CA Ideal for Datacom 14.0
CA RS 1503 - PTF RO76595 Details

Release	Service	Details
14.0	RO76595	<p>RO76595 M.C.S. ENTRIES = ++PTF (RO76595)</p> <p>WEB INTERFACE PASSES BAD STATUS TEXT</p> <p>PROBLEM DESCRIPTION: EXEC WEB SEND is passing a pointer to the status text instead of the text field itself.</p> <p>SYMPTOMS: Random construction of an additional header by CTS occurs when the pointer address is treated incorrectly.</p> <p>IMPACT: The receiving application can fail.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Ideal for CA Datacom Release 14.0</p> <p>Star Problem(s): IDEAL 3183</p> <p>Copyright (C) 2014 CA. All rights reserved. R00071-IDL140-SP1</p> <p>DESC(WEB INTERFACE PASSES BAD STATUS TEXT). ++VER (Z038) FMID (CAILE00) PRE (RO30834 RO60032) SUP (RO35755 RO52598 RO69175 TR35755 TR52598 TR62905 TR69175 TR76595)</p>