

CA Endeavor Software Change Manager 17.0
CA RS 1503 Service List

Release	Service	Description	Type
17.0	RO76535	0C4 IN FOOTPRINT DISPLAY	PTF
	RO77461	QE - THE MCF DISPLAY SHOWS THE TYPE IN THE PROC GRP FIELD	PTF
	RO77464	ENPBIU00 BAD ARITHMETIC CONVER	PTF
	RO77720	CSV ELEMENT NAME BLANK IF ONLY 1 CHARACTER	PTF
	RO78177	PRINT ACTION STORAGE ABEND U4001	PTF
	RO78282	TRANSFER REPEATS DELTA LEVELS	PTF
	RO78317	U4002 DURING PACKAGE INSPECT	PTF
	RO78345	PANEL ENDIEH23 TRUNCATES PACKAGE NAME	PTF
	RO78346	PANEL ENDIEH23 TRUNCATES PACKAGE NAME	PTF
	RO78402	MSG CIGG000E BEING ISSUED BUT DOES NOT EXIST	PTF
	RO78403	MSG CIGG000E BEING ISSUED BUT DOES NOT EXIST	PTF
	RO78417	ABORT 0C7 EXECUTING BATCH PACKAGE/BATCH ADMINISTRATION JOBS	PTF
	RO78653	QE - PANEL ENDIE205 SHOWN BUT SHOULDN'T	PTF

The CA RS 1503 service count for this release is 13

CA Endevor Software Change Manager
 CA RS 1503 Service List for CSIQH00

FMID	Service	Description	Type
CSIQH00	RO76535	0C4 IN FOOTPRINT DISPLAY	PTF
	RO77461	QE - THE MCF DISPLAY SHOWS THE TYPE IN THE PROC GRP FIELD	PTF
	RO77464	ENPBUIU00 BAD ARITHMETIC CONVER	PTF
	RO77720	CSV ELEMENT NAME BLANK IF ONLY 1 CHARACTER	PTF
	RO78177	PRINT ACTION STORAGE ABEND U4001	PTF
	RO78282	TRANSFER REPEATS DELTA LEVELS	PTF
	RO78317	U4002 DURING PACKAGE INSPECT	PTF
	RO78345	PANEL ENDIEH23 TRUNCATES PACKAGE NAME	PTF
	RO78346	PANEL ENDIEH23 TRUNCATES PACKAGE NAME	PTF
	RO78402	MSG CIGG000E BEING ISSUED BUT DOES NOT EXIST	PTF
	RO78403	MSG CIGG000E BEING ISSUED BUT DOES NOT EXIST	PTF
	RO78417	ABORT 0C7 EXECUTING BATCH PACKAGE/BATCH ADMINISTRATION JOBS	PTF
	RO78653	QE - PANEL ENDIE205 SHOWN BUT SHOULDN'T	PTF

The CA RS 1503 service count for this FMID is 13

CA Endeavor Software Change Manager 17.0
 CA RS 1503 - PTF RO77461 Details

Release	Service	Details
17.0	RO77461	<p>RO77461 M.C.S. ENTRIES = ++PTF (RO77461)</p> <p>QE - THE MCF DISPLAY SHOWS THE TYPE IN THE PROC GRP FIELD PROBLEM DESCRIPTION: If TSO session abends while the user is creating a new element (the element is saved in the edit session but not ended correctly) in QuickEdit, after a new start of QuickEdit, the MCF display for the new element shows the name of the element's type in the field "processor group". When the element is generated, the default processor is used even if the 'Processor Group' field contains the Type. SYMPTOMS: The wrong value remains until a processor group is changed. IMPACT: User's confusion CIRCUMVENTION: None PRODUCT(S) AFFECTED: CA Endeavor SCM Release 15.1 CA Endeavor SCM Version 16.0 CA Endeavor SCM Version 17.0 Star Problem(s): ENDBAS 7170 Copyright (C) 2015 CA. All rights reserved. R00088-SCM170-SP1</p> <p>DESC(QE - THE MCF DISPLAY SHOWS THE TYPE IN THE PROC GRP FIELD). ++VER (Z038) FMID (CSIQH00) PRE (RO71576 RO72973) SUP (RO73237 TR73237 TR77461)</p>

CA Endeavor Software Change Manager 17.0
CA RS 1503 - PTF RO77464 Details

Release	Service	Details
17.0	RO77464	<p>RO77464 M.C.S. ENTRIES = ++PTF (RO77464)</p> <p>ENPBIU00 BAD ARITHMETIC CONVER</p> <p>While working on a problem posed in CA Communities I found a few issues with the BPI utility ENPBIU00 (or Table Tool).</p> <p>1) When processing Package CSV data, ENPBIU00 fails with error message; +IRX0041I Error running ENPBIU00, line 672: Bad arithmetic conversion. This is caused by ENPBIU00 attempting to evaluate the CSV heading name "CA-7 SCHD DATE (ISO)" because it mis-interprets the minus ('-') as an arithmetic instruction. The fix (already available in development) is to translate the '-' in the heading name to '_' (underscore).</p> <p>2) When procesing CSV data that contains Date informatin in the format "YYYY/MM/DD" the Table Tool was incorrectly striping the slashes from the date field and replacing them with spaces - while not necessarily wrong, if makes date field data in a report harder to read. The fix in this case was to NOT translate the 'operator' characters - which in this case is OK, because the evaluation is performed inside delimiters which prevents Rexx from trying to perform arithmetic.</p> <p>3) Many CSV data fields are made unique by appending the field name with a unique suffix, typically enclosed in brackets; For example "ELM (S)" and "ELM (T)" for a Source and Target version of the Element name (e.g. in the Package Action CSV data). Table Tool must convert the "text" name into a valid Rexx variable name and it does this by replacing spaces, Minus, etc. with underscore, however only the opening bracket '(' was beign converted to '@' and the closing bracket ')' was being replaced with space resulting in the resolved name being; ELM_@S. Again while this 'works' it's not consistent or easily guessable so the recommendation is to replace both brackets with '@' to make the fields more readable;</p> <p>Examples of correctly expanded CSV variables include;</p> <p>-----</p> <p>EXEC_END_DATE_@ISO@ EXEC_END_TIME_@ISO@ CA_7_SCHD_DATE_@ISO@</p> <p>Testcase created in 'bst.techsupp.bugs(p7163)'</p> <p>Note: The BPI was a new feature in V16, so there is no need to float this PTF to any lower release, but it should be floated (when published) to V17</p> <p>Star Problem(s):</p> <p>ENDBAS 7163</p> <p>Copyright (C) 2015 CA. All rights reserved. R00089-SCM170-SP1</p> <p>DESC(ENPBIU00 BAD ARITHMETIC CONVER). ++VER (Z038) FMID (CSIQH00) SUP (TR77464)</p>

CA Endeavor Software Change Manager 17.0
 CA RS 1503 - PTF RO77720 Details

Release	Service	Details
17.0	RO77720	<p>RO77720 M.C.S. ENTRIES = ++PTF (RO77720)</p> <p>CSV ELEMENT NAME BLANK IF ONLY 1 CHARACTER</p> <p>PROBLEM DESCRIPTION:</p> <p>CSV element name blank if only 1 character</p> <p>SYMPTOMS:</p> <p>When running the CSV utility LIST PACKAGE ACTION SUMMARY request, if an element name in a package is only 1 character in length, it does not show up in the CSV output record...it is blank.</p> <p>IMPACT:</p> <p>Incorrect CSV output for the action.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Endeavor SCM Release 16.0</p> <p>CA Endeavor SCM Version 17.0</p> <p>Star Problem(s):</p> <p>ENDBAS 7179</p> <p>Copyright (C) 2015 CA. All rights reserved. R00091-SCM170-SP1</p> <p>DESC(CSV ELEMENT NAME BLANK IF ONLY 1 CHARACTER).</p> <p>++VER (Z038)</p> <p>FMID (CSIQH00)</p> <p>PRE (RO71576)</p> <p>SUP (TR77720)</p>

CA Endeavor Software Change Manager 17.0
 CA RS 1503 - PTF RO78177 Details

Release	Service	Details
17.0	RO78177	<p>RO78177 M.C.S. ENTRIES = ++PTF (RO78177)</p> <p>PRINT ACTION STORAGE ABEND U4001</p> <p>PROBLEM DESCRIPTION: When a record is missing in the element index file, the long element name can't be resolved from its encrypted name correctly. Therefore, the Print Element action will abend when run against such inventory.</p> <p>SYMPTOMS: STORAGE INTEGRITY ERROR. RC=0016 BC1PBM30: F000 ABEND CODE=STGI NUMBER=4001</p> <p>IMPACT: Print action cannot be processed.</p> <p>CIRCUMVENTION: NONE</p> <p>PRODUCT(S) AFFECTED: CA Endeavor SCM Release 15.1 CA Endeavor SCM Version 16.0 CA Endeavor SCM Version 17.0</p> <p>Star Problem(s): ENDBAS 7185</p> <p>Copyright (C) 2015 CA. All rights reserved. R00092-SCM170-SP1</p> <p>DESC(PRINT ACTION STORAGE ABEND U4001). ++VER (Z038) FMID (CSIQH00) PRE (RO71397 RO71576 RO72200 RO72695 RO74136) SUP (RO70844 RO72103 TR70844 TR72103 TR78177)</p>

CA Endeavor Software Change Manager 17.0
 CA RS 1503 - PTF RO78282 Details

Release	Service	Details
17.0	RO78282	<p>RO78282 M.C.S. ENTRIES = ++PTF (RO78282)</p> <p>TRANSFER REPEATS DELTA LEVELS</p> <p>Problem Description:</p> <p>During a TRANSFER action, with History, where the target location has an element up the map and this element has a last level number that is less than the Transfer action request, a false SYNC condition may be raised.</p> <p>During a TRANSFER action, with no history, where the target location has an element up the map and this element has a last level number that is greater than the action request, a SYNC condition is not raised.</p> <p>SYMPTOMS:</p> <p>TRANSFER with SYNC, WITH HISTORY can create an unnecessary delta SYNC level followed by multiple levels copied from the source.</p> <p>TRANSFER with SYNC and no history can suppress the creation of a delta SYNC level, creating a single delta level for that action request level.</p> <p>IMPACT:</p> <p>On a TRANSFER with SYNC and HISTORY, multiple levels are unnecessarily created.</p> <p>On a TRANSFER with SYNC and no history, a SYNC level may not be created.</p> <p>Circumvention:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Endeavor SCM Release 16.0</p> <p>CA Endeavor SCM Version 17.0</p> <p>Star Problem(s):</p> <p>ENDBAS 7188</p> <p>Copyright (C) 2015 CA. All rights reserved. R00094-SCM170-SP1</p> <p>DESC(TRANSFER REPEATS DELTA LEVELS).</p> <p>++VER (Z038)</p> <p>FMID (CSIQH00)</p> <p>PRE (RO71397 RO71576 RO78402)</p> <p>SUP (RO72105 TR72105 TR78282)</p>

CA Endeavor Software Change Manager 17.0
 CA RS 1503 - PTF RO78317 Details

Release	Service	Details
17.0	RO78317	<p>RO78317 M.C.S. ENTRIES = ++PTF (RO78317)</p> <p>U4002 DURING PACKAGE INSPECT</p> <p>PROBLEM DESCRIPTION: During INSPECT or CAST of multiple large Packages in one session, either in Foreground or in Batch, a storage buildup has been observed that could potentially lead to a U4002 abend.</p> <p>SYMPTOMS: U4002 abend.</p> <p>IMPACT: Unexpected abends possible.</p> <p>CIRCUMVENTION: Perform the INSPECTS or CAST in multiple Foreground sessions or seperate Batch executions.</p> <p>PRODUCT(S) AFFECTED: CA Endeavor SCM Release 15.1 CA Endeavor SCM Release 16.0 CA Endeavor SCM Version 17.0</p> <p>Star Problem(s): ENDBAS 7178</p> <p>Copyright (C) 2015 CA. All rights reserved. R00096-SCM170-SP1</p> <p>DESC(U4002 DURING PACKAGE INSPECT). ++VER (Z038) FMID (CSIQH00) PRE (RO71576 RO73497 RO74600) SUP (TR78317)</p>

CA Endeavor Software Change Manager 17.0
CA RS 1503 - PTF RO78345 Details

Release	Service	Details
17.0	RO78345	<p>RO78345 M.C.S. ENTRIES = ++PTF (RO78345)</p> <p>PANEL ENDIEH23 TRUNCATES PACKAGE NAME</p> <p>Problem Description: When an element is selected for edit in QuickEdit and this element is hold by a casted package, the panel ENDIEH23 is displayed to warn the user, that package execution could be affected. The package name displayed at panel ENDIEH23, but package names longer than 6 characters are truncated.</p> <p>SYMPTOMS: The package name is truncated.</p> <p>IMPACT: The user cannot identify the particular package.</p> <p>Circumvention: None.</p> <p>PRODUCT(S) AFFECTED: CA Endeavor SCM Release 15.1 CA Endeavor SCM Version 16.0 CA Endeavor SCM Version 17.0</p> <p>Star Problem(s): ENDBAS 7194</p> <p>Copyright (C) 2015 CA. All rights reserved. R00098-SCM170-SP1</p> <p>DESC(PANEL ENDIEH23 TRUNCATES PACKAGE NAME). ++VER (Z038) FMID (CSIQH00) PRE (RO75461) SUP (TR78345) ++IF FMID(CSIQH01) REQ(RO78346) . ++HOLD (RO78345) SYSTEM FMID(CSIQH00) REASON (ACTION) DATE (15040) COMMENT (</p> <pre> +-----+ CA Endeavor SCM Version 17.0 +-----+ SEQUENCE Before Apply +-----+ PURPOSE This PTF updates PANELS in the CSIQPENU library. If you have customized the PANEL(S) delivered by this PTF, you must backup your customized version of the PANEL(S) before applying this PTF to avoid losing your changes. +-----+ USERS All Endeavor users. AFFECTED +-----+ KNOWLEDGE 1. SMP/e REQUIRED 2. Endeavor Administration 3. Endeavor PANELS +-----+ ACCESS No special access is required. REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. Backup any customized PANELS in CSIQPENU that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPENU.). </pre>

CA Endeavor Software Change Manager 17.0
CA RS 1503 - PTF RO78346 Details

Release	Service	Details
17.0	RO78346	<p>RO78346 M.C.S. ENTRIES = ++PTF (RO78346)</p> <p>PANEL ENDIEH23 TRUNCATES PACKAGE NAME</p> <p>Problem Description: When an element is selected for edit in QuickEdit and this element is hold by a casted package, the panel ENDIEH23 is displayed to warn the user, that package execution could be affected. The package name displayed at panel ENDIEH23, but package names longer than 6 characters are truncated.</p> <p>SYMPTOMS: The package name is truncated.</p> <p>IMPACT: The user cannot identify the particular package.</p> <p>Circumvention: None.</p> <p>PRODUCT(S) AFFECTED: CA Endeavor SCM Release 15.1 CA Endeavor SCM Version 16.0 CA Endeavor SCM Version 17.0</p> <p>Star Problem(s): ENDBAS 7194</p> <p>Copyright (C) 2015 CA. All rights reserved. R00098-SCM170-SP1</p> <p>DESC(PANEL ENDIEH23 TRUNCATES PACKAGE NAME). ++VER (Z038) FMID (CSIQH01) PRE (RO75463) SUP (TR78346) ++IF FMID(CSIQH00) REQ(RO78345) . ++HOLD (RO78346) SYSTEM FMID(CSIQH01) REASON (ACTION) DATE (15040) COMMENT (</p> <pre> +-----+ CA Endeavor SCM Japanese Localization Version 17.0 +-----+ SEQUENCE Before Apply +-----+ PURPOSE This PTF updates PANELS in the CSIQPJPN library. If you have customized the PANEL(S) delivered by this PTF, you must backup your customized version of the PANEL(S) before applying this PTF to avoid losing your changes. +-----+ USERS All Endeavor users. AFFECTED +-----+ KNOWLEDGE 1. SMP/e REQUIRED 2. Endeavor Administration 3. Endeavor PANELS +-----+ ACCESS No special access is required. REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. Backup any customized PANELS in CSIQPJPN that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPJPN.). </pre>

CA Endeavor Software Change Manager 17.0
CA RS 1503 - PTF RO78402 Details

Release	Service	Details
17.0	RO78402	<p>RO78402 M.C.S. ENTRIES = ++PTF (RO78402)</p> <p>MSG CIGG000E BEING ISSUED BUT DOES NOT EXIST</p> <p>PROBLEM DESCRIPTION:</p> <p>When attempting to browse a member from the display element panel of Endeavor foreground, the error message CMG999 is received. This message state, that message CIGG000E can not be found in the ISPMLIB.</p> <p>When attempting to browse a member from the display element panel of QuickEdit, the error message ENDE092E is received. When more information about this error is displayed, the error message C1G0000E is printed as a source of the error. However this message doesn't exist in Endeavor.</p> <p>Affected actions: E, B, H, BX, CX, HX, SX, LL, LO, LI, and LC</p> <p>SYMPTOMS:</p> <p>F/G - Error message CMG999 being issue stating that message C1GG000E can not be found in library ISPMLIB.</p> <p>QE - Error message ENDE092E being issue stating that message C1GG000E is the cause of ENDE092E error.</p> <p>IMPACT:</p> <p>Customers will have no clue on what the problem and how to resolve it.</p> <p>CIRCUMVENTION:</p> <p>NONE</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Endeavor SCM Release 15.1 CA Endeavor SCM Version 16.0 CA Endeavor SCM Version 17.0</p> <p>Star Problem(s):</p> <p>ENDBAS 7155</p> <p>Copyright (C) 2015 CA. All rights reserved. R00099-SCM170-SP1</p> <p>DESC(MSG CIGG000E BEING ISSUED BUT DOES NOT EXIST).</p> <p>++VER (Z038)</p> <p>FMID (CSIQH00)</p> <p>PRE (RO71396 RO71397 RO71576 RO72973 RO77461)</p> <p>SUP (RO72105 RO73237 RO76535 TR72105 TR73237 TR76535 TR78224 TR78402)</p> <p>++IF FMID(CSIQH01) REQ(RO78403) .</p> <p>++HOLD (RO78402) SYSTEM FMID(CSIQH00)</p> <p>REASON (ACTION) DATE (15040)</p> <p>COMMENT (</p> <pre> +-----+ CA Endeavor SCM Version 17.0 +-----+ SEQUENCE Before Apply +-----+ PURPOSE This PTF updates PANELS in the CSIQPENU library. If you have customized the PANEL(S) delivered by this PTF, you must backup your customized version of the PANEL(S) before applying this PTF to avoid losing your changes. +-----+ USERS All Endeavor users. AFFECTED +-----+ KNOWLEDGE 1. SMP/e REQUIRED 2. Endeavor Administration 3. Endeavor PANELS +-----+ ACCESS No special access is required. REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. Backup any customized PANELS in CSIQPENU that this PTF supplies. 2. APPLY this PTF. </pre>

CA Endevor Software Change Manager 17.0
CA RS 1503 - PTF RO78402 Details

Release	Service	Details
		3. Re-apply your customizations to the updated PANELS in CSIQPENU.).

CA Endeavor Software Change Manager 17.0
CA RS 1503 - PTF RO78403 Details

Release	Service	Details
17.0	RO78403	<p>RO78403 M.C.S. ENTRIES = ++PTF (RO78403)</p> <p>MSG CIGG000E BEING ISSUED BUT DOES NOT EXIST</p> <p>PROBLEM DESCRIPTION:</p> <p>When attempting to browse a member from the display element panel of Endeavor foreground, the error message CMG999 is received. This message state, that message CIGG000E can not be found is the ISPMLIB.</p> <p>When attempting to browse a member from the display element panel of QuickEdit, the error message ENDE092E is received. When more information about this error is displayed, the error message C1G0000E is printed as a source of the error. However this message doesn't exist in Endeavor.</p> <p>Affected actions: E, B, H, BX, CX, HX, SX, LL, LO, LI, and LC</p> <p>SYMPTOMS:</p> <p>F/G - Error message CMG999 being issue stating that message C1G0000E can not be found in library ISPMLIB.</p> <p>QE - Error message ENDE092E being issue stating that message C1G0000E is the cause of ENDE092E error.</p> <p>IMPACT:</p> <p>Customers will have no clue on what the problem and how to resolve it.</p> <p>CIRCUMVENTION:</p> <p>NONE</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Endeavor SCM Release 15.1</p> <p>CA Endeavor SCM Version 16.0</p> <p>CA Endeavor SCM Version 17.0</p> <p>Star Problem(s):</p> <p>ENDBAS 7155</p> <p>Copyright (C) 2015 CA. All rights reserved. R00099-SCM170-SP1</p> <p>DESC(MSG CIGG000E BEING ISSUED BUT DOES NOT EXIST).</p> <p>++VER (Z038)</p> <p>FMID (CSIQH01)</p> <p>SUP (TR78225 TR78403)</p> <p>++IF FMID(CSIQH00) REQ(RO78402) .</p> <p>++HOLD (RO78403) SYSTEM FMID(CSIQH01)</p> <p>REASON (ACTION) DATE (15040)</p> <p>COMMENT (</p> <pre> +-----+ CA Endeavor SCM Japanese Localization Version 17.0 +-----+ SEQUENCE Before Apply +-----+ PURPOSE This PTF updates PANELS in the CSIQPJPN library. If you have customized the PANEL(S) delivered by this PTF, you must backup your customized version of the PANEL(S) before applying this PTF to avoid losing your changes. +-----+ USERS All Endeavor users. AFFECTED +-----+ KNOWLEDGE 1. SMP/e REQUIRED 2. Endeavor Administration 3. Endeavor PANELS +-----+ ACCESS No special access is required. REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. Backup any customized PANELS in CSIQPJPN that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPJPN.).</pre>

CA Endeavor Software Change Manager 17.0
 CA RS 1503 - PTF RO78417 Details

Release	Service	Details
17.0	RO78417	<p>RO78417 M.C.S. ENTRIES = ++PTF (RO78417)</p> <p>ABORT 0C7 EXECUTING BATCH PACKAGE/BATCH ADMINISTRATION JOBS</p> <p>PROBLEM DESCRIPTION: Using EN\$TRALC & EN\$TRPRS to invoke traces might cause a SOC7 abort and the message "BSTERR DD Statement Missing".</p> <p>SYMPTOMS: A SOC7 abort and the message "BSTERR DD Statement Missing".</p> <p>IMPACT: A batch package or a batch administration job fails.</p> <p>CIRCUMVENTION: Do not use EN\$TRALC & EN\$TRPRS to invoke traces.</p> <p>PRODUCT(S) AFFECTED: CA Endeavor SCM Release 17.0</p> <p>Star Problem(s): ENDBAS 7098</p> <p>Copyright (C) 2015 CA. All rights reserved. R00100-SCM170-SP1</p> <p>DESC(ABORT 0C7 EXECUTING BATCH PACKAGE/BATCH ADMINISTRATION JOBS). ++VER (Z038) FMID (CSIQH00) PRE (RO70908 RO71576 RO75121) SUP (TR78417)</p>

Release	Service	Details
17.0	RO78653	<p>RO78653 M.C.S. ENTRIES = ++PTF (RO78653)</p> <p>QE - PANEL ENDIE205 SHOWN BUT SHOULDN'T</p> <p>PROBLEM DESCRIPTION:</p> <p>When the user tries to edit or generate the element which is placed in the entry stage of the first environment in the map, the selected action is executed at the same location. However at certain circumstances, panel ENDIE205 will ask the user to specify the target location for the selected action.</p> <p>Case specific circumstances:</p> <ol style="list-style-type: none"> 1. more than one subsystem in the particular environment mapped to the same next subsystem 2. the name of the next mapped subsystem is the same as the name of the selected element's subsystem 3. the other subsystem were alphabetically placed after the name of the selected element's subsystem <p>Example:</p> <p>Selected element is placed at location ENV1/SYS1/SBS1/1</p> <p>site mapping:</p> <p>ENV1 => ENV2 SYS1 => SYS2 SBS1 => SBS1 SBS1B => SBS1 SBS1C => SBS1</p> <p>When the user tries to Edit or Generate the element from a selection list generated without all Endeavor location fields fully specified, panel ENDIE205 appears and asks the user to specify the target location although it is already specified by selection of the first environment in the map.</p> <p>SYMPTOMS:</p> <p>Panel ENDIE205 is displayed but it shouldn't.</p> <p>IMPACT:</p> <p>The user can be confused.</p> <p>CIRCUMVENTION:</p> <p>None</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Endeavor SCM Release 15.1 CA Endeavor SCM Version 16.0 CA Endeavor SCM Version 17.0</p> <p>Star Problem(s):</p> <p>ENDBAS 7186</p> <p>Copyright (C) 2015 CA. All rights reserved. R00101-SCM170-SP1</p> <p>DESC(QE - PANEL ENDIE205 SHOWN BUT SHOULDN'T).</p> <p>++VER (Z038)</p> <p>FMID (CSIQH00)</p> <p>PRE (RO71576 RO72973 RO77461 RO78402)</p> <p>SUP (RO73237 TR73237 TR78653)</p>