

CA SYSVIEW Performance Management 14.0  
CA RS 1503 Service List

Release	Service	Description	Type
14.0	RO72122	MANY CICS COMMANDS RETURN NO DATA ON DISPLAY	PTF
	RO77396	Abend S0C4/U2999 using DSALLOC or RXOUTPUT command	PTF
	RO77429	Unable to load exit module GSVXADDR for new CSM Config.	PTF
	RO78145	Abend S0C4-10 in GSVPDANN during IMS shutdown	PTF
	RO78196	Generic group member does not get a match	PTF
	RO78258	Abend S0C7 in GSVXXVSR issuing XVEXTRAC	PTF
	RO78444	GSV2328E PLOTLIST line cmds fail with member not found	PTF
	RO78622	GSVX964E XRREX INIT UNABLE TO REFRESH MQROBJ DISPLAY W/ RO70574	** PRP **
The CA RS 1503 service count for this release is 8			

CA SYSVIEW Performance Management  
 CA RS 1503 Service List for CNM4E00

FMID	Service	Description	Type
CNM4E00	R072122	MANY CICS COMMANDS RETURN NO DATA ON DISPLAY	PTF
	R077396	Abend SOC4/U2999 using DSALLOC or RXOUTPUT command	PTF
	R077429	Unable to load exit module GSVXADR for new CSM Config.	PTF
	R078145	Abend SOC4-10 in GSVPDANN during IMS shutdown	PTF
	R078196	Generic group member does not get a match	PTF
	R078258	Abend SOC7 in GSVXXVSR issuing XVEXTRAC	PTF
	R078444	GSV2328E PLOTLIST line cmds fail with member not found	PTF
	R078622	GSVX964E XRREX INIT UNABLE TO REFRESH MQROBJ DISPLAY W/ R070574	** PRP **
The CA RS 1503 service count for this FMID is 8			

CA SYSVIEW Performance Management 14.0  
 CA RS 1503 - PTF RO72122 Details

Release	Service	Details
14.0	RO72122	RO72122 M.C.S. ENTRIES = ++PTF(RO72122) DESC(MANY CICS COMMANDS RETURN NO DATA ON DISPLAY) /* PROBLEM DESCRIPTION: The improper setting of a return code in a service routine that locates CICS domain headers could cause a 'no data' condition for many SYSVIEW CICS-related command displays. This problem only occurs with CICS TS 3.1 and 3.2. SYMPTOMS: In the reported case a user issued a KILL line command for a CICS transaction on the CTASKS command display, which failed with the message below, and after that the CTASKS display no longer showed any active tasks. GSVCL19W (XDIS) userid has issued a KILL for the task 97202 jobname CICSPROD. Task 97202 was not found. Once this occurs other commands such as CDSAS, CPROGRAMS, etc. may also be blank. IMPACT: Temporary loss of many CICS real-time command displays. CIRCUMVENTION: Once the problem occurs it can be cleared by using the GSVT / GSVS transactions to recycle SYSVIEW/CICS within the CICS region. It may also be cleared by issuing the CTASKENT command twice. PRODUCTS AFFECTED: CA SYSVIEW 14.0 /*. ++VER(Z038) FMID(CNM4E00) SUP(TSE0031). ++HOLD(RO72122) FMID(CNM4E00) SYSTEM REASON(RESTART) DATE(14205) COMMENT( Apply this fix and either recycle the CICS region, or use the GSVT (terminate) and GSVS (start) transactions to recycle SYSVIEW/CICS within the CICS region. ).

CA SYSVIEW Performance Management 14.0  
 CA RS 1503 - PTF RO77396 Details

Release	Service	Details
14.0	RO77396	<p>RO77396 M.C.S. ENTRIES = ++PTF(RO77396)            DESC(Abend SOC4/U2999 using DSALLOC or RXOUTPUT command)            /*            PROBLEM DESCRIPTION:            Possible abend encountered when using DSALLOC and/or RXOUTPUT commands            in multiple displaying level.            SYMPTOMS:            If either the DSALLOC or RXOUTPUT command was active at one display            level, and another version of either one of these commands was invoked            again at another display level, this may results in one of the following            abends when the control is returned to the level where the first command            was invoked:            SOC4 in GSVX1010 or GSVJ1011 modules and terminated user session.            or            U2999-305 abend with the following messages displayed in job output            following by SC03 abend when the session ended.            GSVX451E Abend U2999-305 in RXDISP/RETURN command            GSVX472I Userid userid Terminal terminalid Interface VTAM            GSVX452I SYSVIEW SRB in control at entry to abend            GSVX453I Diagnostics for SRB in control at entry to abend            GSVX457I Psw 078C1000 A7FC8248 Ilc 2 Intc 0D            GSVX477I Key 8 State SUP Am 3l Asc PRI            GSVX458I Module GSVXNUC Addr 27A14000 Offset 005B4248            GSVX458I NucMod GSVXSTGR Addr 27FC60F8 Offset 00002150            GSVX450I FixLvl BASE            GSVX473I Routne FREE\$\$ Addr 27FC7D10 Offset 00000538            GSVX459I Data at PSW addr 27FC8242            GSVX460I 022418F5 0A0D5820 BFFC5830            GSVX455I General registers at entry to abend            GSVX467I R0-R1 00000000_00000107 00000000_04000BB7            GSVX467I R2-R3 00000000_00000000 00000000_A91729B2            GSVX467I R4-R5 00000000_291725D0 00000000_00000305            GSVX467I R6-R7 00000000_00000000 00000000_29170AF0            GSVX467I R8-R9 00000000_290E9000 00000000_28E44000            GSVX467I R10-R11 00000000_27FCAA58 00000000_28E40000            GSVX467I R12-R13 00000000_27FC7D10 00000000_29073468            GSVX467I R14-R15 00000000_29073468 00000000_00000305            GSVX475I Access registers at entry to abend            GSVX461I AR0-AR3 00000000 00000000 00000000 00000000            GSVX461I AR4-AR7 00000000 00000000 00000000 00000000            GSVX461I AR8-AR11 00000000 00000000 00000000 00000000            GSVX461I AR12-AR15 00000000 00000000 00000000 00000000            IMPACT:            Possible abend and SVC dump taken.            CIRCUMVENTION:            Do not invoke DSALLOC or RXOUTPUT in multiple display levels.            PRODUCTS AFFECTED:            CA SYSVIEW 14.0            */.            ++VER(Z038) FMID(CNM4E00)            SUP(TSE0077).</p>

CA SYSVIEW Performance Management 14.0  
 CA RS 1503 - PTF RO77429 Details

Release	Service	Details
14.0	RO77429	<pre> RO77429  M.C.S. ENTRIES  = ++PTF(RO77429) DESC(Unable to load exit module GSVXAADR for new CSM Config.) /* PROBLEM DESCRIPTION: If SYSVIEW is being configured using CSM on a system where SYSVIEW has not previously existed, an error is received when attempting to assemble the z/OS and JES maps. This fix addresses the problem in CSM 6.0.  Prior releases must follow the circumvention steps below. SYMPTOMS: Assembly error during CSM configuration step CREATE_ZOS_MAPS if module GSVXAADR is not in the LINKLIST from a previous install of SYSVIEW. 'ASMA932U Unable to load specified EXIT module - GSVXAADR' IMPACT: Unable to fully configure SYSVIEW using CSM. CIRCUMVENTION: Place SYSVIEW module GSVXAADR in LINKLIST and retry configuration. PRODUCTS AFFECTED: CA SYSVIEW 14.0 */. ++VER(Z038) FMID(CNM4E00) SUP(TSE0078). ++HOLD(RO77429) FMID(CNM4E00) SYSTEM REASON(ACTION) DATE(15005) COMMENT( After applying this fix, a new deployment and configuration will need to be created in CSM/MSM to pick up the changes. ). </pre>

CA SYSVIEW Performance Management 14.0  
 CA RS 1503 - PTF RO78145 Details

Release	Service	Details
14.0	RO78145	RO78145 M.C.S. ENTRIES = ++PTF(RO78145) DESC(Abend S0C4-10 in GSVPDANN during IMS shutdown) /* PROBLEM DESCRIPTION: Abend S0C4 may occur in the SYSVIEW server address space when IMS is shutting down. This is most likely to occur when the IMSDATA subtask attempts to access buffer pool information just before IMS completes its shutdown. SYMPTOMS: Messages similar to the following may be observed in the SYSVIEW job log: IEA794I SVC DUMP HAS CAPTURED: 881 DUMPID=006 REQUESTED BY JOB (SYSVIEW ) DUMP TITLE=CA SYSVIEW 13.9 0760 - Job SYSVIEW Asid 00F6 Abend S0C4-10 Mod ***NA*** Rtn ***NA*** GSVX528E (IMSDATA) ZCALL GSVPDA11,GET_BUFPP failed, abend S0C4-10 Note the module name is different for each IMS release: IMS 11 - GSVPDA11 IMS 12 - GSVPDA12 IMS 13 - GSVPDA13 IMPACT: Occasional abend in the SYSVIEW main address space when shutting down IMS. CIRCUMVENTION: None. PRODUCTS AFFECTED: CA SYSVIEW 14.0 */. ++VER(Z038) FMID(CNM4E00) SUP(TSE0084).

CA SYSVIEW Performance Management 14.0  
 CA RS 1503 - PTF RO78196 Details

Release	Service	Details
14.0	RO78196	RO78196 M.C.S. ENTRIES = ++PTF(RO78196) DESC(Generic group member does not get a match) /* PROBLEM DESCRIPTION: Generic logical group members are not getting matches. The problem occurs when a group member name contains a fixed length masking character. SYMPTOMS: Generic logical group members containing a fixed length masking character do not produce matches during group processing. For example, if a logical group contains the generic member CIC%PROD where % is the fixed length masking character, a name CICSPROD was not being considered a match. IMPACT: Logical group members that are expected to be in the group based on the generic member are not included in the group. CIRCUMVENTION: None. PRODUCTS AFFECTED: CA SYSVIEW 14.0 */. ++VER(Z038) FMID(CNM4E00) SUP(RO75164 TSE0087).

CA SYSVIEW Performance Management 14.0  
 CA RS 1503 - PTF RO78258 Details

Release	Service	Details
14.0	RO78258	<p>RO78258 M.C.S. ENTRIES = ++PTF(RO78258)            DESC(Abend SOC7 in GSVXXVSR issuing XVEXTRAC)            /*            PROBLEM DESCRIPTION:            Using the XVEXTRAC command or REXX function with the RAW option to extract data for packed fields (have field Type defined as NPX or PND) may result in SOC7 abend.            SYMPTOMS:            Encounter SOC7 Abend when using XVEXTRAC command or REXX function with RAW option to extract packed, fields with the following messages being displayed:            GSVX451E Abend SOC7-00 in cmdName /XVEXTRAC command            GSVX472I Userid userID Terminal UNKNOWN Interface API            GSVX457I Psw 078C0001 BAC68C4A Ilc 4 Intc 07            GSVX477I Key 8 State SUP Am 64 Asc PRI            GSVX458I Module GSVXXVSR Addr 3AC65000 Offset 00003C4A            GSVX450I FixLvl BASE            GSVX473I Routne XDRW\$\$ Addr 3AC68AF0 Offset 0000015A            GSVX459I Data at PSW addr 3AC68C44            GSVX460I FFFD443E 00004133 0001A7F4            GSVX455I General registers at entry to abend            GSVX467I R0-R1 00000000_00000000 00000000_00000018            GSVX467I R2-R3 00000000_3B46A2E0 00000000_0000000F            GSVX467I R4-R5 00000000_3B49BA7C 00000000_00000006            GSVX467I R6-R7 00000000_3B3B0162 00000000_3B46A074            GSVX467I R8-R9 00000000_3B466FAC 00000000_3B35D060            GSVX467I R10-R11 00000000_3AC6B268 00000000_3B29A000            GSVX467I R12-R13 00000000_3AC68AF0 00000000_3B2A4058            GSVX467I R14-R15 00000000_3AC68C3A 00000000_00000018            GSVX475I Access registers at entry to abend            GSVX461I AR0-AR3 00000000 00000000 00000000 00000000            GSVX461I AR4-AR7 00000000 00000000 00000000 00000000            GSVX461I AR8-AR11 00000000 00000000 00000000 00000000            GSVX461I AR12-AR15 00000000 00000000 00000000 00000000            IMPACT:            Unable to extract raw data of packed fields.            CIRCUMVENTION:            None.            PRODUCTS AFFECTED:            CA SYSVIEW 14.0            */.            ++VER(Z038) FMID(CNM4E00)            SUP(TSE0089).</p>



CA SYSVIEW Performance Management 14.0  
 CA RS 1503 - PTF RO78444 Details

Release	Service	Details
14.0	RO78444	<p>RO78444 M.C.S. ENTRIES = ++PTF(RO78444)</p> <p>DESC(GSV2328E PLOTLIST line cmds fail with member not found)</p> <p>/*</p> <p>PROBLEM DESCRIPTION:</p> <p>Issuing the PLOTLIST line commands Plot or Select may fail and return an error message. This problem occurs if the plot member on the selected line resides in a different plotlib data set (USER, SITE, SYSTEM) than the PLOTLIST plotlib member.</p> <p>SYMPTOMS:</p> <p>The following error message is displayed immediately after entering either the Plot or Select line command on the PLOTLIST command display.</p> <p>GSV2328E Read PLOTLIB member dsn(member) failed. Member not found.</p> <p>IMPACT:</p> <p>Unable to issue the Plot and Select line commands in the PLOTLIST display.</p> <p>CIRCUMVENTION:</p> <p>Issue the following primary command in the command input field:</p> <p>PLOT USING member</p> <p>PRODUCTS AFFECTED:</p> <p>CA SYSVIEW 14.0</p> <p>*/.</p> <p>++VER(Z038) FMID(CNM4E00)</p> <p>SUP(TSE0090).</p>

CA SYSVIEW Performance Management 14.0  
 CA RS 1503 - PTF RO78622 Details

Release	Service	Details
14.0	RO78622	RO78622 M.C.S. ENTRIES = ++PTF(RO78622) DESC(GSVX964E XRREX INIT UNABLE TO REFRESH MQROBJ DISPLAY W/ RO70574) /* PROBLEM DESCRIPTION: Issuing the REFRESH subcommand on the MQROBJ command display will fail and return an error message. This problem will occur only when the following PTF is applied: CA SYSVIEW 14.0: RO70574 SYMPTOMS: The following error message is displayed immediately after issuing the REFRESH subcommand on the MQROBJ command display: GSVX964E XRREX INIT not valid, XRREX INIT already done IMPACT: Unable to refresh the MQROBJ command display via the REFRESH command. CIRCUMVENTION: Exit the MQROBJ command display and reissue the MQROBJ command. PRODUCTS AFFECTED: CA SYSVIEW 14.0 */. ++VER(Z038) FMID(CNM4E00) PRE(RO70574) SUP(AO70574 TSE0093).