

CA Chorus 4.0
CA RS 1506 Service List

Release	Service	Description	Type
4.0	RO78203	HELP PANELS ARE MISSING	PTF
	RO79666	TEIID31118 ELEMENT "G_1.CPF_OUTBOUND_RETURNED" NOT DEFINED	PTF
	RO79923	ETJIO100 JOB SUBMITTED BY USER WITH UID 0 FAILS	PTF
	RO80098	SECURITY CUSTOMER ISSUE	PTF
	RO80426	REMOVE TOP SECRET AND RACF SECURITY EXITS FROM CC2DLOAD	*HIP/PRP*
	RO80469	SECURITY VULNERABILITY FIXES	PTF
	RO80932	CHORTH D DOES NOT HAVE CAWEBSVR ACCESS	PTF
	RO80933	OCCURRENCE OF NULLPOINTEREXCEPTION DURING SERVER STARTUP	PTF
	RO81093	REFIT OF STANDALONE FIXES	PTF
	RO81142	UI ONLY LISTS 1000 STC RECDS	PTF
The CA RS 1506 service count for this release is 10			

CA Chorus 4.0
CA RS 1506 Service List for Chorus Platform

Type	Release	Service	Description	FMID	Type
Chorus Platform	4.0	R079923	ETJI0100 JOB SUBMITTED BY USER WITH UID 0 FAILS	CETJ400	PTF
		R080098	SECURITY CUSTOMER ISSUE	CETJ400	PTF
		R080426	REMOVE TOP SECRET AND RACF SECURITY EXITS FROM CC2DLOAD	CC2D791	*HIP/PRP*
		R080469	SECURITY VULNERABILITY FIXES	CETJ400	PTF
		R080932	CHORTH D DOES NOT HAVE CAWEBSVR ACCESS	CETJ400	PTF
		R080933	OCCURRENCE OF NULLPOINTEREXCEPTION DURING SERVER STARTUP	CETJ402	PTF

The CA RS 1506 service count for this type is 6

CA Chorus 4.0
CA RS 1506 Service List for Security Discip

Type	Release	Service	Description	FMID	Type
Security Discip	4.0	RO78203	HELP PANELS ARE MISSING	CE1M400	PTF
		RO79666	TEIID31118 ELEMENT "G_1.CPF_OUTBOUND_RETURNED" NOT DEFINED	CE1M400	PTF
		RO81093	REFIT OF STANDALONE FIXES	CE1M400	PTF
		RO81142	UI ONLY LISTS 1000 STC RECDS	CE1M400	PTF

The CA RS 1506 service count for this type is 4

CA Chorus 4.0
CA RS 1506 - PTF RO78203 Details

Release	Service	Details
4.0	RO78203	<p>RO78203 M.C.S. ENTRIES = ++PTF (RO78203)</p> <p>HELP PANELS ARE MISSING PROBLEM DESCRIPTION: After fix Chrsec 143 was applied some of the help panels were changed and did not display correctly when selected. SYMPTOMS: When these help panels were selected a HTTP Status 404 message was displayed along with the panel that was missing. IMPACT: Low impact: some help topics were missing. CIRCUMVENTION: N/A PRODUCT(S) AFFECTED: CA CHORUS FOR SECURITY AND COMPLIANCE MANAGEMENT Release 3.0 CA CHORUS FOR SECURITY AND COMPLIANCE MANAGEMENT Version 4.0 Related Problem: CHRSEC 145 Copyright (C) 2015 CA. All rights reserved. R00019-SCR040-SP1</p> <p>DESC(HELP PANELS ARE MISSING). ++VER (Z038) FMID (CE1M400) SUP (RO76740 RO76879 TR76740 TR76879 TR78200 TR78203) ++HOLD (RO78203) SYSTEM FMID(CE1M400) REASON (ACTION) DATE (15037) COMMENT (</p> <pre> +-----+ CA CHORUS FOR SECURITY AND COMPLIANCE MANAGEMENT Version 4.0 +-----+ SEQUENCE Apply APAR. Restart Chorus +-----+ PURPOSE Performing the steps in the holddata will allow you to complete the Chorus Security discipline deployment and configuration and use the user modify/delete functionality investigator. +-----+ USERS Users running Chorus. AFFECTED +-----+ KNOWLEDGE SMP/e, Product Installation, z/OS Systems Programming, and REQUIRED CSM +-----+ ACCESS Access to ZFS directory where Chorus is installed. REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. Apply the fix. 2. Restart Chorus JBOSS to pick up the new jars.). LINK('./PolicyAdmin.war') PARM(PATHMODE(0,7,7,5)) SHSCRIPT(POLPDSCR, POST) . </pre>

CA Chorus 4.0
CA RS 1506 - PTF RO79666 Details

Release	Service	Details
4.0	RO79666	<p>RO79666 M.C.S. ENTRIES = ++PTF (RO79666)</p> <p>TEIID31118 ELEMENT "G_1.CPF_OUTBOUND_RETURNED" NOT DEFINED PROBLEM DESCRIPTION: Chorus is getting the following message TEIID31118 ELEMENT "G_1.CPF_OUTBOUND_RETURNED" is NOT DEFINED" SYMPTOMS: There is also the TEIID30020 Processing exception for request in the log, along with the above message. IMPACT: N/A CIRCUMVENTION: N/A PRODUCT(S) AFFECTED: CA CHORUS FOR SECURITY AND COMPLIANCE MANAGEMENT Version 4.0 Copyright (C) 2015 CA. All rights reserved. R00021-SCR040-SP1</p> <p>DESC(TEIID31118 ELEMENT "G_1.CPF_OUTBOUND_RETURNED" NOT DEFINED). ++VER (Z038) FMID (CE1M400) PRE (RO76814) SUP (TR79666) ++IF FMID(CETJ400) REQ(RO79665) . ++HOLD (RO79666) SYSTEM FMID(CE1M400) REASON (DYNACT) DATE (15098) COMMENT (</p> <pre> +-----+ CA CHORUS FOR SECURITY AND COMPLIANCE MANAGEMENT Version 4.0 +-----+ SEQUENCE After Apply Run configuration job E1MI0010 Run configuration job ETJI0150 Restart Chorus CHORJBOS +-----+ PURPOSE The fix must be applied before starting CHORJBOS if CHORJBOS is running you must stop and restart CHORJBOS for the fix to correct the problem in Chorus. +-----+ USERS All users AFFECTED +-----+ KNOWLEDGE SMP/e, Product Installation, Product Deployment, REQUIRED Product Configuration, and CHORJBOS started task. +-----+ ACCESS 1. Access will be required to the CE1MJCL dataset. REQUIRED 2. Access will be required to <CHORUS_HOME>/roles/security 3. Access will be required to <CHORUS_HOME>/config. +-----+ ***** * STEPS TO PERFORM * ***** 1. Stop CHORJBOS 2. Apply APAR. 3. Run configuration job E1MI0010 4. Run configuration job ETJI0150 5. Restart of CHORJBOS.). BINARY </pre>

CA Chorus 4.0
CA RS 1506 - PTF RO79666 Details

Release	Service	Details
		LINK(' ../statg-model.xml') PARM(PATHMODE(0,7,7,5)) SYMLINK(' ../../../../jboss/standalone/chorus/vdbs/Chorus/statg-model.xml') SYMPATH(' ../../../../config/statg-model.xml') . BINARY LINK(' ../statg-treedefinition.txt') PARM(PATHMODE(0,7,7,5)) .

CA Chorus 4.0
CA RS 1506 - PTF RO79923 Details

Release	Service	Details
4.0	RO79923	<p>RO79923 M.C.S. ENTRIES = ++PTF (RO79923)</p> <p>ETJIO100 JOB SUBMITTED BY USER WITH UID 0 FAILS</p> <p>PROBLEM DESCRIPTION: The ETJIO100 job that sets the user and group ID for all Chorus files fails with a completion code of 1280 when the user submitting the job has UID(0).</p> <p>SYMPTOMS: The ETJIO100 job fails with CC=1280 with the following message in STDERR "ETJCI210E The user executing this script has UID 0 defined."</p> <p>IMPACT: A user that has UID(0) cannot run the ETJIO100 job to successful completion.</p> <p>CIRCUMVENTION: Submit job with a userid having non-zero UID and superuser authority.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Version 3.0 CA Chorus Version 4.0</p> <p>Related Problem: CHRPLT 932</p> <p>Copyright (C) 2015 CA. All rights reserved. R00067-ETJ040-SP1</p> <p>DESC(ETJIO100 JOB SUBMITTED BY USER WITH UID 0 FAILS). ++VER (Z038) FMID (CETJ400) SUP (TR79923) TEXT PARM(PATHMODE(0,7,7,5)) SYMLINK('../utilities/chorus_chown.sh') SYMPATH('../bin/CHOWNTSH') .</p>

CA Chorus 4.0
CA RS 1506 - PTF RO80098 Details

Release	Service	Details
4.0	RO80098	<p>RO80098 M.C.S. ENTRIES = ++PTF (RO80098)</p> <p>SECURITY CUSTOMER ISSUE</p> <p>PROBLEM DESCRIPTION: In Security Administrator, when a search is issued that displays more than 512 results on a single page, the user will receive a HTTP 500 error.</p> <p>SYMPTOMS: A HTTP 500 error is returned instead of a search result page</p> <p>IMPACT: Users will not be able to obtain more than 512 results on a single search page</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Chorus Release 3.0 CA Chorus Version 4.0</p> <p>Related Problem: CHRPLT 933</p> <p>Copyright (C) 2015 CA. All rights reserved. R00068-ETJ040-SP1</p> <p>DESC(SEcurity CUSTOMER ISSUE). ++VER (Z038) FMID (CETJ400) PRE (RO75913) SUP (TR80098)</p> <p>BINARY LINK('../standalone-chorus.xml.sample') PARM(PATHMODE(0,7,7,5)) SYMLINK('../standalone-chorus.xml') SYMPATH('../././././config/standalone-chorus.xml') .</p>

CA Chorus 4.0
CA RS 1506 - PTF RO80426 Details

Release	Service	Details
4.0	RO80426	<p>RO80426 M.C.S. ENTRIES = ++PTF (RO80426)</p> <p>REMOVE TOP SECRET AND RACF SECURITY EXITS FROM CC2DLOAD</p> <p>PROBLEM DESCRIPTION: When adding the CC2DLOAD loadlib to the system LNKLST the NetMaster distributed CA Top Secret exit TSSINSTX or IBM RACF exit ICHRIX02 may execute depending on the order of datasets in LNKLST.</p> <p>SYMPTOMS: Functions provided by a user's security exit are not available.</p> <p>IMPACT: Customer security requirements are not enforced.</p> <p>CIRCUMVENTION: Remove the CC2DLOAD loadlib from LNKLST.</p> <p>PRODUCT(S) AFFECTED: CA Mainframe Connector for Linux on System Z r2.0 CA Mainframe Connector for Linux on System Z r1.0 CA OPS/MVS Event Management and Automation Rel 12.2 CA OPS/MVS Event Management and Automation Rel 12.1 CA Mainframe Chorus r4.0 CA NetMaster Network Management for TCP/IP r12.1 CA NetMaster Network Management for SNA r12.1 CA NetMaster File Transfer Management r12.1 CA NetMaster Network Automation r12.1 CA SOLVE:FTS r12.1</p> <p>Copyright (C) 2015 CA. All rights reserved. R00004-NMS079-SP0</p> <p>DESC(REMOVE TOP SECRET AND RACF SECURITY EXITS FROM CC2DLOAD). ++VER (Z038) FMID (CC2D791) SUP (AC80471 TR80426) ++HOLD (RO80426) SYSTEM FMID(CC2D791) REASON (DELETE) DATE (15110) COMMENT (</p> <pre> +-----+ CA Management Services Release 7.9 +-----+ SEQUENCE Before Apply. +-----+ PURPOSE This sysmod cannot be reversed with SMP/E RESTORE. +-----+ USERS All users. AFFECTED +-----+ KNOWLEDGE SMP/e. REQUIRED +-----+ ACCESS Product CSI libraries. REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** Back up all SMPCSI data sets, SMP/E work data sets, and the associated target and distribution libraries, so you will have a copy of the entire environment to restore to if you need to remove this PTF at a later time.). ++DELETE(ICHRIX02) SYSLIB(ALL) . ++DELETE(TSSINSTX) SYSLIB(ALL) . </pre>

CA Chorus 4.0
CA RS 1506 - PTF RO80469 Details

Release	Service	Details
4.0	RO80469	<p>RO80469 M.C.S. ENTRIES = ++PTF (RO80469)</p> <p>SECURITY VULNERABILITY FIXES</p> <p>PROBLEM DESCRIPTION:</p> <p>CA Chorus uses a third party product, Batik v 1.7. This release is outdated and contains a known security vulnerability.</p> <p>SYMPTOMS:</p> <p>None.</p> <p>IMPACT:</p> <p>These are potentially vulnerable components that may impact your environment.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Chorus Version 4.0</p> <p>Related Problem:</p> <p>CHRPLT 936</p> <p>Copyright (C) 2015 CA. All rights reserved. R00070-ETJ040-SP1</p> <p>DESC(SEcurity VULNERABILITY FIXES).</p> <p>++VER (Z038)</p> <p>FMID (CETJ400)</p> <p>PRE (RO75913)</p> <p>SUP (TR80466 TR80469)</p> <p>BINARY</p> <p>LINK('./batik-all-1.8pre-r1084380.jar')</p> <p>PARM(PATHMODE(0,7,7,5)) .</p> <p>BINARY</p> <p>LINK('./thirdparty-module.xml.sample')</p> <p>PARM(PATHMODE(0,7,7,5))</p> <p>SYMLINK('./module.xml')</p> <p>SYMPATH('./../../../../../../../../../../../../config/thirdparty-module.xml') .</p>

CA Chorus 4.0
CA RS 1506 - PTF R080932 Details

Release	Service	Details
4.0	R080932	<p>R080932 M.C.S. ENTRIES = ++PTF (R080932)</p> <p>CHORTH D DOES NOT HAVE CAWEBSVR ACCESS</p> <p>PROBLEM DESCRIPTION: The ACID used to access discipline meta data, usually CHORTH D, does not have authority to use the CAWEBSVR facility.</p> <p>Attempts to access data sources are denied.</p> <p>SYMPTOMS:</p> <p>Messages in CHORJBOS Sysout file:</p> <p>Msg from DSI:</p> <p>TSS7100E J=CHORJBOS A=CHORTH D T=N/A F=CAWEBSVR User not authorized</p> <p>TSS7160E Facility is not authorized for your use.</p> <p>IMPACT:</p> <p>You are not able to see data from back end sources.</p> <p>CIRCUMVENTION:</p> <p>Manually run the Top Secret command:</p> <p>TSS ADDTO(CHORTH D) FACILITY(CAWEBSVR)</p> <p>CA Chorus Version 3.0</p> <p>CA Chorus Version 4.0</p> <p>Related Problem:</p> <p>CHRPLT 948</p> <p>Copyright (C) 2015 CA. All rights reserved. R00079-ETJ040-SP1</p> <p>DESC(CHORTH D DOES NOT HAVE CAWEBSVR ACCESS).</p> <p>++VER (Z038)</p> <p>FMID (CETJ400)</p> <p>SUP (TR80932)</p>

CA Chorus 4.0
CA RS 1506 - PTF RO80933 Details

Release	Service	Details
4.0	RO80933	<p>RO80933 M.C.S. ENTRIES = ++PTF (RO80933)</p> <p>OCCURRENCE OF NULLPOINTEREXCEPTION DURING SERVER STARTUP</p> <p>PROBLEM DESCRIPTION:</p> <p>In CA Chorus, during the CA Chorus Application server start up, message "Caused by:java.lang.NullPointerException at org.jboss.as.connector.services.resourceadapters.deployment.ResourceAdapterXmlDeploymentService.initializeParentDirectoryMap(ResourceAdapterXmlDeploymentService.java:206)" displays in the server.log.file.</p> <p>SYMPTOMS:</p> <p>In the server.log file you will find the error message "java.lang.NullPointerException at org.jboss.as.connector.services.resourceadapters.deployment.ResourceAdapterXmlDeploymentService.initializeParentDirectoryMap".</p> <p>IMPACT:</p> <p>You will not be able to access CA Chorus.</p> <p>CIRCUMVENTION:</p> <p>Setting the system property com.ca.chorus.skipHandleEmptyParentDirectory to true will enable you to start CA Chorus Application Server.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Chorus Version 04.0</p> <p>Related Problem:</p> <p>CHRPLT 947</p> <p>Copyright (C) 2015 CA. All rights reserved. R00006-JBT040-SP1</p> <p>DESC(OCCURRENCE OF NULLPOINTEREXCEPTION DURING SERVER STARTUP). ++VER (Z038) FMID (CETJ402) SUP (RO80743 TR80743 TR80933) BINARY LINK(' ../jboss-as-connector-7.2.0.Alpha1-redhat-4.jar' PARM(PATHMODE(0,7,7,5)) .</p>

CA Chorus 4.0
CA RS 1506 - PTF RO81093 Details

Release	Service	Details
4.0	RO81093	<p>RO81093 M.C.S. ENTRIES = ++PTF (RO81093)</p> <p>REFIT OF STANDALONE FIXES</p> <p>PROBLEM DESCRIPTION:</p> <p>Refit of Standalone CMGR fixes 355 and 356</p> <ol style="list-style-type: none"> 1. The space in a ALERT command can be removed causing extra alerts to be generated. 2. 355 Email Alert HTML Content Type Problem when modifying. <p>SYMPTOMS:</p> <ol style="list-style-type: none"> 1. Save you have saved a command in an ALERT if you modify the Policy statement without adding the space back in it will be gone after it is saved again. 2. When an email alert action is created with HTML selected in the Content Type the HTML is saved correctly but when you go to view it or modify the Action the Content Type display incorrectly and if you save it without changing it back HTML is gone. <p>IMPACT:</p> <ol style="list-style-type: none"> 1. Extra unwanted Alerts are being generated. 2. Can cause email problems if not changed back to HTML <p>CIRCUMVENTION:</p> <ol style="list-style-type: none"> 1. Always resave the command with the space. 2. Making sure Content Type is correct before saving the action. <p>PRODUCT(S) AFFECTED:</p> <p>CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0 CA MAINFRAME CHORUS FOR SEC/COMP MGMT Version 4.0</p> <p>Related Problem: CHRSEC 157</p> <p>Copyright (C) 2015 CA. All rights reserved. R00024-SCR040-SP1</p> <p>DESC(REFIT OF STANDALONE FIXES). ++VER (Z038) FMID (CE1M400) SUP (RO76740 RO76879 RO78203 TR76740 TR76879 TR78200 TR78203 TR81093) ++HOLD (RO81093) SYSTEM FMID(CE1M400) REASON (ACTION) DATE (15132) COMMENT (</p> <pre> +-----+ CA CHORUS FOR SECURITY AND COMPLIANCE MANAGEMENT Version 4.0 +-----+ SEQUENCE Apply APAR. Restart Chorus +-----+ PURPOSE Performing the steps in the holddata will allow you to complete the Chorus Security discipline deployment and configuration and use the user modify/delete functionality investigator. +-----+ USERS Users running Chorus. AFFECTED +-----+ KNOWLEDGE SMP/e, Product Installation, z/OS Systems Programming, and REQUIRED CSM +-----+ ACCESS Access to ZFS directory where Chorus is installed. REQUIRED +-----+ ***** * STEPS TO PERFORM * </pre>

CA Chorus 4.0
CA RS 1506 - PTF RO81093 Details

Release	Service	Details
		***** 1. Apply the fix. 2. Restart Chorus JBOSS to pick up the new jars.). LINK('..PolicyAdmin.war') PARM(PATHMODE(0,7,7,5)) SHSCRIPT(POLPDSR,POST) .

CA Chorus 4.0
CA RS 1506 - PTF RO81142 Details

Release	Service	Details
4.0	RO81142	<p>RO81142 M.C.S. ENTRIES = ++PTF (RO81142)</p> <p>UI ONLY LISTS 1000 STC RECDS</p> <p>PROBLEM DESCRIPTION: By default, Chorus Security Administrator will only list up to 1000 results from a search of ESM records. The configuration parameter <searchRows> that controls the number of search results currently does not change the number of results returned. This fix enables that configuration parameter to change the number of search results returned.</p> <p>SYMPTOMS: Searches will only reeturn up to 1000 results regardless of what is in the <searchRows> parameter.</p> <p>IMPACT: Users will not be able to see more than 1000 search results even if there are more than 1000.</p> <p>CIRCUMVENTION: There is no circumvention available.</p> <p>PRODUCT(S) AFFECTED: CA MAINFRAME CHORUS FOR SEC/COMP MGMT Release 3.0 CA MAINFRAME CHORUS FOR SEC/COMP MGMT Version 4.0</p> <p>Related Problem: CHRSEC 155</p> <p>Copyright (C) 2015 CA. All rights reserved. R00025-SCR040-SP1</p> <p>DESC(UI ONLY LISTS 1000 STC RECDS). ++VER (Z038) FMID (CE1M400) SUP (TR80852 TR81142) ++IF FMID(CETJ400) REQ(RO80098) . ++HOLD (RO81142) SYSTEM FMID(CE1M400) REASON (ACTION) DATE (15139) COMMENT (</p> <pre> +-----+ CA CHORUS FOR SECURITY AND COMPLIANCE MANAGEMENT Version 4.0 +-----+ SEQUENCE Apply APAR. Restart Chorus +-----+ PURPOSE Performing the steps in the holddata will allow you to complete the Chorus Security discipline deployment and configuration and use the user modify/delete functionality investigator. +-----+ USERS Users running Chorus. AFFECTED +-----+ KNOWLEDGE SMP/e, Product Installation, z/OS Systems Programming, and REQUIRED CSM +-----+ ACCESS Access to ZFS directory where Chorus is installed. REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. Apply the fix. 2. Make sure platform fix R080098 is applied. 3. Restart Chorus JBOSS to pick up the new jars. </pre>

CA Chorus 4.0
CA RS 1506 - PTF R081142 Details

Release	Service	Details
). LINK(' ../SecAdmin.war') PARM(PATHMODE(0,7,7,5)) SHSCRIPT(SECPDSCR,POST) .