

CA LDAP 14.0
CA RS 1506 Service List

Release	Service	Description	Type
14.0	RO81346	DELETE USER WITH DATASET RACF	** PRP **
The CA RS 1506 service count for this release is			1

CA LDAP
CA RS 1506 Service List for CDT9E00

FMID	Service	Description	Type
CDT9E00	RO81346	DELETE USER WITH DATASET RACF	** PRP **
The CA RS 1506 service count for this FMID is 1			

CA LDAP 14.0
CA RS 1506 - PTF RO81346 Details

Release	Service	Details
14.0	RO81346	<pre> RO81346 M.C.S. ENTRIES = ++PTF(RO81346) /* CA LDAP R14 SP1 PROBLEM DESCRIPTION: DELETE USER WITH DATASET (RACF) LR0219B: RACF ENHANCEMENT ===== PROBLEM ENHANCEMENT: 1. enableDeldsn When deleting a User when this option is set it will delete the associated control datasets so that the user can be deleted. It's not enabled by default. Example: enableDeldsn 2. enableOnlyAt Enter the node that you want the delete to take place on. When this option is set the node you enter is added to the ONLYAT option before we append the connector_uid on to it. Default: disabled by default Example: enableOnlyAt zm24 Product(s) affected: CA LDAP Server for z/OS Release 14 SP1 */ DESC(DELETE USER WITH DATASET RACF) . ++VER(Z038) FMID(CDT9E00) /* LDAP R14 SP1 */ PRE(RO41997) /* Core modules */ SUP(LD0093A LR0012A RO23257 LR0023A LR0045A LR0051A LR0078A LR0086A LR0131A LR0148A RO64063 RO80446 LR0219A LR0219B) . /* Original Test APAR */ ++HOLD(RO81346) FMID(CDT9E00) SYSTEM REASON(ACTION) COMMENT(SMP APPLY, and restart of LDAP STC required to install this APAR.). </pre>