

CA Endeavor Software Change Manager 16.0  
CA RS 1507 Service List

Release	Service	Description	Type
16.0	RO79709	ENWS: WRONG MESSAGE FOR ADD ACTION WITH INVALID CREDENTIALS	PTF
	RO80336	CO3 EXECUTING A TRANSFER ACTION VIA API	PTF
	RO80578	LOAD MEMBER (C1BML000) DOESN'T ISSUE AN ERROR	PTF
	RO80837	MESSAGE CIUU001E CONTAINS TERM RACF	PTF
	RO80838	MESSAGE CIUU001E CONTAINS TERM RACF	PTF
	RO81006	INCONSISTENT TITLE CASE USED IN PANELS	PTF
	RO81245	PKG DISPLAY (C1SP1000) SHOWS ONLY THE FIRST SHIP DESTINATION	PTF
	RO81246	PKG DISPLAY (C1SP1000) SHOWS ONLY THE FIRST SHIP DESTINATION	PTF
	RO81319	PANEL C1SPD10D IS CONFUSING	PTF
	RO81320	PANEL C1SPD10D IS CONFUSING	PTF
	RO81537	WRONG ISSUE OF ERROR MESSAGE 'LONG NAME ELEMENT N/A'	PTF
	RO81544	BSTXCOPY CREATES TOO MANY OUTPUT MSGS	PTF
	RO82326	OC7 ABEND WITH NONNUMERIC PROCESSOR SYMBOLICS	PTF
	RO82332	CONRPT80 PRINTS PRIVATE/COMMON DATA WITH CSECTS	PTF
	RO82495	SEARCH & REPLACE OVERRIDE NO EMAIL	PTF
The CA RS 1507 service count for this release is 15			

CA Endeavor Software Change Manager  
 CA RS 1507 Service List for CSIQG00

FMID	Service	Description	Type
CSIQG00	R080336	CO3 EXECUTING A TRANSFER ACTION VIA API	PTF
	R080578	LOAD MEMBER (C1BML000) DOESN'T ISSUE AN ERROR	PTF
	R080837	MESSAGE CIUU001E CONTAINS TERM RACF	PTF
	R081006	INCONSISTENT TITLE CASE USED IN PANELS	PTF
	R081245	PKG DISPLAY (C1SP1000) SHOWS ONLY THE FIRST SHIP DESTINATION	PTF
	R081319	PANEL C1SPD10D IS CONFUSING	PTF
	R081537	WRONG ISSUE OF ERROR MESSAGE 'LONG NAME ELEMENT N/A'	PTF
	R081544	BSTXCOPY CREATES TOO MANY OUTPUT MSGS	PTF
	R082326	0C7 ABEND WITH NONNUMERIC PROCESSOR SYMBOLICS	PTF
	R082332	CONRPT80 PRINTS PRIVATE/Common DATA WITH CSECTS	PTF
	R082495	SEARCH & REPLACE OVERRIDE NO EMAIL	PTF
The CA RS 1507 service count for this FMID is 11			

CA Endeavor Software Change Manager  
CA RS 1507 Service List for CSIQG01

FMID	Service	Description	Type
CSIQG01	R080838	MESSAGE CIUU001E CONTAINS TERM RACF	PTF
	R081246	PKG DISPLAY (C1SP1000) SHOWS ONLY THE FIRST SHIP DESTINATION	PTF
	R081320	PANEL C1SPD10D IS CONFUSING	PTF
The CA RS 1507 service count for this FMID is 3			

CA Endeavor Software Change Manager  
CA RS 1507 Service List for CSIQG03

FMID	Service	Description	Type
CSIQG03	RO79709	ENWS: WRONG MESSAGE FOR ADD ACTION WITH INVALID CREDENTIALS	PTF
The CA RS 1507 service count for this FMID is 1			

CA Endeavor Software Change Manager 16.0  
CA RS 1507 - PTF RO79709 Details

Release	Service	Details
16.0	RO79709	<p>RO79709 M.C.S. ENTRIES = ++PTF (RO79709)</p> <p>ENWS: WRONG MESSAGE FOR ADD ACTION WITH INVALID CREDENTIALS            PROBLEM DESCRIPTION:            ADD action issued with wrong/expired password returns message "EWS0111E            Errors were detected during the Type identification" instead of message            "API0034S INVALID USERID OR PASSWORD DETECTED"            SYMPTOMS:            Same as in the problem description.            IMPACT:            Incorrect message is displayed.            CIRCUMVENTION:            None            PRODUCT(S) AFFECTED:            CA Endeavor SCM Release 16.0            CA Endeavor SCM Release 17.0            Related Problem:            ENDBAS 7069            Copyright (C) 2015 CA. All rights reserved. R00324-SCM160-SP1</p> <p>DESC(ENWS: WRONG MESSAGE FOR ADD ACTION WITH INVALID CREDENTIALS).            ++VER (Z038)            FMID (CSIQG03)            PRE ( R056374 R057428 R057716 R058390 R058989 R059751            R059924 R060601 R061250 R061757 R062258 R062454            R062522 R062575 R063043 R063091 R066594 )            SUP ( TR79709 )            ++HOLD (RO79709) SYSTEM FMID(CSIQG03)            REASON (ACTION ) DATE (15147)            COMMENT (</p> <pre> +-----+   Endeavor Web Services                                 Release 16.0   +-----+  SEQUENCE   After Apply   +-----+  PURPOSE    This correction updates Endeavor Web Services.                     To implement this update, you must DEPLOY or UPDATE                the Web Services component of your target Tomcat                   directory and recycle the Tomcat server.             +-----+  USERS  AFFECTED   All users of Endeavor Web Services.                   +-----+  KNOWLEDGE  1. SMP/e  REQUIRED   2. Endeavor Web Services  3. Tomcat  4. Unix System Services                               +-----+  ACCESS     1. Update access to USS target and deployment files    REQUIRED   2. Ability to stop and start Tomcat                   +-----+ ***** * STEPS    TO    PERFORM * ***** 1. Stop Tomcat 2. Run job WSTOMCCS to deploy Endeavor Web Services with options ENWS="UPDATE",TOMCAT="NO",AXIS2="NO" 3. Start Tomcat ). BINARY LINK('../tpv/tomcat/shared/lib/libEndeavorSCLData.s o') PARM(PATHMODE(0,7,7,5)) . BINARY </pre>

CA Endevor Software Change Manager 16.0  
 CA RS 1507 - PTF RO79709 Details

Release	Service	Details
		<pre> LINK('.. /tpv/tomcat/shared/lib/libEndevorSCLJNI.so ') PARM(PATHMODE(0,7,7,5)) SYMLINK('.. /tpv/tomcat/shared/lib/endevorSCLJNI') SYMPATH('libEndevorSCLJNI.so') . BINARY LINK('.. /tpv/tomcat/shared/lib/libEndevorSCLMapper .so') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('.. /tpv/tomcat/shared/lib/libEndevorSCLObject .so') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('.. /tpv/tomcat/shared/lib/libEndevorSCLParser .so') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('.. /tpv/tomcat/shared/lib/libEndevorSapi.so') PARM(PATHMODE(0,7,7,5)) .           </pre>

CA Endeavor Software Change Manager 16.0  
 CA RS 1507 - PTF RO80336 Details

Release	Service	Details
16.0	RO80336	<p>RO80336 M.C.S. ENTRIES = ++PTF (RO80336)</p> <p>CO3 EXECUTING A TRANSFER ACTION VIA API</p> <p>Problem description:            An API program executes a TRANSFER action that works correctly, but a C03 abend occurs at task termination time. The C03 error indicates that the Package file remains open.</p> <p>Symptoms:            The batch job issues a c03 abend at task termination because the Package file is not closed.</p> <p>Impact:            None. The C03 does not affect the Endeavor action one way or the other. The abend occurs during termination processing after the action has completed.</p> <p>Circumvention:            None</p> <p>ProductsS) Affected:            CA Endeavor SCM <span style="float: right;">Release 16.0</span>            CA Endeavor SCM <span style="float: right;">Version 17.0</span></p> <p>Related Problem:            ENDBAS 7113</p> <p>Copyright (C) 2015 CA. All rights reserved. R00328-SCM160-SP1</p> <p>DESC(CO3 EXECUTING A TRANSFER ACTION VIA API).            ++VER (Z038)            FMID (CSIQG00)            SUP ( RO62317 TR62317 TR80336 )</p>

CA Endeavor Software Change Manager 16.0  
 CA RS 1507 - PTF RO80578 Details

Release	Service	Details
16.0	RO80578	<p>RO80578 M.C.S. ENTRIES = ++PTF (RO80578)</p> <p>LOAD MEMBER (C1BML000) DOESN'T ISSUE AN ERROR</p> <p>PROBLEM DESCRIPTION:            The Load Utility (C1BML000) loads external members to the specified inventory within Endeavor. However, under certain conditions, the utility encounters a problem but doesn't issue any messages and continues attempting to load members but unsuccessfully.</p> <p>Specific condition:            - MCF dataset is VSAM managed by LSERV.            - MCF dataset is not big enough to contain all members being loaded. If the MCF is out of space and can't be extended, LServ issues message: IEC070I - The VSAM file specified in the message could not be updated because sufficient disk space is not available. But the utility C1BML000 keep loading without writing data into MCF. This cause the data corruption.</p> <p>SYMPTOMS:            Corruption data</p> <p>IMPACT:            Inventory become corrupted after load member action.</p> <p>CIRCUMVENTION:            None.</p> <p>PRODUCT(S) AFFECTED:            CA Endeavor SCM Release 15.1            CA Endeavor SCM Version 16.0            CA Endeavor SCM Version 17.0</p> <p>Related Problem:            ENDBAS 7199</p> <p>Copyright (C) 2015 CA. All rights reserved. R00329-SCM160-SP1</p> <p>DESC(LOAD MEMBER (C1BML000) DOESN'T ISSUE AN ERROR).            ++VER (Z038)            FMID (CSIQG00)            PRE ( RO67754 RO76090 )            SUP ( TR80578 )</p>



CA Endeavor Software Change Manager 16.0  
 CA RS 1507 - PTF RO80837 Details

Release	Service	Details
16.0	RO80837	<p>RO80837 M.C.S. ENTRIES = ++PTF (RO80837)</p> <p>MESSAGE CIUU001E CONTAINS TERM RACF</p> <p>PROBLEM DESCRIPTION:            The CIUU001E message contains the word RACF, but not all users use RACF. This makes the message confusing since any external security can be used.</p> <p>SYMPTOMS:            Message CIUU001E is printed with text "RACF".</p> <p>IMPACT:            User's confusion</p> <p>CIRCUMVENTION:            None</p> <p>PRODUCT(S) AFFECTED:            CA Endeavor SCM <span style="float: right;">Version 16.0</span>            CA Endeavor SCM <span style="float: right;">Version 17.0</span></p> <p>Related Problem:            ENDBAS 7223</p> <p>Copyright (C) 2015 CA. All rights reserved. R00334-SCM160-SP1</p> <p>DESC(MESSAGE CIUU001E CONTAINS TERM RACF).            ++VER (Z038)            FMID (CSIQG00)            SUP ( TR80837 )            ++IF FMID(CSIQG01) REQ( RO80838) .</p>

CA Endeavor Software Change Manager 16.0  
 CA RS 1507 - PTF RO80838 Details

Release	Service	Details
16.0	RO80838	<p>RO80838 M.C.S. ENTRIES = ++PTF (RO80838)</p> <p>MESSAGE CIUU001E CONTAINS TERM RACF</p> <p>PROBLEM DESCRIPTION:            The CIUU001E message contains the word RACF, but not all users use RACF. This makes the message confusing since any external security can be used.</p> <p>SYMPTOMS:            Message CIUU001E is printed with text "RACF".</p> <p>IMPACT:            User's confusion</p> <p>CIRCUMVENTION:            None</p> <p>PRODUCT(S) AFFECTED:            CA Endeavor SCM <span style="float: right;">Version 16.0</span>            CA Endeavor SCM <span style="float: right;">Version 17.0</span></p> <p>Related Problem:            ENDBAS 7223</p> <p>Copyright (C) 2015 CA. All rights reserved. R00334-SCM160-SP1</p> <p>DESC(MESSAGE CIUU001E CONTAINS TERM RACF).            ++VER (Z038)            FMID (CSIQG01)            SUP ( TR80838 )            ++IF FMID(CSIQG00) REQ( RO80837) .</p>

CA Endeavor Software Change Manager 16.0  
CA RS 1507 - PTF RO81006 Details

Release	Service	Details
16.0	RO81006	<p>RO81006 M.C.S. ENTRIES = ++PTF (RO81006)</p> <p>INCONSISTENT TITLE CASE USED IN PANELS</p> <p>PROBLEM DESCRIPTION: There is inconsistency in the title case in the panel headings. Phrases "COMMAND ==&gt;" or "OPTION ==&gt;" are sometimes used as mixed case versions "Command ==&gt;" or "Option ==&gt;" and vice versa. The original rule is to use capital letters in the "classic" Endeavor except "batch package" and tutorial panels. For "batch package" panels and QE a mixed case phrases are used.</p> <p>SYMPTOMS: Panels do not have unified design.</p> <p>IMPACT: Panels do not have unified design.</p> <p>CIRCUMVENTION: None</p> <p>PRODUCT(S) AFFECTED: CA Endeavor SCM <span style="float: right;">Version 16.0</span> CA Endeavor SCM <span style="float: right;">Version 17.0</span></p> <p>Related Problem: ENDBAS 7214</p> <p>Copyright (C) 2015 CA. All rights reserved. R00336-SCM160-SP1</p> <p>DESC(INCONSISTENT TITLE CASE USED IN PANELS). ++VER (Z038) FMID (CSIQG00) PRE ( R065255 R075460 R078343 ) SUP ( TR81006 ) ++HOLD (RO81006) SYSTEM FMID(CSIQG00) REASON (ACTION ) DATE (15145) COMMENT (</p> <pre> +-----+        CA Endeavor SCM                      Release 16.0        +-----+  SEQUENCE   Before Apply  +-----+  PURPOSE    This PTF updates PANELS in the CSIQPENU library.                         If you have customized the PANEL(S) delivered by this PTF,               you must backup your customized version of the PANEL(S)                 before applying this PTF to avoid losing your changes.     +-----+  USERS      All Endeavor users.  AFFECTED  +-----+  KNOWLEDGE  1. SMP/e   REQUIRED   2. Endeavor Administration  3. Endeavor PANELS   +-----+  ACCESS     No special access is required.                               REQUIRED  +-----+ ***** * STEPS    TO    PERFORM * ***** 1. Backup any customized PANELS in CSIQPENU that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPENU. ). </pre>

CA Endeavor Software Change Manager 16.0  
CA RS 1507 - PTF RO81245 Details

Release	Service	Details
16.0	RO81245	<p>RO81245 M.C.S. ENTRIES = ++PTF (RO81245)</p> <p>PKG DISPLAY (C1SP1000) SHOWS ONLY THE FIRST SHIP DESTINATION PROBLEM DESCRIPTION: The Package display panel (C1SP1000) shows only the first package ship destination in case of multiple destinations were used. The display of only the first destination is misleading and could cause confusion. Command 'SH' has to be used to see all destinations the package has been shipped to. SYMPTOMS: Only the first destination of shipped package is printed at panel C1SP1000 in case of multiple package ship destination. IMPACT: User's confusion CIRCUMVENTION: None PRODUCT(S) AFFECTED: CA Endeavor SCM <span style="float: right;">Version 16.0</span> CA Endeavor SCM <span style="float: right;">Version 17.0</span> Related Problem: ENDBAS 7224 Copyright (C) 2015 CA. All rights reserved. R00337-SCM160-SP1</p> <p>DESC(PKG DISPLAY (C1SP1000) SHOWS ONLY THE FIRST SHIP DESTINATION). ++VER (Z038) FMID (CSIQG00) SUP ( TR81245 ) ++IF FMID(CSIQG01) REQ( RO81246) . ++HOLD (RO81245) SYSTEM FMID(CSIQG00) REASON (ACTION ) DATE (15163) COMMENT (</p> <pre> +-----+            CA Endeavor SCM                      Release 16.0            +-----+  SEQUENCE   Before Apply                                       +-----+  PURPOSE    This PTF updates PANELS in the CSIQPENU library.                               If you have customized the PANEL(S) delivered by this PTF,                you must backup your customized version of the PANEL(S)                before applying this PTF to avoid losing your changes.   +-----+  USERS      All Endeavor users.  AFFECTED  +-----+  KNOWLEDGE  1. SMP/e  REQUIRED   2. Endeavor Administration  3. Endeavor PANELS   +-----+  ACCESS     No special access is required.                                    REQUIRED  +-----+ ***** * STEPS    TO    PERFORM * ***** 1. Backup any customized PANELS in CSIQPENU that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPENU. ).</pre>

CA Endeavor Software Change Manager 16.0  
CA RS 1507 - PTF RO81246 Details

Release	Service	Details
16.0	RO81246	<p>RO81246 M.C.S. ENTRIES = ++PTF (RO81246)</p> <p>PKG DISPLAY (C1SP1000) SHOWS ONLY THE FIRST SHIP DESTINATION PROBLEM DESCRIPTION: The Package display panel (C1SP1000) shows only the first package ship destination in case of multiple destinations were used. The display of only the first destination is misleading and could cause confusion. Command 'SH' has to be used to see all destinations the package has been shipped to. SYMPTOMS: Only the first destination of shipped package is printed at panel C1SP1000 in case of multiple package ship destination. IMPACT: User's confusion CIRCUMVENTION: None PRODUCT(S) AFFECTED: CA Endeavor SCM Version 16.0 CA Endeavor SCM Version 17.0 Related Problem: ENDBAS 7224 Copyright (C) 2015 CA. All rights reserved. R00337-SCM160-SP1</p> <p>DESC(PKG DISPLAY (C1SP1000) SHOWS ONLY THE FIRST SHIP DESTINATION). ++VER (Z038) FMID (CSIQG01) SUP ( TR81246 ) ++IF FMID(CSIQG00) REQ( RO81245) . ++HOLD (RO81246) SYSTEM FMID(CSIQG01) REASON (ACTION ) DATE (15163) COMMENT (</p> <pre> +-----+            CA Endeavor SCM Japanese Translation          Release 16.0            +-----+  SEQUENCE   Before Apply   +-----+  PURPOSE    This PTF updates PANELS in the CSIQPJPN library.                If you have customized the PANEL(S) delivered by this PTF,                you must backup your customized version of the PANEL(S)                before applying this PTF to avoid losing your changes.   +-----+  USERS      All Endeavor users.    AFFECTED     +-----+  KNOWLEDGE   1. SMP/e    REQUIRED    2. Endeavor Administration                3. Endeavor PANELS   +-----+  ACCESS     No special access is required.    REQUIRED     +-----+ ***** * STEPS TO PERFORM * ***** 1. Backup any customized PANELS in CSIQPJPN that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPJPN. ). </pre>

CA Endeavor Software Change Manager 16.0  
CA RS 1507 - PTF RO81319 Details

Release	Service	Details
16.0	RO81319	<p>RO81319 M.C.S. ENTRIES = ++PTF (RO81319)</p> <p>PANEL C1SPD10D IS CONFUSING PROBLEM DESCRIPTION: Solution of the problem 6642 updated panel C1SPD10D with text "S - SELECT DESTINATION(S) TO RECEIVE package name" to indicate the package that had been selected to ship and to prompt the user to select the destination. However because this panel can be called from two different places, the panel text doesn't fit in both contexts. The panel can be issued from the Endeavor foreground: 1. PACKAGE =&gt; SHIP =&gt; BUILD SHIPMENT REQUEST However the package name stated after the text: "S - SELECT DESTINATION(S) TO RECEIVE package name" is not clearly stated as the name of a package. This could lead to the confusion. 2. ENVIRONMENT =&gt; DESTINATION =&gt; DISPLAY or BUILD or DELETE In this case, there is no reason to mention a package in the description because the panel displays all ship destinations defined within the Endeavor instance. SYMPTOMS: text "S - SELECT DESTINATION(S) TO RECEIVE package name" is displayed. IMPACT: User's confusion CIRCUMVENTION: None PRODUCT(S) AFFECTED: CA Endeavor SCM Version 16.0 CA Endeavor SCM Version 17.0 Related Problem: ENDBAS 7222 Copyright (C) 2015 CA. All rights reserved. R00338-SCM160-SP1</p> <p>DESC(PANEL C1SPD10D IS CONFUSING). ++VER (Z038) FMID (CSIQG00) SUP ( TR80778 TR81319 ) ++IF FMID(CSIQG01) REQ( R081320 ) . ++HOLD (R081319) SYSTEM FMID(CSIQG00) REASON (ACTION ) DATE (15162) COMMENT (</p> <pre> +-----+            CA Endeavor SCM                      Release 16.0            +-----+  SEQUENCE   Before Apply                                       +-----+  PURPOSE    This PTF updates PANELS in the CSIQPENU library.                               If you have customized the PANEL(S) delivered by this PTF,                you must backup your customized version of the PANEL(S)                before applying this PTF to avoid losing your changes.   +-----+  USERS      All Endeavor users.  AFFECTED  +-----+  KNOWLEDGE  1. SMP/e  REQUIRED   2. Endeavor Administration  3. Endeavor PANELS   +-----+  ACCESS     No special access is required.                                    REQUIRED  +-----+ ***** * STEPS    TO    PERFORM * ***** </pre>

CA Endeavor Software Change Manager 16.0  
CA RS 1507 - PTF RO81319 Details

Release	Service	Details
		1. Backup any customized PANELS in CSIQPENU that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPENU. ).

CA Endeavor Software Change Manager 16.0  
CA RS 1507 - PTF RO81320 Details

Release	Service	Details
16.0	RO81320	<p>RO81320 M.C.S. ENTRIES = ++PTF (RO81320)</p> <p>PANEL C1SPD10D IS CONFUSING PROBLEM DESCRIPTION: Solution of the problem 6642 updated panel C1SPD10D with text "S - SELECT DESTINATION(S) TO RECEIVE package name" to indicate the package that had been selected to ship and to prompt the user to select the destination. However because this panel can be called from two different places, the panel text doesn't fit in both contexts. The panel can be issued from the Endeavor foreground: 1. PACKAGE =&gt; SHIP =&gt; BUILD SHIPMENT REQUEST However the package name stated after the text: "S - SELECT DESTINATION(S) TO RECEIVE package name" is not clearly stated as the name of a package. This could lead to the confusion. 2. ENVIRONMENT =&gt; DESTINATION =&gt; DISPLAY or BUILD or DELETE In this case, there is no reason to mention a package in the description because the panel displays all ship destinations defined within the Endeavor instance. SYMPTOMS: text "S - SELECT DESTINATION(S) TO RECEIVE package name" is displayed. IMPACT: User's confusion CIRCUMVENTION: None PRODUCT(S) AFFECTED: CA Endeavor SCM Version 16.0 CA Endeavor SCM Version 17.0 Related Problem: ENDBAS 7222 Copyright (C) 2015 CA. All rights reserved. R00338-SCM160-SP1</p> <p>DESC(PANEL C1SPD10D IS CONFUSING). ++VER (Z038) FMID (CSIQG01) SUP ( TR80779 TR81320 ) ++IF FMID(CSIQG00) REQ( RO81319 ) . ++HOLD (RO81320) SYSTEM FMID(CSIQG01) REASON (ACTION ) DATE (15162) COMMENT (</p> <pre> +-----+            CA Endeavor SCM Japanese Translation          Release 16.0            +-----+  SEQUENCE   Before Apply   +-----+  PURPOSE    This PTF updates PANELS in the CSIQPJPN library.                If you have customized the PANEL(S) delivered by this PTF,                you must backup your customized version of the PANEL(S)                before applying this PTF to avoid losing your changes.   +-----+  USERS      All Endeavor users.    AFFECTED     +-----+  KNOWLEDGE   1. SMP/e    REQUIRED    2. Endeavor Administration                3. Endeavor PANELS   +-----+  ACCESS     No special access is required.    REQUIRED     +-----+ ***** * STEPS    TO    PERFORM * ***** </pre>



CA Endeavor Software Change Manager 16.0  
CA RS 1507 - PTF RO81320 Details

Release	Service	Details
		1. Backup any customized PANELS in CSIQPJPN that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPJPN. ).

CA Endeavor Software Change Manager 16.0  
 CA RS 1507 - PTF RO81537 Details

Release	Service	Details
16.0	RO81537	<p>RO81537 M.C.S. ENTRIES = ++PTF (RO81537)</p> <p>WRONG ISSUE OF ERROR MESSAGE 'LONG NAME ELEMENT N/A'</p> <p>PROBLEM DESCRIPTION:</p> <p>When the footprint display panel (C1SD4000) in Endeavor foreground is used for display a library, the library selection list (C1SD4100) is displayed. At library selection list (C1SD4100), the user can perform several actions for members in the entered library as well as elements linked by footprints. Such element actions are:</p> <p>B - Browse element, C - Show changes only, S - Show change summary            H - Show change history, M - Show Master Record</p> <p>The actual problem occurs, when the member exists in the library and element linked via its footprint doesn't exist in Endeavor inventory. The message "LONG NAME ELEMENT N/A" is displayed however the problem has no connection to the long name elements.</p> <p>SYMPTOMS:</p> <p>Message "LONG NAME ELEMENT N/A" is issued for short name elements.</p> <p>IMPACT:</p> <p>Customer does not know what the actual problem is</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Endeavor SCM <span style="float: right;">Version 16.0</span>            CA Endeavor SCM <span style="float: right;">Version 17.0</span></p> <p>Related Problem:</p> <p>ENDBAS 7236</p> <p>Copyright (C) 2015 CA. All rights reserved. R00341-SCM160-SP1</p> <p>DESC(WRONG ISSUE OF ERROR MESSAGE 'LONG NAME ELEMENT N/A').            ++VER (Z038)            FMID (CSIQG00)            PRE ( RO70467 )            SUP ( RO74225 TR74225 TR81537 )</p>

CA Endeavor Software Change Manager 16.0  
 CA RS 1507 - PTF R081544 Details

Release	Service	Details
16.0	R081544	<p>R081544 M.C.S. ENTRIES = ++PTF (R081544)</p> <p>BSTXCOPY CREATES TOO MANY OUTPUT MSGS</p> <p>Problem Description:            BSTXCOPY produces many redundant output messages. It creates two C1X0511I messages with information about input and output libraries used in the BSTXCOPY "COPY" command for every member being copied. C1X0511I messages are printed in non-logical order. In case of more "COPY" commands within one job step, used libraries printed in C1X0511I messages and successful copy of members reported by messages C1X0502I cannot be linked together.</p> <p>SYMPTOMS:            For every member being copied BSTXCOPY will produce the following messages:            C1X0511I IN = DSN            C1X0511I OUT = DSN</p> <p>IMPACT:            User's confusion</p> <p>CIRCUMVENTION:            None</p> <p>PRODUCT(S) AFFECTED:            CA Endeavor SCM Release 15.1            CA Endeavor SCM Version 16.0            CA Endeavor SCM Version 17.0</p> <p>Related Problem:            ENDBAS 7203</p> <p>Copyright (C) 2015 CA. All rights reserved. R00342-SCM160-SP1</p> <p>DESC(BSTXCOPY CREATES TOO MANY OUTPUT MSGS).            ++VER (Z038)            FMID (CSIQG00)            PRE ( R069706 R074068 )            SUP ( TR81544 )</p>

CA Endeavor Software Change Manager 16.0  
 CA RS 1507 - PTF R082326 Details

Release	Service	Details
16.0	R082326	<p>R082326 M.C.S. ENTRIES = ++PTF (R082326)</p> <p>0C7 ABEND WITH NONNUMERIC PROCESSOR SYMBOLICS</p> <p>PROBLEM DESCRIPTION:            If nonnumeric value is used as a value for processor symbolic definition for keywords MAXRC or COND, Endeavor processing will fail with SOC7 abend at the time this processor is used.</p> <p>SYMPTOMS:            Endeavor Abends with SOC7</p> <p>IMPACT:            Actions tied with the affected processor can't be executed.</p> <p>CIRCUMVENTION:            None</p> <p>PRODUCT(S) AFFECTED:            CA Endeavor SCM <span style="float: right;">Version 16.0</span>            CA Endeavor SCM <span style="float: right;">Version 17.0</span></p> <p>Related Problem:            ENDBAS 7213</p> <p>Copyright (C) 2015 CA. All rights reserved. R00346-SCM160-SP1</p> <p>DESC(0C7 ABEND WITH NONNUMERIC PROCESSOR SYMBOLICS).            ++VER (Z038)            FMID (CSIQG00)            PRE ( R063915 R063968 R064286 R067389 R068631 R069107            R069232 R071663 R072460 R074135 R074518 R078178 )            SUP ( R069968 R073530 R080616 TR69968 TR73530 TR80616            TR82064 TR82326 )</p>

CA Endeavor Software Change Manager 16.0  
 CA RS 1507 - PTF RO82332 Details

Release	Service	Details
16.0	RO82332	<p>RO82332 M.C.S. ENTRIES = ++PTF (RO82332)</p> <p>CONRPT80 PRINTS PRIVATE/COMMON DATA WITH CSECTS</p> <p>Problem description:            Running CONRPT80 against PDSE loadlibs is resulting in extra lines in the report. This extra lines seems to be CSECTS within the particular module, but they are not. It is private or common data header which suppose to be omitted. This behavior is limited to the PDSE only.            CONRPT80 against PDS does not print any extra lines.</p> <p>SYMPTOMS:             ----- F O O T P R I N T -----            MEMBER CSECT ENVIRON SYSTEM SUBSYS ELEMENT TYPE            ENBEGMSG ....            \$WARNING            @ENTRY PRD ESCM170 GA ENBEGMSG CPGM</p> <p>IMPACT:            The user would think there are more CSECTS than actually are.</p> <p>Circumvention:            None</p> <p>PRODUCT(S) AFFECTED:            CA Endeavor SCM Version 16.0            CA Endeavor SCM Version 17.0</p> <p>Related Problem:            ENDBAS 7237</p> <p>Copyright (C) 2015 CA. All rights reserved. R00347-SCM160-SP1</p> <p>DESC(CONRPT80 PRINTS PRIVATE/COMMON DATA WITH CSECTS).            ++VER (Z038)            FMID (CSIQG00)            PRE ( RO59179 )            SUP ( TR82332 )</p>

CA Endeavor Software Change Manager 16.0  
 CA RS 1507 - PTF R082495 Details

Release	Service	Details
16.0	R082495	<p>R082495 M.C.S. ENTRIES = ++PTF (R082495)</p> <p>SEARCH &amp; REPLACE OVERRIDE NO EMAIL</p> <p>PROBLEM DESCRIPTION:            When doing a SEARCH and REPLACE to multiple elements with:            OPTIONS            UPDATE ELEMENTS            OVERRIDE SIGNOUT            emails are not always sent to the correct user.</p> <p>CIRCUMVENTION:            None</p> <p>SYMPTOMS:            None. The job/action runs correctly, but the email notification            is not sent to the correct recipients.</p> <p>IMPACT:            Mail notification may not go to the correct person</p> <p>PRODUCT(S) AFFECTED:            CA Endeavor SCM <span style="float: right;">Release 16.0</span>            CA Endeavor SCM <span style="float: right;">Version 17.0</span></p> <p>Related Problem:            ENDBAS 7196</p> <p>Copyright (C) 2015 CA. All rights reserved. R00349-SCM160-SP1</p> <p>DESC(SEARCH &amp; REPLACE OVERRIDE NO EMAIL).            ++VER (Z038)            F MID (CSIQG00)            PRE ( R064530 R068631 )            SUP ( R067988 TR67533 TR67988 TR80988 TR82439 TR82495 )</p>