

CA Endeavor Software Change Manager 17.0  
CA RS 1507 Service List

Release	Service	Description	Type
17.0	R080348	CO3 EXECUTING A TRANSFER ACTION VIA API	PTF
	R080579	LOAD MEMBER (C1BML000) DOESN'T ISSUE AN ERROR	PTF
	R080839	MESSAGE CIUU001E CONTAINS TERM RACF	PTF
	R080840	MESSAGE CIUU001E CONTAINS TERM RACF	PTF
	R081007	INCONSISTENT TITLE CASE USED IN PANELS	PTF
	R081247	PKG DISPLAY (C1SP1000) SHOWS ONLY THE FIRST SHIP DESTINATION	PTF
	R081248	PKG DISPLAY (C1SP1000) SHOWS ONLY THE FIRST SHIP DESTINATION	PTF
	R081321	PANEL C1SPD10D IS CONFUSING	PTF
	R081322	PANEL C1SPD10D IS CONFUSING	PTF
	R081538	WRONG ISSUE OF ERROR MESSAGE 'LONG NAME ELEMENT N/A'	PTF
	R081545	BSTXCOPY CREATES TOO MANY OUTPUT MSGS	PTF
	R081815	FG RETRIEVE NOT SAVING THE NATURAL OBJECT	PTF
	R081964	USING THE ALTID FOR PACKAGE SHIP	PTF
	R082327	OC7 ABEND WITH NONNUMERIC PROCESSOR SYMBOLICS	PTF
	R082333	CONRPT80 PRINTS PRIVATE/COMMON DATA WITH CSECTS	PTF
	R082472	SEARCH & REPLACE OVERRIDE NO EMAIL	PTF
The CA RS 1507 service count for this release is 16			

CA Endeavor Software Change Manager  
 CA RS 1507 Service List for CSIQH00

FMID	Service	Description	Type
CSIQH00	R080348	CO3 EXECUTING A TRANSFER ACTION VIA API	PTF
	R080579	LOAD MEMBER (C1BML000) DOESN'T ISSUE AN ERROR	PTF
	R080839	MESSAGE CIUU001E CONTAINS TERM RACF	PTF
	R081007	INCONSISTENT TITLE CASE USED IN PANELS	PTF
	R081247	PKG DISPLAY (C1SP1000) SHOWS ONLY THE FIRST SHIP DESTINATION	PTF
	R081321	PANEL C1SPD10D IS CONFUSING	PTF
	R081538	WRONG ISSUE OF ERROR MESSAGE 'LONG NAME ELEMENT N/A'	PTF
	R081545	BSTXCOPY CREATES TOO MANY OUTPUT MSGS	PTF
	R081964	USING THE ALTID FOR PACKAGE SHIP	PTF
	R082327	0C7 ABEND WITH NONNUMERIC PROCESSOR SYMBOLICS	PTF
	R082333	CONRPT80 PRINTS PRIVATE/COMMON DATA WITH CSECTS	PTF
	R082472	SEARCH & REPLACE OVERRIDE NO EMAIL	PTF
The CA RS 1507 service count for this FMID is 12			

CA Endeavor Software Change Manager  
CA RS 1507 Service List for CSIQH01

FMID	Service	Description	Type
CSIQH01	R080840	MESSAGE CIUU001E CONTAINS TERM RACF	PTF
	R081248	PKG DISPLAY (C1SP1000) SHOWS ONLY THE FIRST SHIP DESTINATION	PTF
	R081322	PANEL C1SPD10D IS CONFUSING	PTF
The CA RS 1507 service count for this FMID is 3			

CA Endeavor Software Change Manager  
CA RS 1507 Service List for CSIQH02

FMID	Service	Description	Type
CSIQH02	R081815	FG RETRIEVE NOT SAVING THE NATURAL OBJECT	PTF
The CA RS 1507 service count for this FMID is 1			

CA Endeavor Software Change Manager 17.0  
 CA RS 1507 - PTF RO80348 Details

Release	Service	Details
17.0	RO80348	<p>RO80348 M.C.S. ENTRIES = ++PTF (RO80348)</p> <p>CO3 EXECUTING A TRANSFER ACTION VIA API</p> <p>Problem description:            An API program executes a TRANSFER action that works correctly, but a C03 abend occurs at task termination time. The C03 error indicates that the Package file remains open.</p> <p>Symptoms:            The batch job issues a c03 abend at task termination because the Package file is not closed.</p> <p>Impact:            None. The C03 does not affect the Endeavor action one way or the other. The abend occurs during termination processing after the action has completed.</p> <p>Circumvention:            None</p> <p>ProductsS) Affected:            CA Endeavor SCM <span style="float: right;">Release 16.0</span>            CA Endeavor SCM <span style="float: right;">Version 17.0</span></p> <p>Related Problem:            ENDBAS 7113</p> <p>Copyright (C) 2015 CA. All rights reserved. R00115-SCM170-SP1</p> <p>DESC(CO3 EXECUTING A TRANSFER ACTION VIA API).            ++VER (Z038)            FMID (CSIQH00)            PRE ( RO71576 )            SUP ( TR80348 )</p>

CA Endeavor Software Change Manager 17.0  
 CA RS 1507 - PTF RO80579 Details

Release	Service	Details
17.0	RO80579	<p>RO80579 M.C.S. ENTRIES = ++PTF (RO80579)</p> <p>LOAD MEMBER (C1BML000) DOESN'T ISSUE AN ERROR</p> <p>PROBLEM DESCRIPTION:          The Load Utility (C1BML000) loads external members to the specified inventory within Endeavor. However, under certain conditions, the utility encounters a problem but doesn't issue any messages and continues attempting to load members but unsuccessfully.</p> <p>Specific condition:          - MCF dataset is VSAM managed by LSERV.          - MCF dataset is not big enough to contain all members being loaded. If the MCF is out of space and can't be extended, LServ issues message: IEC070I - The VSAM file specified in the message could not be updated because sufficient disk space is not available. But the utility C1BML000 keep loading without writing data into MCF. This cause the data corruption.</p> <p>SYMPTOMS:          Corruption data</p> <p>IMPACT:          Inventory become corrupted after load member action.</p> <p>CIRCUMVENTION:          None.</p> <p>PRODUCT(S) AFFECTED:          CA Endeavor SCM Release 15.1          CA Endeavor SCM Version 16.0          CA Endeavor SCM Version 17.0</p> <p>Related Problem:          ENDBAS 7199</p> <p>Copyright (C) 2015 CA. All rights reserved. R00118-SCM170-SP1</p> <p>DESC(LOAD MEMBER (C1BML000) DOESN'T ISSUE AN ERROR).          ++VER (Z038)          FMID (CSIQH00)          PRE ( RO71576 RO76091 )          SUP ( TR80579 )</p>

CA Endeavor Software Change Manager 17.0  
 CA RS 1507 - PTF RO80839 Details

Release	Service	Details
17.0	RO80839	<p>RO80839 M.C.S. ENTRIES = ++PTF (RO80839)</p> <p>MESSAGE CIUU001E CONTAINS TERM RACF</p> <p>PROBLEM DESCRIPTION:            The CIUU001E message contains the word RACF, but not all users use RACF. This makes the message confusing since any external security can be used.</p> <p>SYMPTOMS:            Message CIUU001E is printed with text "RACF".</p> <p>IMPACT:            User's confusion</p> <p>CIRCUMVENTION:            None</p> <p>PRODUCT(S) AFFECTED:            CA Endeavor SCM <span style="float: right;">Version 16.0</span>            CA Endeavor SCM <span style="float: right;">Version 17.0</span></p> <p>Related Problem:            ENDBAS 7223</p> <p>Copyright (C) 2015 CA. All rights reserved. R00125-SCM170-SP1</p> <p>DESC(MESSAGE CIUU001E CONTAINS TERM RACF).            ++VER (Z038)            FMID (CSIQH00)            SUP ( TR80839 )            ++IF FMID(CSIQH01) REQ( RO80840) .</p>

CA Endeavor Software Change Manager 17.0  
 CA RS 1507 - PTF RO80840 Details

Release	Service	Details
17.0	RO80840	<p>RO80840 M.C.S. ENTRIES = ++PTF (RO80840)</p> <p>MESSAGE CIUU001E CONTAINS TERM RACF</p> <p>PROBLEM DESCRIPTION:            The CIUU001E message contains the word RACF, but not all users use RACF. This makes the message confusing since any external security can be used.</p> <p>SYMPTOMS:            Message CIUU001E is printed with text "RACF".</p> <p>IMPACT:            User's confusion</p> <p>CIRCUMVENTION:            None</p> <p>PRODUCT(S) AFFECTED:            CA Endeavor SCM <span style="float: right;">Version 16.0</span>            CA Endeavor SCM <span style="float: right;">Version 17.0</span></p> <p>Related Problem:            ENDBAS 7223</p> <p>Copyright (C) 2015 CA. All rights reserved. R00125-SCM170-SP1</p> <p>DESC(MESSAGE CIUU001E CONTAINS TERM RACF).            ++VER (Z038)            FMID (CSIQH01)            SUP ( TR80840 )            ++IF FMID(CSIQH00) REQ( RO80839) .</p>



CA Endeavor Software Change Manager 17.0  
CA RS 1507 - PTF RO81007 Details

Release	Service	Details
17.0	RO81007	<p>RO81007 M.C.S. ENTRIES = ++PTF (RO81007)</p> <p>INCONSISTENT TITLE CASE USED IN PANELS</p> <p>PROBLEM DESCRIPTION: There is inconsistency in the title case in the panel headings. Phrases "COMMAND ==&gt;" or "OPTION ==&gt;" are sometimes used as mixed case versions "Command ==&gt;" or "Option ==&gt;" and vice versa. The original rule is to use capital letters in the "classic" Endeavor except "batch package" and tutorial panels. For "batch package" panels and QE a mixed case phrases are used.</p> <p>SYMPTOMS: Panels do not have unified design.</p> <p>IMPACT: Panels do not have unified design.</p> <p>CIRCUMVENTION: None</p> <p>PRODUCT(S) AFFECTED: CA Endeavor SCM Version 16.0 CA Endeavor SCM Version 17.0</p> <p>Related Problem: ENDBAS 7214</p> <p>Copyright (C) 2015 CA. All rights reserved. R00128-SCM170-SP1</p> <p>DESC(INCONSISTENT TITLE CASE USED IN PANELS). ++VER (Z038) FMID (CSIQH00) PRE ( RO75461 RO78345 ) SUP ( TR81007 ) ++HOLD (RO81007) SYSTEM FMID(CSIQH00) REASON (ACTION ) DATE (15145) COMMENT (</p> <pre> +-----+        CA Endeavor SCM                      Version 17.0        +-----+  SEQUENCE   Before Apply                                       +-----+  PURPOSE    This PTF updates PANELS in the CSIQPENU library.                         If you have customized the PANEL(S) delivered by this PTF,               you must backup your customized version of the PANEL(S)                 before applying this PTF to avoid losing your changes.     +-----+  USERS      All Endeavor users.  AFFECTED   +-----+  KNOWLEDGE  1. SMP/e   REQUIRED   2. Endeavor Administration  3. Endeavor PANELS   +-----+  ACCESS     No special access is required.                               REQUIRED   +-----+ ***** * STEPS    TO    PERFORM * ***** 1. Backup any customized PANELS in CSIQPENU that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPENU. ).</pre>

CA Endeavor Software Change Manager 17.0  
CA RS 1507 - PTF RO81247 Details

Release	Service	Details
17.0	RO81247	<p>RO81247 M.C.S. ENTRIES = ++PTF (RO81247)</p> <p>PKG DISPLAY (C1SP1000) SHOWS ONLY THE FIRST SHIP DESTINATION PROBLEM DESCRIPTION: The Package display panel (C1SP1000) shows only the first package ship destination in case of multiple destinations were used. The display of only the first destination is misleading and could cause confusion. Command 'SH' has to be used to see all destinations the package has been shipped to. SYMPTOMS: Only the first destination of shipped package is printed at panel C1SP1000 in case of multiple package ship destination. IMPACT: User's confusion CIRCUMVENTION: None PRODUCT(S) AFFECTED: CA Endeavor SCM Version 16.0 CA Endeavor SCM Version 17.0 Related Problem: ENDBAS 7224 Copyright (C) 2015 CA. All rights reserved. R00131-SCM170-SP1</p> <p>DESC(PKG DISPLAY (C1SP1000) SHOWS ONLY THE FIRST SHIP DESTINATION). ++VER (Z038) FMID (CSIQH00) PRE ( RO70923 ) SUP ( TR81247 ) ++IF FMID(CSIQH01) REQ( RO81248 ) . ++HOLD (RO81247) SYSTEM FMID(CSIQH00) REASON (ACTION ) DATE (15163) COMMENT (</p> <pre> +-----+            CA Endeavor SCM                      Version 17.0            +-----+  SEQUENCE   Before Apply                                 +-----+  PURPOSE    This PTF updates PANELS in the CSIQPENU library.                If you have customized the PANEL(S) delivered by this PTF,                you must backup your customized version of the PANEL(S)                before applying this PTF to avoid losing your changes.   +-----+  USERS      All Endeavor users.    AFFECTED     +-----+  KNOWLEDGE  1. SMP/e    REQUIRED   2. Endeavor Administration                3. Endeavor PANELS   +-----+  ACCESS     No special access is required.    REQUIRED     +-----+ ***** * STEPS    TO    PERFORM * ***** 1. Backup any customized PANELS in CSIQPENU that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPENU. ). </pre>

CA Endeavor Software Change Manager 17.0  
CA RS 1507 - PTF RO81248 Details

Release	Service	Details
17.0	RO81248	<p>RO81248 M.C.S. ENTRIES = ++PTF (RO81248)</p> <p>PKG DISPLAY (C1SP1000) SHOWS ONLY THE FIRST SHIP DESTINATION PROBLEM DESCRIPTION: The Package display panel (C1SP1000) shows only the first package ship destination in case of multiple destinations were used. The display of only the first destination is misleading and could cause confusion. Command 'SH' has to be used to see all destinations the package has been shipped to. SYMPTOMS: Only the first destination of shipped package is printed at panel C1SP1000 in case of multiple package ship destination. IMPACT: User's confusion CIRCUMVENTION: None PRODUCT(S) AFFECTED: CA Endeavor SCM Version 16.0 CA Endeavor SCM Version 17.0 Related Problem: ENDBAS 7224 Copyright (C) 2015 CA. All rights reserved. R00131-SCM170-SP1</p> <p>DESC(PKG DISPLAY (C1SP1000) SHOWS ONLY THE FIRST SHIP DESTINATION). ++VER (Z038) FMID (CSIQH01) SUP ( TR81248 ) ++IF FMID(CSIQH00) REQ( RO81247) . ++HOLD (RO81248) SYSTEM FMID(CSIQH01) REASON (ACTION ) DATE (15163) COMMENT (</p> <pre> +-----+            CA Endeavor SCM Japanese Localization          Version 17.0            +-----+  SEQUENCE   Before Apply   +-----+  PURPOSE    This PTF updates PANELS in the CSIQPJPN library.                If you have customized the PANEL(S) delivered by this PTF,                you must backup your customized version of the PANEL(S)                before applying this PTF to avoid losing your changes.   +-----+  USERS      All Endeavor users.    AFFECTED     +-----+  KNOWLEDGE   1. SMP/e    REQUIRED    2. Endeavor Administration                3. Endeavor PANELS   +-----+  ACCESS     No special access is required.    REQUIRED      +-----+ ***** * STEPS    TO    PERFORM * ***** 1. Backup any customized PANELS in CSIQPJPN that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPJPN. ). </pre>

CA Endeavor Software Change Manager 17.0  
CA RS 1507 - PTF RO81321 Details

Release	Service	Details
17.0	RO81321	<p>RO81321 M.C.S. ENTRIES = ++PTF (RO81321)</p> <p>PANEL C1SPD10D IS CONFUSING PROBLEM DESCRIPTION: Solution of the problem 6642 updated panel C1SPD10D with text "S - SELECT DESTINATION(S) TO RECEIVE package name" to indicate the package that had been selected to ship and to prompt the user to select the destination. However because this panel can be called from two different places, the panel text doesn't fit in both contexts. The panel can be issued from the Endeavor foreground: 1. PACKAGE =&gt; SHIP =&gt; BUILD SHIPMENT REQUEST However the package name stated after the text: "S - SELECT DESTINATION(S) TO RECEIVE package name" is not clearly stated as the name of a package. This could lead to the confusion. 2. ENVIRONMENT =&gt; DESTINATION =&gt; DISPLAY or BUILD or DELETE In this case, there is no reason to mention a package in the description because the panel displays all ship destinations defined within the Endeavor instance. SYMPTOMS: text "S - SELECT DESTINATION(S) TO RECEIVE package name" is displayed. IMPACT: User's confusion CIRCUMVENTION: None PRODUCT(S) AFFECTED: CA Endeavor SCM Version 16.0 CA Endeavor SCM Version 17.0 Related Problem: ENDBAS 7222 Copyright (C) 2015 CA. All rights reserved. R00132-SCM170-SP1</p> <p>DESC(PANEL C1SPD10D IS CONFUSING). ++VER (Z038) FMID (CSIQH00) SUP ( TR80780 TR81321 ) ++IF FMID(CSIQH01) REQ( RO81322 ) . ++HOLD (RO81321) SYSTEM FMID(CSIQH00) REASON (ACTION ) DATE (15163) COMMENT (</p> <pre> +-----+            CA Endeavor SCM                      Version 17.0            +-----+  SEQUENCE   Before Apply                                       +-----+  PURPOSE    This PTF updates PANELS in the CSIQPENU library.                          If you have customized the PANEL(S) delivered by this PTF,                you must backup your customized version of the PANEL(S)                  before applying this PTF to avoid losing your changes.      +-----+  USERS      All Endeavor users.  AFFECTED   +-----+  KNOWLEDGE  1. SMP/e  REQUIRED   2. Endeavor Administration  3. Endeavor PANELS   +-----+  ACCESS     No special access is required.                                REQUIRED   +-----+ ***** * STEPS    TO    PERFORM * ***** </pre>

CA Endevor Software Change Manager 17.0  
CA RS 1507 - PTF R081321 Details

Release	Service	Details
		1. Backup any customized PANELS in CSIQPENU that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPENU. ).

CA Endeavor Software Change Manager 17.0  
CA RS 1507 - PTF RO81322 Details

Release	Service	Details
17.0	RO81322	<p>RO81322 M.C.S. ENTRIES = ++PTF (RO81322)</p> <p>PANEL C1SPD10D IS CONFUSING PROBLEM DESCRIPTION: Solution of the problem 6642 updated panel C1SPD10D with text "S - SELECT DESTINATION(S) TO RECEIVE package name" to indicate the package that had been selected to ship and to prompt the user to select the destination. However because this panel can be called from two different places, the panel text doesn't fit in both contexts. The panel can be issued from the Endeavor foreground: 1. PACKAGE =&gt; SHIP =&gt; BUILD SHIPMENT REQUEST However the package name stated after the text: "S - SELECT DESTINATION(S) TO RECEIVE package name" is not clearly stated as the name of a package. This could lead to the confusion. 2. ENVIRONMENT =&gt; DESTINATION =&gt; DISPLAY or BUILD or DELETE In this case, there is no reason to mention a package in the description because the panel displays all ship destinations defined within the Endeavor instance. SYMPTOMS: text "S - SELECT DESTINATION(S) TO RECEIVE package name" is displayed. IMPACT: User's confusion CIRCUMVENTION: None PRODUCT(S) AFFECTED: CA Endeavor SCM Version 16.0 CA Endeavor SCM Version 17.0 Related Problem: ENDBAS 7222 Copyright (C) 2015 CA. All rights reserved. R00132-SCM170-SP1</p> <p>DESC(PANEL C1SPD10D IS CONFUSING). ++VER (Z038) FMID (CSIQH01) SUP ( TR80781 TR81322 ) ++IF FMID(CSIQH00) REQ( RO81321 ) . ++HOLD (RO81322) SYSTEM FMID(CSIQH01) REASON (ACTION ) DATE (15163) COMMENT (</p> <pre> +-----+            CA Endeavor SCM Japanese Localization          Version 17.0            +-----+  SEQUENCE   Before Apply   +-----+  PURPOSE    This PTF updates PANELS in the CSIQPJPN library.                If you have customized the PANEL(S) delivered by this PTF,                you must backup your customized version of the PANEL(S)                before applying this PTF to avoid losing your changes.   +-----+  USERS      All Endeavor users.    AFFECTED     +-----+  KNOWLEDGE   1. SMP/e    REQUIRED    2. Endeavor Administration                3. Endeavor PANELS   +-----+  ACCESS     No special access is required.    REQUIRED     +-----+ ***** * STEPS    TO    PERFORM * ***** </pre>

CA Endevor Software Change Manager 17.0  
CA RS 1507 - PTF RO81322 Details

Release	Service	Details
		1. Backup any customized PANELS in CSIQPJPN that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPJPN. ).

CA Endeavor Software Change Manager 17.0  
 CA RS 1507 - PTF RO81538 Details

Release	Service	Details
17.0	RO81538	<p>RO81538 M.C.S. ENTRIES = ++PTF (RO81538)</p> <p>WRONG ISSUE OF ERROR MESSAGE 'LONG NAME ELEMENT N/A'</p> <p>PROBLEM DESCRIPTION:</p> <p>When the footprint display panel (C1SD4000) in Endeavor foreground is used for display a library, the library selection list (C1SD4100) is displayed. At library selection list (C1SD4100), the user can perform several actions for members in the entered library as well as elements linked by footprints. Such element actions are:</p> <p>B - Browse element, C - Show changes only, S - Show change summary            H - Show change history, M - Show Master Record</p> <p>The actual problem occurs, when the member exists in the library and element linked via its footprint doesn't exist in Endeavor inventory. The message "LONG NAME ELEMENT N/A" is displayed however the problem has no connection to the long name elements.</p> <p>SYMPTOMS:</p> <p>Message "LONG NAME ELEMENT N/A" is issued for short name elements.</p> <p>IMPACT:</p> <p>Customer does not know what the actual problem is</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Endeavor SCM <span style="float: right;">Version 16.0</span>            CA Endeavor SCM <span style="float: right;">Version 17.0</span></p> <p>Related Problem:</p> <p>ENDBAS 7236</p> <p>Copyright (C) 2015 CA. All rights reserved. R00135-SCM170-SP1</p> <p>DESC(WRONG ISSUE OF ERROR MESSAGE 'LONG NAME ELEMENT N/A').            ++VER (Z038)            FMID (CSIQH00)            PRE ( RO71393 )            SUP ( RO74226 TR74226 TR81538 )</p>



CA Endeavor Software Change Manager 17.0  
 CA RS 1507 - PTF R081545 Details

Release	Service	Details
17.0	R081545	<p>R081545 M.C.S. ENTRIES = ++PTF (R081545)</p> <p>BSTXCOPY CREATES TOO MANY OUTPUT MSGS</p> <p>Problem Description:            BSTXCOPY produces many redundant output messages. It creates two C1X0511I messages with information about input and output libraries used in the BSTXCOPY "COPY" command for every member being copied. C1X0511I messages are printed in non-logical order. In case of more "COPY" commands within one job step, used libraries printed in C1X0511I messages and successful copy of members reported by messages C1X0502I cannot be linked together.</p> <p>SYMPTOMS:            For every member being copied BSTXCOPY will produce the following messages:            C1X0511I IN = DSN            C1X0511I OUT = DSN</p> <p>IMPACT:            User's confusion</p> <p>CIRCUMVENTION:            None</p> <p>PRODUCT(S) AFFECTED:            CA Endeavor SCM Release 15.1            CA Endeavor SCM Version 16.0            CA Endeavor SCM Version 17.0</p> <p>Related Problem:            ENDBAS 7203</p> <p>Copyright (C) 2015 CA. All rights reserved. R00136-SCM170-SP1</p> <p>DESC(BSTXCOPY CREATES TOO MANY OUTPUT MSGS).            ++VER (Z038)            FMID (CSIQH00)            PRE ( R075121 )            SUP ( TR81545 )</p>

CA Endeavor Software Change Manager 17.0  
 CA RS 1507 - PTF RO81815 Details

Release	Service	Details
17.0	RO81815	<p>RO81815 M.C.S. ENTRIES = ++PTF (RO81815)</p> <p>FG RETRIEVE NOT SAVING THE NATURAL OBJECT</p> <p>PROBLEM DESCRIPTION:            When doing a Foreground Retrieve of a Natural programming object, the Natural object is loaded to the Natural library but it is not saved so the line numbers and line number refer backs are incorrect.</p> <p>SYMPTOMS:            The User Id, Date, and Time fields on the List Object (L * *) screen are not updated with the EINE Server name and current date and time.            The source of the Natural object is not renumbered.</p> <p>IMPACT:            The line numbers and line number refer backs are not resequenced prior to the programmer updating the Natural object which could result in errors when STOWing the Natural object.</p> <p>CIRCUMVENTION:            Manually issue a SAVE command when entering the Natural object the first time after Retrieving it.</p> <p>PRODUCTS AFFECTED:            CA Endeavor SCM Intergration for the Natural Environment r15.1            CA Endeavor SCM Intergration for the Natural Environment V16.0            CA Endeavor SCM Intergration for the Natural Environment V17.0</p> <p>PRODUCT(S) AFFECTED:            CA Endeavor SCM for Natural Release 16.0            CA Endeavor SCM for Natural Version 17.0</p> <p>Related Problem:            SCMMNI 40</p> <p>Copyright (C) 2015 CA. All rights reserved. R00138-SCM170-SP1</p> <p>DESC(FG RETRIEVE NOT SAVING THE NATURAL OBJECT).            ++VER (Z038)            FMID (CSIQH02)            SUP ( RO70835 RO73998 TR70835 TR73998 TR81815 )</p>

CA Endeavor Software Change Manager 17.0  
 CA RS 1507 - PTF RO81964 Details

Release	Service	Details
17.0	RO81964	<p>RO81964 M.C.S. ENTRIES = ++PTF (RO81964)</p> <p>USING THE ALTID FOR PACKAGE SHIP</p> <p>PROBLEM DESCRIPTION:</p> <p>When submitting a package ship from foreground Endeavor is abending with the following:</p> <p>LOAD OF MODULE ( ) ERROR RESULT: (NOTFOUND)</p> <p>BC1PSM10: F000 ABEND CODE=U806 NUMBER=0806</p> <p>SYMPTOMS:</p> <p>The ship of a package in foreground aborts.</p> <p>IMPACT:</p> <p>The package is not shipped</p> <p>CIRCUMVENTION:</p> <p>The ENCOPTBL option PACKAGE_SHIP_WITH_ALTID= can be set to OFF</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Endeavor SCM <span style="float: right;">Version 17.0</span></p> <p>Related Problem:</p> <p>ENDBAS 7226</p> <p>Copyright (C) 2015 CA. All rights reserved. R00139-SCM170-SP1</p> <p>DESC(USING THE ALTID FOR PACKAGE SHIP).</p> <p>++VER (Z038)</p> <p>FMID (CSIQH00)</p> <p>PRE ( RO78325 )</p> <p>SUP ( TR81964 )</p>

CA Endeavor Software Change Manager 17.0  
 CA RS 1507 - PTF R082327 Details

Release	Service	Details
17.0	R082327	<p>R082327 M.C.S. ENTRIES = ++PTF (R082327)</p> <p>0C7 ABEND WITH NONNUMERIC PROCESSOR SYMBOLICS</p> <p>PROBLEM DESCRIPTION:            If nonnumeric value is used as a value for processor symbolic definition for keywords MAXRC or COND, Endeavor processing will fail with SOC7 abend at the time this processor is used.</p> <p>SYMPTOMS:            Endeavor Abends with SOC7</p> <p>IMPACT:            Actions tied with the affected processor can't be executed.</p> <p>CIRCUMVENTION:            None</p> <p>PRODUCT(S) AFFECTED:            CA Endeavor SCM <span style="float: right;">Version 16.0</span>            CA Endeavor SCM <span style="float: right;">Version 17.0</span></p> <p>Related Problem:            ENDBAS 7213</p> <p>Copyright (C) 2015 CA. All rights reserved. R00142-SCM170-SP1</p> <p>DESC(0C7 ABEND WITH NONNUMERIC PROCESSOR SYMBOLICS).            ++VER (Z038)            FMID (CSIQH00)            PRE ( RO71392 RO71397 RO71576 RO72104 RO72200 RO72695            RO74136 RO74692 RO76397 RO76715 RO78177 )            SUP ( RO72103 RO73867 RO80617 TR72103 TR73867 TR80617            TR82065 TR82327 )</p>

CA Endeavor Software Change Manager 17.0  
 CA RS 1507 - PTF R082333 Details

Release	Service	Details
17.0	R082333	<p>R082333 M.C.S. ENTRIES = ++PTF (R082333)</p> <p>CONRPT80 PRINTS PRIVATE/COMMON DATA WITH CSECTS</p> <p>Problem description:            Running CONRPT80 against PDSE loadlibs is resulting in extra lines in the report. This extra lines seems to be CSECTS within the particular module, but they are not. It is private or common data header which suppose to be omitted. This behavior is limited to the PDSE only.            CONRPT80 against PDS does not print any extra lines.</p> <p>SYMPTOMS:             ----- F O O T P R I N T -----            MEMBER CSECT ENVIRON SYSTEM SUBSYS ELEMENT TYPE            ENBEGMSG ....            \$WARNING            @ENTRY PRD ESCM170 GA ENBEGMSG CPGM</p> <p>IMPACT:            The user would think there are more CSECTS than actually are.</p> <p>Circumvention:            None</p> <p>PRODUCT(S) AFFECTED:            CA Endeavor SCM Version 16.0            CA Endeavor SCM Version 17.0</p> <p>Related Problem:            ENDBAS 7237</p> <p>Copyright (C) 2015 CA. All rights reserved. R00143-SCM170-SP1</p> <p>DESC(CONRPT80 PRINTS PRIVATE/COMMON DATA WITH CSECTS).            ++VER (Z038)            FMID (CSIQH00)            SUP ( TR82333 )</p>

CA Endeavor Software Change Manager 17.0  
 CA RS 1507 - PTF R082472 Details

Release	Service	Details
17.0	R082472	<p>R082472 M.C.S. ENTRIES = ++PTF (R082472)</p> <p>SEARCH &amp; REPLACE OVERRIDE NO EMAIL</p> <p>PROBLEM DESCRIPTION:            When doing a SEARCH and REPLACE to multiple elements with:            OPTIONS            UPDATE ELEMENTS            OVERRIDE SIGNOUT            emails are not always sent to the correct user.</p> <p>CIRCUMVENTION:            None</p> <p>SYMPTOMS:            None. The job/action runs correctly, but the email notification            is not sent to the correct recipients.</p> <p>IMPACT:            Mail notification may not go to the correct person</p> <p>PRODUCT(S) AFFECTED:            CA Endeavor SCM <span style="float: right;">Release 16.0</span>            CA Endeavor SCM <span style="float: right;">Version 17.0</span></p> <p>Related Problem:            ENDBAS 7196</p> <p>Copyright (C) 2015 CA. All rights reserved. R00145-SCM170-SP1</p> <p>DESC(SEARCH &amp; REPLACE OVERRIDE NO EMAIL).            ++VER (Z038)            F MID (CSIQH00)            PRE ( R071397 R071576 )            SUP ( TR80989 TR82440 TR82472 )</p>