

CA LDAP 15.0  
CA RS 1603 Service List

| Release  | Service | Description                    | Type |
|--|---------|--------------------------------|------|
| 15.0   | RO82054 | UPPERCASING RACF OMVS SEGMENTS | PTF  |
| The CA RS 1603 service count for this release is 1 |         |                                |      |

CA LDAP  
CA RS 1603 Service List for CDT9F00

| FMID  | Service | Description                    | Type |
|---|---------|--------------------------------|------|
| CDT9F00   | RO82054 | UPPERCASING RACF OMVS SEGMENTS | PTF  |
| The CA RS 1603 service count for this FMID is 1 |         |                                |      |

CA LDAP 15.0  
CA RS 1603 - PTF RO82054 Details

| Release | Service | Details  |
|---------|---------|--|
| 15.0    | RO82054 | <p>RO82054 M.C.S. ENTRIES = ++PTF (RO82054)</p> <p>UPPERCASING RACF OMVS SEGMENTS</p> <p>PROBLEM DESCRIPTION:<br/>When using LDAP CMDLINE to enter a RACF OMVS segment if any parts of it are lowercase they will be uppercased.</p> <p>SYMPTOMS:<br/>Upper casing the OMVS segment when using the CMDLINE in LDAP.</p> <p>IMPACT:<br/>Upper casing parts of a RACF OMVS segment which causes the user problems using OMVS.</p> <p>CIRCUMVENTION:<br/>N/A</p> <p>PRODUCT(S) AFFECTED:<br/>LDAP SERVER FOR Z/OS AND OS/390 <span style="float: right;">Release 15.0</span><br/>LDAP SERVER FOR Z/OS AND OS/390 <span style="float: right;">Release 15.1</span></p> <p>Related Problem:<br/>LDAPDV 233</p> <p>Copyright (C) 2016 CA. All rights reserved. R00195-LDP150-SP1</p> <p>DESC(UPPERCASING RACF OMVS SEGMENTS).<br/>++VER (Z038)<br/>FMID (CDT9F00)<br/>PRE ( RO29536 RO31902 RO41879 RO41901 )<br/>SUP ( RO51463 RO53665 RO55890 RO61324 RO76511 RO81297<br/>TR51463 TR53665 TR55890 TR61324 TR76511 TR81297<br/>TR82054 )<br/>++HOLD (RO82054) SYSTEM FMID(CDT9F00)<br/>REASON (DYNACT ) DATE (16032)<br/>COMMENT (</p> <pre> +-----+            LDAP SERVER FOR Z/OS AND OS/390          Release 15.0            +-----+  SEQUENCE   After Apply. prior to LDAP restart.   +-----+  PURPOSE    Implement PTF in LDAP.   +-----+  USERS      All Users.    AFFECTED     +-----+  KNOWLEDGE   SMP/E.    REQUIRED    Product Installation.                Product Deployment.                USS Commands.   +-----+  ACCESS     Access to the CDT9JCL dataset.    REQUIRED   Access to the USS directory where LDAP is installed.                Permissions to make changes on the USS directory.   +-----+ ***** * STEPS TO PERFORM * ***** 1. Restart LDAP ). BINARY LINK('..back_racf_utf.dll') PARM(PATHMODE(0,7,5,5),APF,PROGCTL,NOSHAREAS) . </pre> |