

CA OPS/MVS WebCenter 12.2  
CA RS 1603 Service List

Release	Service	Description	Type
12.2	R087819	JAVA CERTIFICATE EXPIRED AND WEBCENTER BUTTONS DON'T OPERATE	PTF
The CA RS 1603 service count for this release is 1			

CA OPS/MVS WebCenter  
CA RS 1603 Service List for CC2D801

FMID	Service	Description	Type
CC2D801	RO87819	JAVA CERTIFICATE EXPIRED AND WEBCENTER BUTTONS DON'T OPERATE	PTF
The CA RS 1603 service count for this FMID is 1			

CA OPS/MVS WebCenter 12.2  
CA RS 1603 - PTF RO87819 Details

Release	Service	Details
12.2	RO87819	<p>RO87819 M.C.S. ENTRIES = ++PTF (RO87819)</p> <p>JAVA CERTIFICATE EXPIRED AND WEBCENTER BUTTONS DON'T OPERATE</p> <p>PROBLEM DESCRIPTION:            NM Java Applets cause a popup "Do you want to run this application?" after upgrading to Java 7u11. Java upgrade requires that Java applets used in WebCenter and ReportCenter need to be signed. Current versions of Java can prevent the user from loading the WebCenter or ReportCenter Java Applets without a signed certificate. Additionally, the buttons for WebCenter were not functioning properly.</p> <p>SYMPTOMS:            A user is shown popup(s) when running NM WebCenter's or ReportCenter's Java Applets without a signed certificate. WebCenter's common buttons, part of the Java Applets do not work. For example with Alert Monitor, once a user selects an alert, selects an action, and selects Go or any of the buttons such as SEARCH, SORT, etc., no action takes place.</p> <p>IMPACT:            Running with an expired certificate can prevent users to properly use WebCenter or ReportCenter. Also without the WebCenter buttons operating correctly users cannot take any action(s).</p> <p>CIRCUMVENTION:            None.</p> <p>PRODUCT(S) AFFECTED:            CA NetMaster Network Management for TCP/IP r12.1            CA NetMaster Network Management for SNA r12.1            CA NetMaster File Transfer Management r12.1            CA NetMaster Network Automation r12.1</p> <p>Related Problem:            NMS 1959</p> <p>Copyright (C) 2016 CA. All rights reserved. R00012-NMS080-SP0</p> <p>DESC(JAVA CERTIFICATE EXPIRED AND WEBCENTER BUTTONS DON'T OPERATE).            ++VER (Z038)            FMID (CC2D801)            PRE ( RO78650 )            SUP ( TR87819 )            ++HOLD (RO87819) SYSTEM FMID(CC2D801)            REASON (ACTION ) DATE (16033)            COMMENT (</p> <pre> +-----+             CA Management Services                Version 8.0             +-----+  SEQUENCE   After Apply.                                  +-----+  PURPOSE    Update Java Certificates.                                   Update outdated XML parsers.                               Updated Java applets to be compatible with                 Java 8.  Updated WebCenter buttons to function                     correctly.                                      +-----+  USERS      Users of NetMaster WebCenter.                   AFFECTED   +-----+  KNOWLEDGE  NetMaster administration                       REQUIRED   +-----+  ACCESS     NetMaster administrator                       REQUIRED   +-----+ ***** * STEPS TO PERFORM * ***** As part of a technology refresh, dated XML parsers that were used by WebCenter were replaced by XML parsers that are available in the Java 8 runtime environment. </pre>

CA OPS/MVS WebCenter 12.2  
 CA RS 1603 - PTF RO87819 Details

Release	Service	Details
		<p>Java components distributed by WebCenter are now compiled with Java version 8. Users must download Java version 8 to the machine(s) from which they run WebCenter. Users will need to clear their Java cache and delete their browser history in order to be sure they are running the current changes for WebCenter.</p> <pre> +-----+             CA NetMaster Management Services           Version 8.0             +-----+  SEQUENCE   After Apply.   +-----+  PURPOSE    Copy the updated MOD@\$AM, MOD@\$RM and MOD@\$W3 from the                SMP/E target dataset into the product run-time MODSDIS                VSAM dataset.   +-----+  USERS      All users.    AFFECTED     +-----+  KNOWLEDGE  JCL customization.    REQUIRED     +-----+  ACCESS     1. Target libraries.    REQUIRED   2. Product region MODSDIS VSAM dataset.   +-----+ ***** * STEPS TO PERFORM * ***** 1. Copy the sample JCL below to a dataset. 2. Modify the sample JCL to meet your site's requirements. 3. In the scheduled maintenance window, stop all product regions that reference the MODSDIS VSAM dataset. 4. Submit the modified JCL to update the product region MODSDIS VSAM dataset. 5. Start the product regions that were stopped. //MYUSERV JOB ACCT,CLASS=A,MSGCLASS=X,NOTIFY=&amp;SYSUID //NMVIP EXEC PGM=NMVIP //STEPLIB DD DISP=SHR,DSN=&amp;TGTPREF.CC2DPLD //MODSIN1 DD DISP=SHR,DSN=&amp;TGTPREF.CC2DVSMI(MOD@\$AM) //MODSIN2 DD DISP=SHR,DSN=&amp;TGTPREF.CC2DVSMI(MOD@\$RM) //MODSIN2 DD DISP=SHR,DSN=&amp;TGTPREF.CC2DVSMI(MOD@\$W3) //MODSOUT DD DISP=SHR,DSN=&amp;DSNPREF.MODSDIS //SYSPRINT DD SYSOUT=* //SYSIN DD * COPY MODS INDD=MODSIN1 OUTDD=MODSOUT OPT=INSTALL COPY MODS INDD=MODSIN2 OUTDD=MODSOUT OPT=INSTALL COPY MODS INDD=MODSIN3 OUTDD=MODSOUT OPT=INSTALL //* ). </pre>