

CA MF Connector for Linux/Hardware Inteface Srv 2.0
CA RS 1607 Service List

Release	Service	Description	Type
2.0	RO90161	ERRONEOUS ERROR MESSAGES ISSUED DURING SHUTDOWN	PTF
	RO90239	NS9501 NMSSI ABEND N-K88-17	PTF
	RO90474	N28502 MESSAGE LOGGED WHEN XOPT=NOVFS	PTF
The CA RS 1607 service count for this release is 3			

CA MF Connector for Linux/Hardware Inteface Srv
CA RS 1607 Service List for CC2D770

FMID	Service	Description	Type
CC2D770	RO90239	NS9501 NMSSI ABEND N-K88-17	PTF
The CA RS 1607 service count for this FMID is 1			

CA MF Connector for Linux/Hardware Inteface Srv
CA RS 1607 Service List for CC2D771

FMID	Service	Description	Type
CC2D771	RO90474	N28502 MESSAGE LOGGED WHEN XOPT=NOVFS	PTF
The CA RS 1607 service count for this FMID is 1			

CA MF Connector for Linux/Hardware Inteface Srv
CA RS 1607 Service List for CE2J200

FMID	Service	Description	Type
CE2J200	RO90161	ERRONEOUS ERROR MESSAGES ISSUED DURING SHUTDOWN	PTF
The CA RS 1607 service count for this FMID is 1			

CA MF Connector for LINUX/Hardware Int Srvc 2.0
 CA RS 1607 - PTF RO90161 Details

Release	Service	Details
2.0	RO90161	<p>RO90161 M.C.S. ENTRIES = ++PTF (RO90161)</p> <p>ERRONEOUS ERROR MESSAGES ISSUED DURING SHUTDOWN</p> <p>PROBLEM DESCRIPTION: When socket connections fail because region shutdown is in progress error messages are issued even though the failures are expected.</p> <p>SYMPTOMS: The following messages, for example, appear in the log for Linux Connector CAPKG039E Socket call failed in \$LXSYSLG : rc="8" fdbk=26 errno=0 line=208 CAPKG039I Request has been flushed.</p> <p>IMPACT: Alerts may be raised for these messages where no real problem exists.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Mainframe Connector for Linux on System Z r2.0</p> <p>Related Problem: LINXCN 22</p> <p>Copyright (C) 2016 CA. All rights reserved. R00047-NMS077-SP2</p> <p>DESC(ERRONEOUS ERROR MESSAGES ISSUED DURING SHUTDOWN). ++VER (Z038) FMID (CE2J200) PRE (RO71382 RO82280 RO82563 RO86852 RO87355) SUP (RO77818 RO83398 TR77818 TR83398 TR90161)</p>

CA MF Connector for LINUX/Hardware Int Srvc 2.0
 CA RS 1607 - PTF RO90239 Details

Release	Service	Details
2.0	RO90239	<p>RO90239 M.C.S. ENTRIES = ++PTF (RO90239)</p> <p>NS9501 NMSSI ABEND N-K88-17</p> <p>PROBLEM DESCRIPTION: The HISRV address space terminates abnormally with ABEND N-K88-17 after a failing BCPii HWIQUERY request.</p> <p>SYMPTOMS: The following messages are seen in the system log: NS9501 NMSSI ABEND N-K88-17 SSID=ssid JN=jobname DT=yyyyddd TM=hhmsstt NS9502 SRC=AB PRD=NMSSI REL=R7.7 SP=0000 ABC=N-K88-17 NS9503 ALM=NMSSI300 ALO=0003A1E0 ACS=NM000K88 ACO=000019D0</p> <p>IMPACT: The HISRV region ABENDS and must be restarted.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: Hardware Interface Service 2.0</p> <p>Related Problem: HISRV 8</p> <p>Copyright (C) 2016 CA. All rights reserved. R00048-NMS077-SP2</p> <p>DESC(NS9501 NMSSI ABEND N-K88-17). ++VER (Z038) FMID (CC2D770) PRE (R063920 R065378 R065422 R066295 R068235 R068851 R076465 R082707 R086595) SUP (TR90239)</p>

CA MF Connector for LINUX/Hardware Int Srvc 2.0
 CA RS 1607 - PTF RO90474 Details

Release	Service	Details
2.0	RO90474	<p>RO90474 M.C.S. ENTRIES = ++PTF (RO90474)</p> <p>N28502 MESSAGE LOGGED WHEN XOPT=NOVFS</p> <p>PROBLEM DESCRIPTION: The N28502 message is logged when parameter XOPT=NOVFS is specified and the VFS DD is not allocated.</p> <p>SYMPTOMS: In the activity log the following message appears: N28502 OPEN FAILED FOR VSAM ACB, CODE=X'80', DD=VFS</p> <p>IMPACT: None.</p> <p>CIRCUMVENTION: None.</p> <p>PRODUCT(S) AFFECTED: CA Mainframe Connector for Linux on System Z 2.0</p> <p>Related Problem: NMS 2068</p> <p>Copyright (C) 2016 CA. All rights reserved. R00049-NMS077-SP2</p> <p>DESC(N28502 MESSAGE LOGGED WHEN XOPT=NOVFS). ++VER (Z038) FMID (CC2D771) SUP (TR90474)</p>