

CA Repository for z/OS 7.2
CA RS 1607 Service List

Release	Service	Description	Type
7.2	R090395	XREF COMMAND - 0C4 WHEN EXCEEDS MAXIMUM CONNECTIONS	PTF
The CA RS 1607 service count for this release is 1			

CA Repository for z/OS
CA RS 1607 Service List for CP\$7200

FMID	Service	Description	Type
CP\$7200	RO90395	XREF COMMAND - 0C4 WHEN EXCEEDS MAXIMUM CONNECTIONS	PTF
The CA RS 1607 service count for this FMID is 1			

CA Repository for z/OS 7.2
CA RS 1607 - PTF RO90395 Details

Release	Service	Details
7.2	RO90395	<pre> RO90395 M.C.S. ENTRIES = ++PTF (RO90395) DESC (XREF COMMAND - 0C4 WHEN EXCEEDS MAXIMUM CONNECTIONS) /*----- PRODUCT: CA Repository for z/OS RELEASE: 7.2 DATE: 8 JUN 2016 HYPER: NO STARTRAK PROBLEM PRODUCT NAME: XTR PROBLEM NUMBER: 779 ----- XREF COMMAND - 0C4 WHEN EXCEEDS MAXIMUM CONNECTIONS ----- Attempting an XREF command on a record imported into repository with more than 32767 connections will abend with a system code 0C4. The same abend will happen for any Impact Analysis command against any Repository object which exceeds the maximum supported connections (32767). SYMPTOMS: Online or batch Impact Analysis job run against a Repository object with connections exceeding the maximum supported number will abend with system code 0C4. IMPACT: An Impact Analysis command executed against a Repository object with connections which exceed the supported maximum will abend. CIRCUMVENTION: N/A Products Affected: CA Repository for z/OS r7.2. -----*/. ++VER (Z038) FMID(CP\$7200) PRE (RO70607,RO64535,RO67229,RO59922) SUP (T54R710,T54R271,RO56339,T5QV966,RO29316,T5QV233). ++HOLD(RO90395) SYSTEM REASON(DB2BIND) FMID(CP\$7200) COMMENT(+-----+ CA Repository for z/OS r7.2 Release: 7.2 +-----+ SEQUENCE After Apply +-----+ PURPOSE Rebind DB2 objects because DBRMs have been changed. +-----+ USERS All Users AFFECTED +-----+ KNOWLEDGE Database Administration REQUIRED +-----+ ACCESS Database update REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** Once the SMP/e portion of the fix application is complete, the following instructions should be turned over to the DB2 DBA in charge of the repository for customization to your site's specific procedures. Bind solution DBRMs DSN SYSTEM(SUBSYS) BIND PACKAGE(collection name) - QUALIFIER(repository qual) - MEMBER(DBXXREF) - LIBRARY(DBRMLIB) - VALIDATE(BIND) - DYNAMICRULES(BIND) - </pre>

CA Repository for z/OS 7.2
CA RS 1607 - PTF RO90395 Details

Release	Service	Details
		<pre> ISOLATION(CS) - ENCODING(EBCDIC) - EXPLAIN(NO) - FLAG(I) - RELEASE(COMMIT) - ACTION(REPLACE) - CURRENTDATA(NO) - ENABLE(DB2CALL,BATCH,CICS) END DSN SYSTEM(SUBSYS) BIND PACKAGE(collection name) - QUALIFIER(repository qual) - MEMBER(DBXBATP) - LIBRARY(DBRMLIB) - VALIDATE(BIND) - DYNAMICRULES(BIND) - ISOLATION(CS) - ENCODING(EBCDIC) - EXPLAIN(NO) - FLAG(I) - RELEASE(COMMIT) - ACTION(REPLACE) - CURRENTDATA(NO) - ENABLE(DB2CALL,BATCH,CICS) END Make the following substitutions for the values of the parameters so they conform to your site's environment. - subsys to the db2 host subsystem or db2 foreign subsystem - collection name to the repository package collection - repository qual to the repository owner. - dbrmlib to DBRM library that contains the DBRMs associated with the PTFs that are applied.). ++HOLD(RO90395) SYSTEM REASON(ACTION) FMID(CP\$7200) COMMENT(+-----+ CA Repository for z/OS r7.2 Release: 7.2 +-----+ SEQUENCE After Apply +-----+ PURPOSE Update MSG table +-----+ USERS All Users AFFECTED +-----+ KNOWLEDGE Install procedures for the CA Repository for z\OS r7.2 REQUIRED +-----+ ACCESS Load authority on relevant DB2 subsys REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** Once the SMP/e portion of the fix application is complete, follow the directions in the CA Repository for z/OS Installation Guide r7.2 under the 'Load the New Data' section, in 'Chapter 7: Migration Information'. At the Installation Upgrade Customization Menu, (Main Menu # 13) Select option 5 LOAD and set options as follows: Load control tables... DIALOGs? ==> N CODE TABLES? ==> Y ENTITYs? ==> N IO MAPs? ==> Y </pre>

CA Repository for z/OS 7.2
CA RS 1607 - PTF RO90395 Details

Release	Service	Details
		MESSAGEs? ==> Y COMMANDs? ==> N Set SQLID to? ==> Current Contents? ==> A (A-add,R-replace,P-new products) Check the generated JCL according to your site's standard. Leave only members provided by the solution. When following those instructions the custom data will be retained.).