

CA SYSVIEW Performance Management 14.0
 CA RS 1607 Service List

| Release | Service | Description | Type |
|---------|---------|---|-----------|
| 14.0 | RO89980 | CAPTURE DESCR FROM CAPLIB OVERRIDDEN BY THRESHOLD TRIGGER | PTF |
| | RO90078 | Abend S0C4 GSPDE12 GESS\$\$ after IMS region shutdown w/RO89384 | ** PRP ** |
| | RO90270 | GIM31903I error when attempting to apply RO88723 | ** PRP ** |
| | RO90275 | ABEND S0C4 U2999-301 GSVXSECL SECURITY REPORT | PTF |
| | RO90310 | LISTDIR DELETE LINE COMMAND SECURITY INCORRECT | PTF |
| | RO90381 | Add DATALIB parm to Logical Group conversion GSVYLGCV | PTF |
| | RO90429 | SESSION HANGS AFTER HCCMD ISSUED W/RO86049 | ** PRP ** |
| | RO90574 | Incorrect Type for TAPE shown on SMSGROUP display w/RO88967 | PTF |
| | RO90656 | PSW command incorrectly displaying Architecture | PTF |

The CA RS 1607 service count for this release is 9

CA SYSVIEW Performance Management
 CA RS 1607 Service List for CNM4E00

| FMID | Service | Description | Type |
|---|---------|---|-----------|
| CNM4E00 | RO89980 | CAPTURE DESCR FROM CAPLIB OVERRIDDEN BY THRESHOLD TRIGGER | PTF |
| | RO90078 | Abend S0C4 GSVPE12 GESS\$\$ after IMS region shutdown w/RO89384 | ** PRP ** |
| | RO90270 | GIM31903I error when attempting to apply R088723 | ** PRP ** |
| | RO90275 | ABEND S0C4 U2999-301 GSVXSECL SECURITY REPORT | PTF |
| | RO90310 | LISTDIR DELETE LINE COMMAND SECURITY INCORRECT | PTF |
| | RO90381 | Add DATALIB parm to Logical Group conversion GSVYLGCV | PTF |
| | RO90429 | SESSION HANGS AFTER HCCMD ISSUED W/RO86049 | ** PRP ** |
| | RO90574 | Incorrect Type for TAPE shown on SMSGROUP display w/RO88967 | PTF |
| | RO90656 | PSW command incorrectly displaying Architecture | PTF |
| The CA RS 1607 service count for this FMID is 9 | | | |

CA SYSVIEW Performance Management 14.0
 CA RS 1607 - PTF RO89980 Details

| Release | Service | Details |
|---------|---------|---|
| 14.0 | RO89980 | <pre> RO89980 M.C.S. ENTRIES = ++PTF(RO89980) DESC(CAPTURE DESCR FROM CAPLIB OVERRIDDEN BY THRESHOLD TRIGGER) /* PROBLEM DESCRIPTION: The description defined within a CAPLIB member was not being honored when the capture was scheduled from a threshold trigger. Instead the description would contain the metric that triggered the threshold. SYMPTOMS: When a triggered threshold schedules a capture, the description for the capture will not match what is defined within the CAPLIB member. IMPACT: Capture descriptions may not be what is defined in the CAPLIB member. The DESCR specified in a capture member will still be overridden by a description specified by: - Description field on a SCHEDULE entry - DESCR parameter on a CAPTURE command CIRCUMVENTION: None. PRODUCTS AFFECTED: CA SYSVIEW 14.0 */. ++VER(Z038) FMID(CNM4E00) PRE(RO79207 RO80906) SUP(TSE0207). ++HOLD(RO89980) FMID(CNM4E00) SYSTEM REASON(RESTART) DATE(16161) COMMENT(+-----+ CA SYSVIEW Release 14.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE To implement the fix. +-----+ USERS All users of SYSVIEW for CICS. AFFECTED +-----+ KNOWLEDGE Product Administration REQUIRED CICS Systems Programming +-----+ ACCESS Product libraries REQUIRED Ability to run SYSVIEW for CICS transactions +-----+ ***** * STEPS TO PERFORM * ***** +-----+ Apply this fix and either recycle the CICS region, or use the GSVT (terminate) and GSVS (start) transactions to recycle SYSVIEW for CICS within the CICS region.). </pre> |

CA SYSVIEW Performance Management 14.0
 CA RS 1607 - PTF RO90078 Details

| Release | Service | Details |
|---------|---------|--|
| 14.0 | RO90078 | <p>RO90078 M.C.S. ENTRIES = ++PTF(RO90078)</p> <p>DESC(Abend S0C4 GSVPE12 GESS\$\$ after IMS region shutdown w/RO89384) /*</p> <p>PROBLEM DESCRIPTION:</p> <p>While performing data collection for an IMS dependent region, the region shuts down resulting in unavailable control blocks. S0C4-11 Abend in GSVPE12 in routine GESS\$\$ while attempting to process the control blocks that have gone away. This problem occurs even with RO89377 applied.</p> <p>SYMPTOMS:</p> <p>Abend S0C4-11 in GSVPE12 after IMS dependent region has shutdown. Messages similar to the following are received in the SYSVIEW joblog.</p> <p>IEA794I SVC DUMP HAS CAPTURED: 628 DUMPID=005 REQUESTED BY JOB (SYSVIEW) DUMP TITLE=CA SYSVIEW 14.1 0940 - Job SYSVIEW Asid 00E9 Abend S0C4-11 Mod GSVPE12 Rtn GESS\$\$ GSVX528E (IMSDATA) ZCALL GSVPE12,GET_DRGN_ESS failed, abend S0C4-11 SYSVIEW remains active after the abend.</p> <p>IMPACT:</p> <p>Dump is taken and processing continues.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCTS AFFECTED:</p> <p>CA SYSVIEW 14.0 */.</p> <p>++VER(Z038) FMID(CNM4E00) PRE(RO89384) SUP(AO89384 TSE0210).</p> |

CA SYSVIEW Performance Management 14.0
 CA RS 1607 - PTF RO90270 Details

| Release | Service | Details |
|---------|---------|--|
| 14.0 | RO90270 | <p>RO90270 M.C.S. ENTRIES = ++PTF(RO90270) DESC(GIM31903I error when attempting to apply R088723) /* PROBLEM DESCRIPTION: SMP/E errors are possible when attempting to apply PTF R088723. An SMP/E packaging problem may not allow R088723 to be applied if the target library is at particular service level. Specifically, if PTF R085946 is not applied, then R088723 will get an RC=8 apply failure when applying R085946 and R088723 at the same time. SYMPTOMS: Messages similar to the following may be observed when applying R088723: GIM38201E ** THERE IS A MODID ERROR FOR MOD ENTRY XPFRTL1 IN SYSMOD R088723. GIM31903I SYSMOD R088723 DOES NOT SPECIFY R076504 ON THE PRE OR SUP OPERAND. R076504 IS THE RMID FOR MOD XPFRTL1 THAT IS BEING INSTALLED. GIM22601I APPLY PROCESSING FAILED FOR SYSMOD R088723. GIM30202E ** APPLY PROCESSING FAILED FOR SYSMOD R085946. ALL SYSMODS THAT WOULD HAVE SUPERSEDED R085946 HAVE FAILED. GIM35942I SYSMOD R088723, WHICH WOULD HAVE SUPERSEDED SYSMOD R085946, FAILED. GIM20501I APPLY PROCESSING IS COMPLETE. THE HIGHEST RETURN CODE WAS 08. IMPACT: Unable to apply PTF R088723 due to missing PRE for PTF R076504. CIRCUMVENTION: Apply PTF R085946 and all prerequisites for R085946 in one apply job. Then in a second apply job, apply R088723 and any remaining prerequisites for R088723. PRODUCTS AFFECTED: CA EXPLORE Report Writer 14.0 */. ++VER(Z038) FMID(CNM4E00) PRE(R072335 R076504 R081080) SUP(R077533 R082005 R082335 R085946 R086363 R088687 R088723 R089306 R089308 R089309 R089373 TSE0212 AO88723).</p> |

CA SYSVIEW Performance Management 14.0
CA RS 1607 - PTF RO90275 Details

| Release | Service | Details |
|---------|---------|--|
| 14.0 | RO90275 | <p>RO90275 M.C.S. ENTRIES = ++PTF(RO90275) DESC(ABEND SOC4 U2999-301 GSVXSECL SECURITY REPORT) /* PROBLEM DESCRIPTION: The GSVXSECL batch security report is not always properly traversing entries in the Command Fields section of a User group, and was using an incorrect length to denote the end of the PARM= string specified on the EXEC statement in the JCL. SYMPTOMS: In the reported case, install job INST0050 was being run to convert the SYSVIEW security file during an upgrade to a new release. The second step of that job executes the GSVXSECL security report utility, and this step abended with messages similar to the following: IEA995I SYMPTOM DUMP OUTPUT SYSTEM COMPLETION CODE=0C4 REASON CODE=00000011 TIME=11.43.10 SEQ=28802 CPU=0000 ASID=02CB PSW AT TIME OF ERROR 078D2000 BAB01812 ILC 4 INTC 11 ACTIVE LOAD MODULE ADDRESS=3AB00000 OFFSET=00001812 NAME=GSVXSECL DATA AT PSW 3AB0180C - A19C4160 6004BFF3 6000D200 GR 0: 00008000 1: 3B344060 2: FFFF9BE4 3: 3AB08100 4: 00006002 5: 3B344E64 6: 3B2FF66B 7: 00006444 8: 3B326270 9: 007F8310 A: 000060B0 B: 3AB07000 C: 3AB01350 D: 3B1D20E8 E: 00007FFC F: FFFE7AFF END OF SYMPTOM DUMP Abend U2999-301 may also occur running this security report. This also addresses a problem where garbage appears on the end of the report line that shows the Last Update Date for a user group. IMPACT: Unable to obtain batch report on internal security definitions. CIRCUMVENTION: None. PRODUCTS AFFECTED: CA SYSVIEW 14.0 */. ++VER(Z038) FMID(CNM4E00) SUP(TSE0213).</p> |

CA SYSVIEW Performance Management 14.0
 CA RS 1607 - PTF RO90310 Details

| Release | Service | Details |
|---------|---------|---|
| 14.0 | RO90310 | <p>RO90310 M.C.S. ENTRIES = ++PTF(RO90310) DESC(LISTDIR DELETE LINE COMMAND SECURITY INCORRECT) /* PROBLEM DESCRIPTION: While attempting to perform a DELETE of a member from the LISTDIR command, a security violation may be received if the SYSVUSER address space userid does not have authority to delete the member. SYMPTOMS: From the LISTDIR display in a SYSVIEW VTAM session, entering DEL for a member may produce a security violation if SYSVUSER does not have access to delete the member from the PDS. Violations will look similar to the following. ICH408I USER(SYSVUSER) GROUP(SYSV) NAME(SYSVIEW) 783 DATASET.TEST CL(DATASET) VOL(VOL001) INSUFFICIENT ACCESS AUTHORITY FROM DATASET.** (G) ACCESS INTENT(UPDATE) ACCESS ALLOWED(READ) IEC150I 913-38,IFG0194E,SYSVUSER,SYSUSER,SYS00065,1416,SYSCNF,DATASET.TEST IMPACT: Unable to delete a member from the VTAM SYSVUSER session. CIRCUMVENTION: Use SYSVIEW's TSO interface to delete the member. PRODUCTS AFFECTED: CA SYSVIEW 14.0 */. ++VER(Z038) FMID(CNM4E00) PRE(RO82674) SUP(TSE0214).</p> |

CA SYSVIEW Performance Management 14.0
 CA RS 1607 - PTF RO90381 Details

| Release | Service | Details |
|---------|---------|--|
| 14.0 | RO90381 | RO90381 M.C.S. ENTRIES = ++PTF(RO90381) DESC(Add DATALIB parm to Logical Group conversion GSVYLGCV) /* PROBLEM DESCRIPTION: The GSVYLGCV Logical Group conversion requires users to run the conversion against the current DATALIB. SYMPTOMS: The GSVYLGCV Logical Group conversion job does not allow for a DATALIB data set name to be provided as input, which forces customers to run the conversion against the DATALIB currently active. IMPACT: Restricted to running against current DATALIB. CIRCUMVENTION: None. PRODUCTS AFFECTED: CA SYSVIEW 14.0 */. ++VER(Z038) FMID(CNM4E00) PRE(RO88830) SUP(TSE0215). |

CA SYSVIEW Performance Management 14.0
CA RS 1607 - PTF RO90429 Details

| Release | Service | Details |
|---------|---------|---|
| 14.0 | RO90429 | <p>RO90429 M.C.S. ENTRIES = ++PTF(RO90429) DESC(SESSION HANGS AFTER HCCMD ISSUED W/RO86049) /* PROBLEM DESCRIPTION: When the HCCMD command is issued with 1 or no parameters it results ts in the session the command was issued from to hang and continue to consume CPU until the SYSVIEW session abends. This problem only occurs after applying fix RO86049. SYMPTOMS: After issuing the HCCMD command, the session hangs. A few minutes later one of two abends are possible. The following abend S05B will be observed if the SYSVIEW session is zIIP enabled: GSVX971I SRB CPU limit exceeded (00:05:00) GSVX451E Abend S05B in HCCMD command GSVX472I Userid <userid> Terminal <termid> Interface ISPF GSVX452I SYSVIEW SRB in control at entry to abend GSVX453I Diagnostics for SRB in control at entry to abend GSVX457I Psw 078C2000 BC0EABF2 Ilc 0 Intc 00 GSVX477I Key 8 State SUP Am 31 Asc PRI GSVX458I Module GSVXNUC Addr 3BABC000 Offset 0062EBF2 GSVX458I NucMod GSVXSTGR Addr 3C0E95B0 Offset 00001642 GSVX450I FixLvl BASE GSVX473I Routne GET\$\$\$ Addr 3C0EA830 Offset 000003C2 GSVX459I Data at PSW addr 3C0EABEC GSVX460I A0BE8910 00180EE0 A7F40002 GSVX455I General registers at entry to abend GSVX467I R0-R1 00000000_0002AE58 00000000_00000000 GSVX467I R2-R3 00000050_0002ADF8 00000000_0002AE58 GSVX467I R4-R5 00000000_00013FD8 00000000_0000026A GSVX467I R6-R7 00000000_3AF1C000 00000000_3AD741B0 GSVX467I R8-R9 00000000_3AD365F0 00000000_3ACF7580 GSVX467I R10-R11 00000000_3C0EE028 00000000_3ACFE000 GSVX467I R12-R13 00000000_3C0EA830 00000000_3ACF9538 GSVX467I R14-R15 00000000_3AF23000 00000000 The following abend U2999-1101 will be observed if the SYSVIEW session is not zIIP enabled: GSVX971I Task CPU limit exceeded (00:05:00) GSVX451E Abend U2999-1101 in HCCMD command GSVX472I Userid <userid> Terminal <termid> Interface ISPF GSVX452I SYSVIEW TCB/RB not in control at entry to abend GSVX453I Diagnostics for TCB/RB in control at entry to abend GSVX457I Psw 078C2000 B46DE46C Ilc 2 Intc 0D GSVX477I Key 8 State SUP Am 31 Asc PRI GSVX458I Module GSVXNUC Addr 34352000 Offset 0038C46C GSVX458I NucMod GSVXCPUR Addr 346DD058 Offset 00001414 GSVX450I FixLvl BASE GSVX473I Routne XCTM\$\$ Addr 346DE3F8 Offset 00000074 GSVX459I Data at PSW addr 346DE466 GSVX460I A7F81101 0A0DE300 90900021 GSVX455I General registers at entry to abend GSVX467I R0-R1 00000123_BB5193EE 00000000_04000BB7 GSVX467I R2-R3 00000000_045AA1D8 00000000_0077FFF8 GSVX467I R4-R5 00000000_00000008 00000000_078C0000 GSVX467I R6-R7 00000000_7F814D60 00000000_000000C0 GSVX467I R8-R9 00000000_00780038 00000000_34AB69F0 GSVX467I R10-R11 00000000_346E0328 00000000_3434E000 GSVX467I R12-R13 00000000_346DE3F8 00000000_0079AFA8 GSVX467I R14-R15 00000000_80FDB130 00000000_00001101 After either abend S05B or abend U2999-1101, another abend may be observed. The following abend U2999-C01 is timing related, but is likely to occur after either of the previous two abends: GSVX451E Abend U2999-C01 in HCCMD command GSVX472I Userid <userid> Terminal <termid> Interface ISPF GSVX457I Psw 078C1000 BC0EB260 Ilc 2 Intc 0D</p> |

CA SYSVIEW Performance Management 14.0
 CA RS 1607 - PTF RO90429 Details

| Release | Service | Details |
|---------|---------|---|
| | | <p>GSVX477I Key 8 State SUP Am 31 Asc PRI GSVX458I Module GSVXNUC Addr 3BABC000 Offset 0062F260 GSVX458I NucMod GSVXSTGR Addr 3C0E95B0 Offset 00001CB0 GSVX450I FixLvl BASE GSVX473I Routne GET\$\$\$ Addr 3C0EA830 Offset 00000A30 GSVX459I Data at PSW addr 3C0EB25A GSVX460I A7F80C01 0A0DD203 B46CBFFC GSVX455I General registers at entry to abend GSVX467I R0-R1 00000000_00000004 00000000_04000BB7 GSVX467I R2-R3 00000000_00000000 00000000_BC065AB2 GSVX467I R4-R5 00000000_3C065928 00000000_00E26390 GSVX467I R6-R7 00000000_000E0670 00000000_3ACF1000 GSVX467I R8-R9 00000000_3ACF0100 00000000_3ACF7580 GSVX467I R10-R11 00000000_3C0EE028 00000000_3ACEF000 GSVX467I R12-R13 00000000_3C0EA830 00000000_3ACF80E8 GSVX467I R14-R15 00000000_3ACF80E8 00000000_00000C01</p> <p>IMPACT: Since the session continues to consume CPU, this could cause excessive use of CPU time until the session abends.</p> <p>CIRCUMVENTION: Ensure to include both the owner and name parameters when issuing HCCMD frm the command line. The syntax of the command looks similar to the following: HCCMD owner name Also HCCMD can be invoked by issuing the Select line command from the HCHECK command display, which automatically passes the owner and name from the line that the line command was issued.</p> <p>PRODUCTS AFFECTED: CA SYSVIEW 14.0 */. ++VER(Z038) FMID(CNM4E00) PRE(RO86049) SUP(TSE0216 AO86049).</p> |

CA SYSVIEW Performance Management 14.0
 CA RS 1607 - PTF RO90574 Details

| Release | Service | Details |
|---------|---------|---|
| 14.0 | RO90574 | RO90574 M.C.S. ENTRIES = ++PTF(RO90574) DESC(Incorrect Type for TAPE shown on SMSGROUP display w/RO88967) /* PROBLEM DESCRIPTION: RO88967 addressed a problem where the TYPE field was showing as ???????? for unidentified Storage Group types. The changes to correct the display inadvertently specified TYPE instead of TAPE for the Storage Group type. SYMPTOMS: On the SMSGROUP display, the Type column will display TYPE instead of TAPE for SMSGROUP TAPE types. IMPACT: Incorrect display for TAPE types on SMSGROUP. CIRCUMVENTION: None. PRODUCTS AFFECTED: CA SYSVIEW 14.0 */. ++VER(Z038) FMID(CNM4E00) PRE(RO88967) SUP(AO88967 TSE0217). |

CA SYSVIEW Performance Management 14.0
 CA RS 1607 - PTF RO90656 Details

| Release | Service | Details |
|---------|---------|---|
| 14.0 | RO90656 | <p>RO90656 M.C.S. ENTRIES = ++PTF(RO90656) DESC(PSW command incorrectly displaying Architecture) /* PROBLEM DESCRIPTION: The Architecture data field on the PSW command display incorrectly displays the Architecture bit of the provided PSW. SYMPTOMS: When decoding a PSW with the PSW command display, the Architecture data field incorrectly displays the Architecture bit in the provided PSW When 12 bit (Architecture bit) of the provided PSW is on (1) the following is displayed: 12-12 (A) Architecture - 0=ESA/390 When 12 bit (Architecture bit) of the provided PSW is off (0) the following is displayed: 12-12 (A) Architecture - 1=z/Architecture IMPACT: Confusion on the status of the Architecture bit in a PSW. CIRCUMVENTION: None. PRODUCTS AFFECTED: CA SYSVIEW 14.0 */. ++VER(Z038) FMID(CNM4E00) SUP(TSE0218).</p> |