

CA ACF2 15.0  
CA RS 1610 Service List

Release	Service	Description	Type
15.0	RO83720	JES3 ABEND SOC4 IN ACFINWKG	PTF
	RO88621	POSITION FOR DB2 12.1	PTF
	RO90875	CICS: DELETE CJSB FROM CAT1 LIST AS OF CTS 5.3	PTF
	RO91119	ENQ LOCKOUT ON INFSTG DATABASE AFTER PHRASE REVERIFY	*HIP/PRP*
	RO91407	ABEND SOC4 IN ACF00SVA ACF01VLD WITH PHRASE LESS THAN 9	PTF
	RO91577	CICS: ACFAEUSC SEQUENCE NUMBER ERRORS W/RO85868 OR RO83869	** PRP **
	RO91713	ABEND 0C4 RUNNING ACFRULCU UTILITY WITH A MULTI UID DEFINED	PTF
	RO92069	CICS: AEIP/FREEMAIN ERROR ON UCV API - PASSWORD VALIDATE	PTF
The CA RS 1610 service count for this release is 8			

CA ACF2  
CA RS 1610 Service List for CAX1F00

FMID	Service	Description	Type
CAX1F00	RO88621	POSITION FOR DB2 12.1	PTF
	RO91119	ENQ LOCKOUT ON INFOSTG DATABASE AFTER PHRASE REVERIFY	*HIP/PRP*
	RO91407	ABEND S0C4 IN ACF00SVA ACF01VLD WITH PHRASE LESS THAN 9	PTF
	RO91713	ABEND 0C4 RUNNING ACFRULCU UTILITY WITH A MULTI UID DEFINED	PTF
The CA RS 1610 service count for this FMID is 4			

CA ACF2  
CA RS 1610 Service List for CAX1F02

FMID	Service	Description	Type
CAX1F02	R083720	JES3 ABEND S0C4 IN ACFINWKG	PTF
The CA RS 1610 service count for this FMID is 1			

CA ACF2  
CA RS 1610 Service List for CAX1F03

FMID	Service	Description	Type
CAX1F03	RO90875	CICS: DELETE CJSB FROM CAT1 LIST AS OF CTS 5.3	PTF
	RO91577	CICS: ACFAEUSC SEQUENCE NUMBER ERRORS W/RO85868 OR RO83869	** PRP **
	RO92069	CICS: AEIP/FREEMAIN ERROR ON UCV API - PASSWORD VALIDATE	PTF
The CA RS 1610 service count for this FMID is 3			

CA ACF2 15.0  
CA RS 1610 - PTF RO83720 Details

Release	Service	Details
15.0	RO83720	<p>RO83720 M.C.S. ENTRIES = ++PTF (RO83720)</p> <p>JES3 ABEND SOC4 IN ACFINWKG</p> <p>PROBLEM DESCRIPTION:</p> <p>JES3 processing in ACFINWKG may take an SOC4 abend at offset x'538'. The code references field RQMPSEQ in the MDS variable section of the RSQ block. The ACFINWKG code assumes that the MDS variable section is always present but there are cases where an RSQ does not contain the MDS variable section. In such cases the ACFINWKG code will either take an SOC4 abend or it references residual data instead of a valid RQMPSEQ field.</p> <p>SYMPTOMS:</p> <p>The following messages are be issued:</p> <p>JES3 IAT3800 SVC DUMP IN PROGRESS BY THE JES3 ADDRESS SPACE</p> <p>JES3 IEA794I SVC DUMP HAS CAPTURED:</p> <p>JES3 DUMPID=nnn REQUESTED BY JOB (JES3 )</p> <p>JES3 DUMP TITLE=JES3 2.1.0 FLNO=001 INTRDR FCT=xxxxxxxx SOC4-000</p> <p>JES3 00011 IN ACFINWKG PSW=071C200080xxxxxx 161/0607</p> <p>IMPACT:</p> <p>JES3 takes an abend and then recovers</p> <p>CIRCUMVENTION:</p> <p>None</p> <p>PRODUCT(S) AFFECTED: CA ACF2 <span style="float: right;">Release 15.0</span></p> <p>CA ACF2 <span style="float: right;">Release 16.0</span></p> <p>Related Problem:</p> <p>ACF2MS 9792</p> <p>Copyright (C) 2015 CA. All rights reserved. R01219-ACF150-SP1</p> <p>DESC(JES3 ABEND SOC4 IN ACFINWKG).</p> <p>++VER (Z038)</p> <p>FMID (CAX1F02)</p> <p>SUP ( TR83720 )</p> <p>++HOLD (RO83720) SYSTEM FMID(CAX1F02)</p> <p>REASON (DYNACT ) DATE (15231)</p> <p>COMMENT (</p> <pre> +-----+        CA-ACF2-MVS JES3                               Release 15.0        +-----+  SEQUENCE   After Apply                                           +-----+  PURPOSE    Activate change without IPL                               +-----+  USERS      All JES3 users                                            AFFECTED                                                             +-----+  KNOWLEDGE  Operator commands                                        REQUIRED                                                             +-----+  ACCESS     z/OS Operator console                                    REQUIRED                                                             +-----+ ***** * STEPS TO PERFORM * ***** 1. Reassemble ACFINWKG 2. JES3 hot start ). </pre>

CA ACF2 15.0  
CA RS 1610 - PTF RO88621 Details

Release	Service	Details
15.0	RO88621	<pre> RO88621  M.C.S. ENTRIES  = ++PTF (RO88621)  POSITION FOR DB2 12.1 PROBLEM DESCRIPTION: Position base ACF2 for DB2 12.1 release. SYMPTOMS: None IMPACT: None CIRCUMVENTION: None PRODUCT(S) AFFECTED: CA-ACF2-MVS                               Release 15.0 CA-ACF2-MVS                               Version 16.0 Related Problem: ACF2MS 9872 Copyright (C) 2016 CA. All rights reserved. R01278-ACF150-SP1  DESC(POSITION FOR DB2 12.1). ++VER (Z038) FMID (CAX1F00) PRE ( RO45722 RO61510 RO81258 ) SUP ( AR24613 RO24613 RO27574 RO38222 RO42223 RO51878 RO85774 TR24613 TR27574 TR38222 TR42223 TR51878 TR85774 TR88621 ) ++HOLD (RO88621) SYSTEM FMID(CAX1F00) REASON (IPL      )   DATE (16203) COMMENT ( +-----+            CA-ACF2-MVS                               Release 15.0            +-----+  SEQUENCE   After Apply                                 +-----+  PURPOSE    Activate change                                 +-----+  USERS      All users                                            AFFECTED                                                         +-----+  KNOWLEDGE  Operator commands                                  REQUIRED                                                         +-----+  ACCESS     z/OS Operator console                              REQUIRED                                                         +-----+ ***** * STEPS    TO    PERFORM * ***** 1. IPL CLPA ).</pre>

CA ACF2 15.0  
CA RS 1610 - PTF RO90875 Details

Release	Service	Details
15.0	RO90875	<p>RO90875 M.C.S. ENTRIES = ++PTF (RO90875)</p> <p>CICS: DELETE CJSB FROM CAT1 LIST AS OF CTS 5.3            CICS has a set of transactions that are designated as 'Category 1 transactions' that are for CICS internal use only, are never associated with a terminal, and should not be invoked from a user terminal.</p> <p>CA ACF2 CICS initialization processing validates access by the region LOGONID for all the CICS Category 1 transaction codes, as listed in the SDFHSAMP member DFH\$CAT1 for the running release. While it remained in the SDFHSAMP member DFH\$CAT1, the following transaction code became obsolete with CICS/TS Release 5.3:            CJSB</p> <p>If rules allowing the CICS region LOGONID access to these transaction codes are removed, CA ACF2 CICS initialization processing may encounter resource violations for them, complicating the region initialization.</p> <p>SYMPTOMS:            The following messages will appear on the console:            ACF04056 ACCESS TO RESOURCE Cxxx TYPE Rxxx BY llllllll NOT AUTHORIZED            ACFAE194 Category 1 transaction validation failed            nn ACFAE098 CICS ACFAE194 Reply 'RETRY', 'GO', or 'CANCEL'            IMPACT:            Operator intervention required to complete region initialization.</p> <p>CIRCUMVENTION:            For the transaction code(s) listed in msg ACF04056, either:            1) Add them to the transaction code SAFELIST            2) Supply rules allowing the region LOGONID access</p> <p>Related Problem:            ACF2MS 9911            Copyright (C) 2016 CA. All rights reserved. R01305-ACF150-SP1</p> <p>DESC(CICS: DELETE CJSB FROM CAT1 LIST AS OF CTS 5.3).            ++VER (Z038)            FMID (CAX1F03)            PRE ( RO32495 RO53745 RO71103 RO87522 )            SUP ( RO77988 TR77988 TR90875 )            ++HOLD (RO90875) SYSTEM FMID(CAX1F03)            REASON (DYNACT ) DATE (16228)            COMMENT (</p> <pre> +-----+        CA-ACF2-MVS CICS                      Release 15.0        +-----+  SEQUENCE   After Apply                                            +-----+  PURPOSE    Enable updated code                                      +-----+  USERS      All users                                                 AFFECTED                                                             +-----+  KNOWLEDGE  Linklist contents (optional)                             REQUIRED   Console commands (optional)                            +-----+  ACCESS     Master console (optional)                                REQUIRED   CICS Region                                             +-----+ ***** * STEPS   TO   PERFORM * ***** 1. Perform an LLA REFRESH (if applicable) 2. Restart the CICS region ). </pre>

CA ACF2 15.0  
CA RS 1610 - PTF RO91119 Details

Release	Service	Details
15.0	RO91119	<p>RO91119 M.C.S. ENTRIES = ++PTF (RO91119)</p> <p>ENQ LOCKOUT ON INFOSTG DATABASE AFTER PHRASE REVERIFY</p> <p>PROBLEM DESCRIPTION:            Enqueue lockout can occur on the INFOSTG database when a user without a password phrase enters a password phrase on a password revalidation request. This problem only occurs when the GSO PWPHRASE record is set to ALLOW, which allows password phrases to be used.</p> <p>SYMPTOMS:            Any jobs that use the INFOSTG database wait.</p> <p>IMPACT:            IPL may be required.</p> <p>CIRCUMVENTION:            IPL</p> <p>PRODUCT(S) AFFECTED:            CA-ACF2-MVS <span style="float: right;">Release 15.0</span>            CA-ACF2-MVS <span style="float: right;">Release 16.0</span></p> <p>Related Problem:            ACF2MS 9914</p> <p>Copyright (C) 2016 CA. All rights reserved. R01313-ACF150-SP1</p> <p>DESC(ENQ LOCKOUT ON INFOSTG DATABASE AFTER PHRASE REVERIFY).            ++VER (Z038)            FMID (CAX1F00)            PRE ( R089764 )            SUP ( MC55970 RO24633 RO39147 TR24633 TR39147 TR91119 )            ++HOLD (RO91119) SYSTEM FMID(CAX1F00)            REASON (DYNACT ) DATE (16273)            COMMENT (</p> <pre> +-----+            CA-ACF2-MVS                      Release 15.0            +-----+  SEQUENCE   After Apply                                       +-----+  PURPOSE    Activate change without IPL                           +-----+  USERS      All users                                              AFFECTED                                                           +-----+  KNOWLEDGE  Operator commands                                     REQUIRED                                                           +-----+  ACCESS     z/OS Operator console                                REQUIRED                                                           +-----+ ***** * STEPS   TO   PERFORM * ***** 1. F LLA,REFRESH 2. F ACF2,NEWMOD(ACF00SVA) ). </pre>



CA ACF2 15.0  
CA RS 1610 - PTF RO91407 Details

Release	Service	Details
15.0	RO91407	<p>RO91407 M.C.S. ENTRIES = ++PTF (RO91407)</p> <p>ABEND SOC4 IN ACF00SVA ACF01VLD WITH PHRASE LESS THAN 9 PROBLEM DESCRIPTION: If a RACROUTE REQUEST=VERIFY is issued supplying a Password Phrase with a length less than 9, it should have been supplied as a normal password and an abend SOC4 may occur in ACF00SVA ACF01VAL. This change will expand the Password Phrase length checking to include a minimum length of 9, and if not, raise the same error as when a Password Phrase is greater than 128. Thus far, this has only been observed with the use of a 3rd party product. SYMPTOMS: SOC4 abend may occur in ACF00SVA ACF01VAL IMPACT: Signon failure and abend dump produced. CIRCUMVENTION: Correct the RACROUTE REQUEST=VERIFY PRODUCT(S) AFFECTED: CA-ACF2-MVS <span style="float: right;">Release 15.0</span> CA-ACF2-MVS <span style="float: right;">Version 16.0</span> Related Problem: ACF2MS 9918 Copyright (C) 2016 CA. All rights reserved. R01317-ACF150-SP1</p> <p>DESC(ABEND SOC4 IN ACF00SVA ACF01VLD WITH PHRASE LESS THAN 9). ++VER (Z038) FMID (CAX1F00) PRE ( RO36829 RO45722 RO66836 RO86844 RO89560 RO89764 RO90942 ) SUP ( AR73489 RO38482 RO73489 RO74086 RO87792 TR38482 TR73489 TR74086 TR87792 TR91407 ) ++HOLD (RO91407) SYSTEM FMID(CAX1F00) REASON (DYNACT ) DATE (16258) COMMENT (</p> <pre> +-----+            CA-ACF2-MVS                               Release 15.0            +-----+  SEQUENCE   After Apply                                       +-----+  PURPOSE    Enable updated code                                 +-----+  USERS      All users                                            AFFECTED                                                        +-----+  KNOWLEDGE  Console commands                                    REQUIRED                                                        +-----+  ACCESS     Master console                                      REQUIRED                                                        +-----+ ***** * STEPS TO PERFORM * ***** 1. Perform an LLA REFRESH 2. Issue console command: F ACF2,NEWMOD(ACF00SVA) ). </pre>

CA ACF2 15.0  
CA RS 1610 - PTF RO91577 Details

Release	Service	Details
15.0	RO91577	<p>RO91577 M.C.S. ENTRIES = ++PTF (RO91577)</p> <p>CICS: ACFAEUSC SEQUENCE NUMBER ERRORS W/RO85868 OR RO83869            PROBLEM DESCRIPTION:            After installation of RO83869 (R15.0)            or RO85868 (R16.0)            the sequence numbers of macro ACFAEUSC are not in order.            This will cause an IEBUPDTE error when installing local USERMODs.            SYMPTOMS:            SMP/E USERMOD APPLY gets: IEB807I INVALID OPERATION.            IMPACT:            Installation of local USERMODs to ACFAEUSC will fail.            CIRCUMVENTION:            None.            Related Problem:            ACF2MS 9923            Copyright (C) 2016 CA. All rights reserved. R01319-ACF150-SP1</p> <p>DESC(CICS: ACFAEUSC SEQUENCE NUMBER ERRORS W/RO85868 OR RO83869).            ++VER (Z038)            FMID (CAX1F03)            PRE ( RO46083 )            SUP ( AR83869 RO83869 TR83869 TR91577 )            ++HOLD (RO91577) SYSTEM FMID(CAX1F03)            REASON (DYNACT ) DATE (16246)            COMMENT (</p> <pre> +-----+        CA-ACF2-MVS CICS                      Release 15.0        +-----+-----+  SEQUENCE   After Apply                                             +-----+-----+  PURPOSE    Enable new code                                         +-----+-----+  USERS      All users                                                AFFECTED                                                             +-----+-----+  KNOWLEDGE  Local ACF2 CICS Install environment                    REQUIRED                                                             +-----+-----+  ACCESS     SMP/E                                                   REQUIRED   CICS Region and CEMT transaction                       +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Re-APPLY any local modifications to ACFAEUSC 2. Run CAX1JCL1(CXCSSGNC) or equivalent to re-assemble updated program. 3. Issue CICS transaction: CEMT SET PROG(ACFAEUSC) NEWC ).</pre>

CA ACF2 15.0  
CA RS 1610 - PTF RO91713 Details

Release	Service	Details
15.0	RO91713	<p>RO91713 M.C.S. ENTRIES = ++PTF (RO91713)</p> <p>ABEND 0C4 RUNNING ACFRULCU UTILITY WITH A MULTI UID DEFINED PROBLEM DESCRIPTION: The ACFRULCU utility may abend in ACF50GAN if a site has a multi valued field defined to their UID string. The abend may happen if the field was not cleared properly and depends upon what garbage is found at that offset in a logonid. SYMPTOMS: SYSTEM COMPLETION CODE=0C4 REASON CODE=00000011 PSW AT TIME OF ERROR 078D0000 8000AE1A ILC 4 INTC 11 ACTIVE LOAD MODULE ADDRESS=000072F8 OFFSET=00003B22 NAME=ACFRULCU IMPACT: ACFRULCU cannot be run CIRCUMVENTION: None PRODUCT(S) AFFECTED: CA-ACF2-MVS Release 15.0 CA-ACF2-MVS Version 16.0 Related Problem: ACF2MS 9924 Copyright (C) 2016 CA. All rights reserved. R01321-ACF150-SP1</p> <p>DESC(ABEND 0C4 RUNNING ACFRULCU UTILITY WITH A MULTI UID DEFINED). ++VER (Z038) FMID (CAX1F00) PRE ( RO67489 ) SUP ( RO62014 TR62014 TR91713 ) ++HOLD (RO91713) SYSTEM FMID(CAX1F00) REASON (DYNACT ) DATE (16245) COMMENT (</p> <pre> +-----+            CA-ACF2-MVS                      Release 15.0            +-----+-----+  SEQUENCE   After Apply                                       +-----+-----+  PURPOSE    Activate change without IPL                         +-----+-----+  USERS      All users                                            AFFECTED                                                        +-----+-----+  KNOWLEDGE  Operator commands                                  REQUIRED                                                        +-----+-----+  ACCESS     z/OS Operator console                              REQUIRED                                                        +-----+-----+ ***** * STEPS    TO    PERFORM * ***** 1. F LLA,REFRESH ). </pre>

CA ACF2 15.0  
CA RS 1610 - PTF RO92069 Details

Release	Service	Details
15.0	RO92069	<p>RO92069 M.C.S. ENTRIES = ++PTF (RO92069)</p> <p>CICS: AEIP/FREEMAIN ERROR ON UCV API - PASSWORD VALIDATE            PROBLEM DESCRIPTION:            During a UCV (Password validation) API call to ACF2 CICS, a FREEMAIN error may occur causing an AEIP transaction abend.            SYMPTOMS:            Transaction abend AEIP            IMPACT:            Transaction termination            CIRCUMVENTION:            None            Related Problem:            ACF2MS 9933            Copyright (C) 2016 CA. All rights reserved. R01325-ACF150-SP1</p> <p>DESC(CICS: AEIP/FREEMAIN ERROR ON UCV API - PASSWORD VALIDATE).            ++VER (Z038)            FMID (CAX1F03)            PRE ( R032495 R046083 R053745 )            SUP ( TR92069 )            ++HOLD (RO92069) SYSTEM FMID(CAX1F03)            REASON (DYNACT ) DATE (16260)            COMMENT (</p> <pre> +-----+            CA-ACF2-MVS CICS                               Release 15.0            +-----+  SEQUENCE   After Apply                                            +-----+  PURPOSE    Enable updated code                                      +-----+  USERS      All users                                                 AFFECTED                                                             +-----+  KNOWLEDGE  Linklist contents (optional)                             REQUIRED   Console commands (optional)                            +-----+  ACCESS     Master console (optional)                                REQUIRED   CICS Region                                                         ACFE Transaction                                         +-----+ ***** * STEPS TO PERFORM * ***** 1. Perform an LLA REFRESH (if applicable) 2. Issue CICS transaction: ACFE=NEWC=CAKSPWH ).</pre>