

CA IDMS 18.5
CA RS 1706 Service List

Service	Description	Type
R095295	DC016001 AT SIGNOFF AFTER RUNNING QFILES IN OLQ	PTF
R095869	S0C9 RUNNING ARCHIVE LOG OR PRINT LOG	PTF
R096096	DC027002 V.. T.. SYSTEM MODULE PROGRAM CHECKED NEAR RHDCPRNT	PTF
R096305	SVCDUMP SLIP TRAP BUSY WAIT S0C1 HANG	PTF
The CA RS 1706 service count for this release is 4		

CA IDMS
CA RS 1706 Service List for CAGJI50

FMID	Service	Description	Type
CAGJI50	R095295	DC016001 AT SIGNOFF AFTER RUNNING QFILES IN OLQ	PTF
	R095869	S0C9 RUNNING ARCHIVE LOG OR PRINT LOG	PTF
	R096096	DC027002 V.. T.. SYSTEM MODULE PROGRAM CHECKED NEAR RHDCPRNT	PTF
	R096305	SVCDUMP SLIP TRAP BUSY WAIT S0C1 HANG	PTF

The CA RS 1706 service count for this FMID is 4

CA IDMS 18.5
CA RS 1706 - PTF RO95295 Details

Service	Details
RO95295	<p>RO95295 M.C.S. ENTRIES = ++PTF (RO95295)</p> <p>DC016001 AT SIGNOFF AFTER RUNNING QFILES IN OLQ</p> <p>PROBLEM DESCRIPTION: After executing predefined OLQ QFiles containing SQL commands and exiting OLQ, if BYE is then entered to end the terminal session or a resource timeout occurs, the BYE task or the resource time out factotum task may abend with a DC016001 ADDRESS OF STORAGE TO BE FREED IS INVALID message.</p> <p>SYMPTOMS: Occurs Intermittently. A DC016001 message is displayed followed by a task abend for the BYE task or the factotum task assigned to the resource timeout.</p> <p>IMPACT: The BYE task or the factotum task is abended.</p> <p>CIRCUMVENTION: There is no workaroud for the DC016001 message and the subsequent Task abend.</p> <p>PRODUCT(S) AFFECTED: CA IDMS Base Option Release 18.5 CA IDMS Base Option Version 19.0</p> <p>Related Problem: IDMS 5340</p> <p>Copyright (C) 2017 CA. All rights reserved. R00658-AGJ185-SP1</p> <p>DESC(DC016001 AT SIGNOFF AFTER RUNNING QFILES IN OLQ). ++VER (Z038) FMID (CAGJI50) PRE (RO61262 RO71145 RO72650 RO81065) SUP (DC62134 RO65562 RO73299 RO80060 RO83716 RO87001 RO91453 RO92784 RO94165 TR65562 TR73299 TR79558 TR80060 TR83716 TR86210 TR87001 TR91453 TR92784 TR94165 TR95295)</p>

CA IDMS 18.5
CA RS 1706 - PTF RO95869 Details

Service	Details
RO95869	<p>RO95869 M.C.S. ENTRIES = ++PTF (RO95869)</p> <p>S0C9 RUNNING ARCHIVE LOG OR PRINT LOG</p> <p>PROBLEM DESCRIPTION:</p> <p>A S0C9 can occur while executing the ARCHIVE LOG or PRINT LOG utilities. This is most likely to occur running ARCHIVE LOG due to invalid time values in CPU time fields. However if an archived log file also contained these values the PRINT LOG utility may also experience the S0C9 abend.</p> <p>SYMPTOMS:</p> <p>A S0C9 program check in the batch jobstep executing the ARCHIVE LOG or PRINT LOG utilities.</p> <p>IMPACT:</p> <p>When the S0C9 occurs running ARCHIVE LOG the CV's DCLOG cannot be archived and the CV may stop sur to a full DCLOG. This will require manual intervention to reformat the DCLOG and downtime for the CV. When running the PRINT LOG utility the statistical contents of the DCLOG cannot be printed.</p> <p>CIRCUMVENTION:</p> <p>When the ARCHIVE LOG utility fails shutdown the CV and reformat the DCLOG. For a S0C9 running PRINT LOG specify all types of log contents with the exception of statistics. There is no way to print the statistical records from the archived log.</p> <p>PRODUCTS AFFECTED: CA IDMS Release 18.5 CA IDMS Release 19.0</p> <p>Related Problem: IDMS 5352</p> <p>Copyright (C) 2017 CA. All rights reserved. R00666-AGJ185-SP1</p> <p>DESC(S0C9 RUNNING ARCHIVE LOG OR PRINT LOG). ++VER (Z038) FMID (CAGJI50) PRE (R067394 R069661 R071145) SUP (R065370 R088667 TR65370 TR88667 TR95869)</p>

CA IDMS 18.5
CA RS 1706 - PTF RO96096 Details

Service	Details
RO96096	<p>RO96096 M.C.S. ENTRIES = ++PTF (RO96096)</p> <p>DC027002 V.. T.. SYSTEM MODULE PROGRAM CHECKED NEAR RHDCPRNT</p> <p>PROBLEM DESCRIPTION:</p> <p>DC027002 V.. T.. SYSTEM MODULE PROGRAM CHECKED NEAR RHDCPRNT AT OFFSET ..</p> <p>This abend may occur when there are more than 1 INOUTL lines defined in the IDMS SYSGEN for an IDMS system.</p> <p>SYMPTOMS:</p> <p>DC027002 V80 T22 SYSTEM MODULE PROGRAM CHECKED NEAR RHDCPRNT AT OFFSET ..</p> <p>IMPACT:</p> <p>Some of the INOUTL printers may not operate.</p> <p>CIRCUMVENTION:</p> <p>None</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA IDMS Base Option Version 19.0</p> <p>CA IDMS Base Option Version 18.5</p> <p>Related Problem:</p> <p>IDMS 5351</p> <p>Copyright (C) 2017 CA. All rights reserved. R00667-AGJ185-SP1</p> <p>DESC(DC027002 V.. T.. SYSTEM MODULE PROGRAM CHECKED NEAR RHDCPRNT).</p> <p>++VER (Z038)</p> <p>FMID (CAGJI50)</p> <p>PRE (RO66923 RO71145)</p> <p>SUP (RO55279 RO71012 TR55279 TR71012 TR96096)</p>

CA IDMS 18.5
CA RS 1706 - PTF RO96305 Details

Service	Details
RO96305	<p>RO96305 M.C.S. ENTRIES = ++PTF (RO96305)</p> <p>SVCDUMP SLIP TRAP BUSY WAIT SOCl HANG</p> <p>PROBLEM DESCRIPTION:</p> <p>When requesting an SVC dump, sometimes the dump capture service is busy. This may happen for example when a SLIP trap dump is occurring at the same time as a program check in a system module.</p> <p>When the SVC DUMP request gets a busy return code IDMS will wait for a short interval and retry the dump request. There was a problem in the wait logic which reused a register, so that when the dump request was issued a second time, bad parameter addresses were passed to SDUMPX, which resulted in a SOCl while processing the dump request.</p> <p>This fix addresses the problem in busy wait logic, so a valid parameter address will get passed to the dump request after waiting.</p> <p>SYMPTOMS:</p> <p>CCSR010E RHDCOS00 SOCl at 00000002 LMOD N/A CSECT N/A +N/A job-name N/A</p> <p>There may be other symptoms.</p> <p>IMPACT:</p> <p>Normally when there is a program check like this the CV ESTAE routine will get control. It will capture an SVC Dump, then abort external run units, among other things. Then abort CV.</p> <p>In one case CV waited indefinitely on the capture dump ECB. CV was cancelled before it could abort ERUS, leaving them hanging. They had to be manually aborted. It is not known why the SDUMPX ECB was not posted.</p> <p>CIRCUMVENTION:</p> <p>None</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA IDMS Base Option Release 18.5</p> <p>CA IDMS Base Option Version 19.0</p> <p>Related Problem:</p> <p>IDMS 5356</p> <p>Copyright (C) 2017 CA. All rights reserved. R00669-AGJ185-SP1</p> <p>DESC(SVCDUMP SLIP TRAP BUSY WAIT SOCl HANG).</p> <p>++VER (Z038)</p> <p>FMID (CAGJI50)</p> <p>PRE (RO57307 RO63736 RO67058 RO71145 RO75974 RO80338 RO80769 RO83439 RO87502 RO95152)</p> <p>SUP (FC62134 RO56324 RO58951 RO60139 RO60928 RO62469 RO63312 RO65391 RO66820 RO66868 RO67946 RO68913 RO87687 RO89706 RO92200 RO93401 RO94475 RO94979 TR48954 TR49070 TR56324 TR58669 TR58951 TR60139 TR60928 TR62469 TR63312 TR65391 TR66166 TR66697 TR66820 TR66868 TR67946 TR68045 TR68913 TR69653 TR75974 TR87687 TR89706 TR92200 TR93401 TR94475 TR94979 TR96305)</p>

CA IDMS 18.5
CA RS 1706 Product/Component Listing

Product Family	Product	Release
IDMS	CA IDMS	18.05.00
The CA RS 1706 Product/Component Count for this release is 1		

CA IDMS 18.5
All CA RS Levels Service List

CA RS Level	Service	FMID
CAR1706	R096305	CAGJI50
	R096096	CAGJI50
	R095869	CAGJI50
	R095295	CAGJI50
CAR1705	R095662	CAGJI50
	R095410	CAGJI50
	R095377	CAGJI50
	R095315	CAGJI50
	R095310	CAGJI50
	R095240	CAGJI50
	R095213	CAGJI50
	R095152	CAGJI50
	R095020	CAGJI50
	R091258	CAGJI50
CAR1704	R095056	CAGJI50
	R094979	CAGJI50
	R094693	CAGJI50
	R094635	CAGJI50
CAR1703	R094542	CAGJI50
	R094475	CAGJI50
	R094433	CAGJI50
	R094239	CAGJI50
	R094195	CAGJI50
	R094065	CAGJI50
	R093924	CAGJI50
	R093798	CAGJI50
CAR1702	R094165	CAGJI50
	R093923	CAGJI51
	R093883	CAGJI50
	R093847	CAGJI50
	R093799	CAGJI50
	R093740	CAGJI50
	R093451	CAGJI50
	R093390	CAGJI51
	R093348	CAGJI50
CAR1701	R093499	CAGJI50
	R093423	CAGJI50
	R093401	CAGJI50
	R093356	CAGJI50
CAR1612	R093232	CAGJI50
	R093100	CAGJI50
	R092928	CAGJI50
	R092909	CAGJI50
	R092784	CAGJI50
	R092670	CAGJI50
	R092574	CAGJI50
	R092453	CAGJI50
	R092200	CAGJI50
	R090716	CAGJI50
	R090584	CAGJI50
CAR1611	R092669	CAGJI50
	R092546	CAGJI50
	R092370	CAGJI50
	R092175	CAGJI50
	R092174	CAGJI50

CA IDMS 18.5
All CA RS Levels Service List

CA RS Level	Service	FMID
	R092136	CAGJI50
	R092090	CAGJI50
	R092070	CAGJI50
	R091905	CAGJI50
	R091860	CAGJI50
	R091453	CAGJI50
	R091329	CAGJI50
	R091257	CAGJI50
	R090658	CAGJI50
CAR1610	R091871	CAGJI50
	R091821	CAGJI50
CAR1609	R091327	CAGJI50
	R091277	CAGJI50
	R091252	CAGJI50
	R091245	CAGJI50
	R091090	CAGJI50
	R091054	CAGJI50
	R090862	CAGJI50
CAR1608	R090929	CAGJI50
CAR1607	R090674	CAGJI50
	R090597	CAGJI50
	R090418	CAGJI50
	R090316	CAGJI50
	R089943	CAGJI50
	R089429	CAGJI51
	R089169	CAGJI50
	R087502	CAGJI50
	R073457	CAGJI50
CAR1606	R089964	CAGJI50
	R089706	CAGJI50
	R089690	CAGJI50
	R089482	CAGJI50
	R088667	CAGJI50
CAR1605	R089327	CAGJI50
	R089138	CAGJI50
	R088341	CAGJI50
	R087093	CAGJI50
CAR1604	R089133	CAGJI50
	R088805	CAGJI50
	R088713	CAGJI50
	R088604	CAGJI50
	R088595	CAGJI51
	R088367	CAGJI50
	R088079	CAGJI50
	R087712	CAGJI50
	R087540	CAGJI51
CAR1603	R088439	CAGJI50
	R088116	CAGJI50
	R087756	CAGJI50
	R087724	CAGJI50
	R087700	CAGJI50
	R087687	CAGJI50
	R081070	CAGJI50
CAR1602	R087581	CAGJI50
	R087345	CAGJI50

CA IDMS 18.5
All CA RS Levels Service List

CA RS Level	Service	FMID
	R087261	CAGJI50
	R087001	CAGJI50
	R086613	CAGJI50
	R085966	CAGJI50
CAR1601	R086973	CAGJI51
	R086578	CAGJI50
	R086486	CAGJI50
	R086296	CAGJI50
	R084933	CAGJI50
CAR1512	R086433	CAGJI50
	R086301	CAGJI50
	R085862	CAGJI51
	R085602	CAGJI50
CAR1511	R085797	CAGJI50
	R085198	CAGJI50
	R084789	CAGJI50
	R084190	CAGJI50
	R084166	CAGJI50
	R083727	CAGJI50
	R083472	CAGJI50
	R083422	CAGJI51
CAR1510	R084752	CAGJI50
	R084694	CAGJI50
	R084551	CAGJI50
	R084379	CAGJI50
	R084360	CAGJI50
	R084342	CAGJI50
	R084317	CAGJI50
	R084298	CAGJI50
	R084181	CAGJI50
	R084009	CAGJI50
	R083828	CAGJI50
	R083744	CAGJI50
	R083500	CAGJI50
	R083107	CAGJI50
	R082391	CAGJI51
	R082390	CAGJI50
CAR1509	R084113	CAGJI50
	R083845	CAGJI50
	R083719	CAGJI50
	R083716	CAGJI50
	R083677	CAGJI50
	R083666	CAGJI50
	R083574	CAGJI50
	R083553	CAGJI50
	R083439	CAGJI50
	R083386	CAGJI50
	R083078	CAGJI50
	R082958	CAGJI50
	R082934	CAGJI50
	R082875	CAGJI50
	R082643	CAGJI50
	R082616	CAGJI50
	R081654	CAGJI50
CAR1508	R083244	CAGJI50

CA IDMS 18.5
All CA RS Levels Service List

CA RS Level	Service	FMID
	R083203	CAGJI50
	R083094	CAGJI50
	R083064	CAGJI50
	R082684	CAGJI50
	R082448	CAGJI50
	R081723	CAGJI50
CAR1507	R082240	CAGJI50
	R082070	CAGJI50
	R081915	CAGJI50
	R081909	CAGJI50
	R081779	CAGJI51
	R081361	CAGJI50
	R081264	CAGJI50
	R080086	CAGJI50
	R073563	CAGJI50
CAR1506	R081190	CAGJI50
	R081065	CAGJI50
	R080831	CAGJI50
	R080772	CAGJI50
	R080769	CAGJI50
	R080692	CAGJI50
	R080543	CAGJI50
	R080410	CAGJI50
	R080360	CAGJI50
	R080165	CAGJI50
	R079740	CAGJI50
	R079669	CAGJI50
CAR1505	R080338	CAGJI50
	R080079	CAGJI50
	R080078	CAGJI50
	R080060	CAGJI50
	R080032	CAGJI50
	R079995	CAGJI50
	R079397	CAGJI50
	R077254	CAGJI50
CAR1504	R079245	CAGJI50
	R079177	CAGJI50
	R079041	CAGJI50
	R079013	CAGJI50
	R078943	CAGJI50
	R078930	CAGJI50
	R078893	CAGJI50
	R078809	CAGJI50
	R078806	CAGJI50
	R078788	CAGJI50
	R078728	CAGJI50
	R078691	CAGJI50
	R078632	CAGJI50
	R078383	CAGJI50
	R076935	CAGJI50
CAR1503	R078720	CAGJI50
	R078485	CAGJI50
	R078205	CAGJI50
	R078126	CAGJI50
	R078004	CAGJI50

CA IDMS 18.5
All CA RS Levels Service List

CA RS Level	Service	FMID
	RO78002	CAGJI50
	RO77884	CAGJI50
	RO77869	CAGJI50
	RO77811	CAGJI50
	RO77209	CAGJI50
	RO77050	CAGJI50
	RO76854	CAGJI50
CAR1502	RO77789	CAGJI50
	RO77614	CAGJI50
	RO77608	CAGJI50
	RO77498	CAGJI50
	RO77308	CAGJI50
	RO77263	CAGJI50
	RO77262	CAGJI50
	RO77240	CAGJI50
	RO77235	CAGJI50
	RO77055	CAGJI50
	RO76941	CAGJI50
	RO76318	CAGJI50
	RO75615	CAGJI50
	RO75543	CAGJI50
	RO74928	CAGJI50
	RO74354	CAGJI50
	RO70628	CAGJI50
CAR1501	RO76816	CAGJI50
	RO76501	CAGJI50
	RO76347	CAGJI50
	RO75974	CAGJI50
	RO75971	CAGJI50
	RO75521	CAGJI50
	RO74865	CAGJI50
	RO74663	CAGJI50
	RO74647	CAGJI50
	RO73561	CAGJI50
	RO72670	CAGJI50
CAR1412	RO76051	CAGJI50
	RO75850	CAGJI50
	RO75794	CAGJI50
	RO75775	CAGJI50
	RO74877	CAGJI50
	RO74754	CAGJI50
	RO74474	CAGJI50
	RO73921	CAGJI50
	RO73527	CAGJI51
CAR1411	RO75092	CAGJI50
	RO74943	CAGJI50
	RO74854	CAGJI50
	RO74827	CAGJI50
	RO74684	CAGJI50
	RO74586	CAGJI50
	RO74569	CAGJI50
	RO74237	CAGJI50
	RO74210	CAGJI50
	RO74131	CAGJI50
	RO74051	CAGJI50

CA IDMS 18.5
All CA RS Levels Service List

CA RS Level	Service	FMID
	R073975	CAGJI50
	R073961	CAGJI50
	R073946	CAGJI50
	R073831	CAGJI50
	R073810	CAGJI50
	R073630	CAGJI50
	R073076	CAGJI50
	R072592	CAGJI50
	R072392	CAGJI50
CAR1410	R073447	CAGJI50
	R073359	CAGJI50
	R073338	CAGJI50
	R073299	CAGJI50
	R073242	CAGJI50
	R073010	CAGJI50
	R072736	CAGJI50
	R072652	CAGJI50
	R072650	CAGJI50
	R072349	CAGJI50
	R072145	CAGJI50
	R071746	CAGJI50
	R071526	CAGJI50
	R070723	CAGJI50
	R070507	CAGJI50
	R070461	CAGJI50
CAR1409	R071898	CAGJI50
	R071789	CAGJI50
	R071064	CAGJI50
	R070712	CAGJI50
CAR1408	R071843	CAGJI50
	R071626	CAGJI50
	R071590	CAGJI50
	R071558	CAGJI50
	R071202	CAGJI50
	R071183	CAGJI50
	R071147	CAGJI55
	R071146	CAGJI51
	R071145	CAGJI50
	R071012	CAGJI50
	R070788	CAGJI50
	R070476	CAGJI50
	R070400	CAGJI50
	R070179	CAGJI50
	R070141	CAGJI50
CAR1406	R069889	CAGJI50
	R069861	CAGJI50
	R069801	CAGJI50
	R069798	CAGJI50
	R069791	CAGJI50
	R069778	CAGJI50
	R069775	CAGJI50
	R069750	CAGJI50
	R069698	CAGJI50
	R069691	CAGJI50
	R069661	CAGJI50

CA IDMS 18.5
All CA RS Levels Service List

CA RS Level	Service	FMID
	RO69659	CAGJI50
	RO69290	CAGJI50
	RO69145	CAGJI50
	RO69042	CAGJI50
	RO69000	CAGJI50
	RO68821	CAGJI50
	RO68793	CAGJI50
	RO68756	CAGJI50
	RO67058	CAGJI50
	RO66749	CAGJI50
CAR1405	RO69186	CAGJI50
	RO69112	CAGJI50
	RO69066	CAGJI50
	RO69040	CAGJI50
	RO68988	CAGJI50
	RO68913	CAGJI50
	RO68886	CAGJI50
	RO68755	CAGJI50
	RO68724	CAGJI50
	RO68715	CAGJI50
	RO68501	CAGJI50
	RO68190	CAGJI50
	RO68187	CAGJI50
	RO67983	CAGJI50
	RO67946	CAGJI50
	RO67793	CAGJI50
	RO67787	CAGJI50
	RO67699	CAGJI50
	RO67685	CAGJI50
	RO67602	CAGJI50
	RO67522	CAGJI50
	RO67451	CAGJI50
	RO67394	CAGJI50
	RO67060	CAGJI50
	RO66986	CAGJI50
	RO66206	CAGJI50
CAR1404	RO67062	CAGJI50
	RO66923	CAGJI50
	RO66868	CAGJI50
	RO66751	CAGJI50
	RO66675	CAGJI50
	RO66647	CAGJI50
	RO66643	CAGJI50
	RO66624	CAGJI50
	RO66573	CAGJI50
	RO66488	CAGJI50
	RO66435	CAGJI50
	RO66405	CAGJI50
	RO66250	CAGJI50
	RO66161	CAGJI50
	RO65995	CAGJI50
	RO65857	CAGJI50
	RO61681	CAGJI50
CAR1403	RO66820	CAGJI50
	RO66079	CAGJI50

CA IDMS 18.5
All CA RS Levels Service List

CA RS Level	Service	FMID
	RO65749	CAGJI50
	RO65703	CAGJI50
	RO65694	CAGJI50
	RO65675	CAGJI50
	RO65661	CAGJI50
	RO65395	CAGJI50
	RO65391	CAGJI50
	RO65370	CAGJI50
	RO65335	CAGJI50
	RO65261	CAGJI50
	RO65212	CAGJI50
	RO65078	CAGJI50
	RO64930	CAGJI50
	RO64833	CAGJI50
	RO64631	CAGJI50
	RO64548	CAGJI50
	RO64504	CAGJI50
	RO64250	CAGJI50
	RO64127	CAGJI50
	RO63946	CAGJI50
	RO63913	CAGJI50
	RO63817	CAGJI50
	RO63736	CAGJI50
	RO63312	CAGJI50
CAR1402	RO66439	CAGJI50
	RO65899	CAGJI50
	RO65801	CAGJI50
	RO65562	CAGJI50
	RO63133	CAGJI50
CAR1312	RO62729	CAGJI50
	RO62475	CAGJI51
	RO62469	CAGJI50
	RO62402	CAGJI50
	RO62287	CAGJI50
	RO62152	CAGJI50
	RO62082	CAGJI50
	RO61933	CAGJI50
	RO61887	CAGJI50
	RO61481	CAGJI50
	RO61472	CAGJI50
	RO61384	CAGJI50
	RO61262	CAGJI50
	RO61091	CAGJI50
	RO60928	CAGJI50
	RO60848	CAGJI50
	RO60740	CAGJI50
	RO60692	CAGJI50
	RO60310	CAGJI50
	RO60263	CAGJI50
	RO60143	CAGJI51
	RO60142	CAGJI50
	RO60139	CAGJI50
	RO60131	CAGJI50
	RO60098	CAGJI50
	RO60033	CAGJI50

CA IDMS 18.5
 All CA RS Levels Service List

CA RS Level	Service	FMID
	R059972	CAGJI50
	R059834	CAGJI50
	R059824	CAGJI50
	R059739	CAGJI51
	R059738	CAGJI50
	R059732	CAGJI50
	R059656	CAGJI50
	R059591	CAGJI50
	R059539	CAGJI50
	R059398	CAGJI50
	R059387	CAGJI50
CAR1310	R062132	CAGJI50
	R060751	CAGJI50
	R060748	CAGJI50
CAR1309	R060833	CAGJI50
	R059870	CAGJI50
	R059841	CAGJI50
	R059568	CAGJI50
	R059460	CAGJI50
	R059386	CAGJI50
	R059339	CAGJI50